EFFECTS OF PRESSURE VESSEL GEOMETRY ON THE INTERIOR BALLISTICS OF GAS GUNS

WILHELM F. KNACKSTEDT JAY L. POLITZER

TECHNICAL REPORT AFFDL-TR-66-159

DECEMBER 1966

Distribution of this document is unlimited.

RESEARCH AND TECHNOLOGY DIVISION
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

20070925180

NOTICES

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Copies of this report should not be returned to the Research and Technology Division unless return is required by security considerations, contractual obligations, or notice on a specific document.

EFFECTS OF PRESSURE VESSEL GEOMETRY ON THE INTERIOR BALLISTICS OF GAS GUNS

WILHELM F. KNACKSTEDT JAY L. POLITZER

Distribution of this document is unlimited.

FOREWORD

This report was prepared by the Advanced Theory Group, Theoretical Mechanics Branch, Structures Division, of the Air Force Flight Dynamics Laboratory (AFFDL), under Project 5710, Nuclear Weapon Effects, Research and Testing, Task No. 5710/WEB with Dr. W. F. Knackstedt and Mr. J. L. Politzer as task engineers. Dr. W. A. Kapp contributed to the work by writing the computer program.

The manuscript was released in September 1966 for publication as a technical report.

This is an in-house effort sponsored under AFFDL Laboratory Director's Funds.

This technical report has been reviewed and is approved.

FRANCIS J. JANIK, JR.

Chief, Theoretical Mechanics Branch

Structures Division

Air Force Flight Dynanices Laboratory

ABSTRACT

An analytical treatment of the performance of a gas gun has been carried out by means of a modified "Lagrange approximation." The actual local cross-sectional area of the high-pressure vessel of the gas gun, larger than the area of the base of the gun's barrel, has been taken into account and its effect on the performance determined.

AFFDL-TR-66-159

TABLE OF CONTENTS

SECTIO	ON		PAGE	
I	INTRODUC	TION	1	
II	ANALYSIS		2	
Ш	NUMERICA	L RESULTS	3	
IV	SUMMARY		8	
RE	FERENCE		8	
AP	PENDIX I	Fortran IV Computer Program	11	
API	PENDIX II	Nu Versus Eta - "Piston Velocity/Piston" Distance" - A Dimensionless Quantity	Travel	
AP	PENDIX III	Time Versus Eta - "Piston Travel Time/Travel Distance" - A Dimensionless Quan	101	

AFFDL-TR-66-159

ILLUSTRATIONS

FIGUR	E	PAGE
1.	Representative Shapes of Gas Gun Pressure Chambers	9
	a. Frustrum	9
	b. Rotationally Symmetrical Ellipsoid	9
	c. Rotationally Symmetrical Paraboloid	9
	d. Composite	9
2.	Numerical Values of the Integral I for Different Shapes of Gas Gun Pressure Chambers	10

LIST OF SYMBOLS

A	base area of piston
A(\(\xi \)	local cross section area of pressure vessel
a	longitudinal semiaxis of ellipsoid
	also local speed of sound in the gas
a _o	speed of sound in an ideal gas under initial conditions
b	lateral semiaxis of ellipsoid
	also co-volume in van der Waals equation of state
E	kinetic energy
g	acceleration of gravity
I	$= \int_{0}^{1} \frac{\left(\frac{\xi}{L_{0}}\right)^{2} d\left(\frac{\xi}{L_{0}}\right)}{\frac{A(\xi)}{A}}$
L _o	length of pressure chamber
L _e	= $\frac{V_o}{A}$, equivalent length of pressure chamber
l	length of individual portions of pressure chamber
m	= ρ_0 V ₀ , mass of compressed gas in the vessel
p	pressure
R, R'	radii of pressure chamber at specified locations
r	radius of barrel
t	piston travel time
v_{o}	volume of pressure chamber
v	velocity
	also specific volume of the gas
W	weight of the piston
x	piston travel distance

LIST OF SYMBOLS (CONT'D)

α	=	L_{0}/L_{e} length of chamber to equivalent length of chamber
β	=	b/r dimensionless lateral semiaxis of ellipsoid
		also co-density in the modified van der Waals equation
Y		ratio of specific heat
8	=	1 - 31
ζ		local radius of pressure chamber
η	=	$^{\rm x}/{\rm L}_{\rm o}$ dimensionless piston travel distance
κ κ	=	$\frac{R/r}{R^{l}/r}$ dimensionless radii of pressure chamber
λ	=	$\mathcal{L}_{/\mathbf{r}}$ dimensionless length of individual portions of chamber
μ	=	$^{\mathrm{O}}/\mathrm{r}$ dimensionless longitudinal semiaxis of ellipsoid
ν	=	v_x/a_0 dimensionless piston velocity
ξ		distance from closed end of chamber
ρ		density of gas
τ		dimensionless time of piston travel
Ψ	. =	$\frac{\rho_0}{\beta}$
ω	=	$W/g:(\rho_0V_0)$ mass of piston to mass of compressed gas
Subscr	ipts:	
0		initial conditions
0,1	,2	refer to individual portions of pressure chamber
е		external conditions
ξ		condition at distance ξ from closed end of chamber
x		condition at base of piston

SECTION I

INTRODUCTION

In a special materials test where it was necessary to accelerate a pellet to moderately high velocities, well below the speed of sound, a gas gun utilizing compressed air was used. The projectile in this case was a piston into the forward face of which the pellet was implanted. The target was placed close to the end of the barrel of the gun.

The piston velocity was measured at the target. On some occasions the time between the start of the piston and its arrival at the target was also measured. To obtain a check on velocities as well as to determine the necessary design characteristics for various piston velocities, it became desirable to carry out an analysis of the performance of gas guns, even if this could be achieved only approximately.

In the following analysis, friction between the piston and the barrel walls, leakage of the high pressure air around the piston, and pressure buildup in front of the moving piston are not considered.

SECTION II

ANALYSIS

The interior aerodynamics of the gas gun in the present case may be treated as that of the "Lagrange Problem" of Interior Ballistics, since the velocities involved stay well below the speed of sound. The following simplifying assumptions are made: a) the gas expands adiabatically; b) the flow is one-dimensional; and c) the velocity of the gas at any instant varies in proportion to the distance from the closed end of the pressure chamber and inversely with the local cross section of the chamber. The gas velocity is zero at the closed end of the vessel and equal to the piston velocity at the base of the piston.

The complete analysis is contained in Reference 1. Here, only those parts of it necessary for the application of the charts and/or tables (see Appendices) are repeated.

For a gun having a chamber design such as d in Figure 1, the local gas velocity at position ξ is

$$v_{\xi} = \frac{\xi}{(L_0 + x)} \frac{A}{A(\xi)} v_{x} \tag{1}$$

The kinetic energy of the air moving in the vessel and in the barrel behind the piston which may have arrived at a position x after the start is

$$E_{air} = \int_{0}^{L_{0} + x} \frac{\rho}{2} A(\xi) v_{\xi}^{2} d\xi' = \frac{\rho_{0}}{2} \frac{V_{0}}{V_{0} + Ax} \frac{A^{2}}{(L_{0} + x)^{2}} v_{x}^{2} \int_{0}^{L_{0} + x} \frac{\xi^{2} d\xi}{A(\xi)} (2)$$

The kinetic energy of the moving piston of mass $\frac{W}{g}$ is

$$E_{piston} = \frac{W}{g} \frac{v_x^2}{2}$$
 (3)

The external work produced by the adiabatic expansion of the air initially in the vessel, when the piston has moved into position x is:

$$E_{ext} \int_{0}^{x} p \, dV = \frac{p_0 V_0}{\gamma^{-1}} \left(1 - \frac{\rho_0}{\beta} \right) \left[1 - \left(\frac{1 - \rho_0 / \beta}{1 + x / L_e - \rho_0 / \beta} \right)^{\gamma^{-1}} \right] \tag{4}$$

and is equal to the kinetic energy of the moving piston and the gas. The velocity of the piston along its path is then (for any geometry of the pressure vessel), after some transformation,

$$v_{x} = \begin{bmatrix} \frac{2}{\gamma - 1} & \frac{\rho_{o}}{\rho_{o}} & \left(1 - \frac{\rho_{o}}{\beta}\right) \left[1 - \left(\frac{1 - \rho_{o}/\beta}{1 + x/L_{o} - \rho_{o}/\beta}\right)^{\gamma - 1}\right] \\ \frac{W/g}{\rho_{o}V_{o}} + \frac{1}{3} & \frac{L_{o} + x}{L_{e} + x} \left\{1 - \left(\frac{L_{o}}{L_{o} + x}\right)^{3} \left[1 - 3\int_{o}^{1} \frac{(\xi/L_{o})^{2} d(\xi/L_{o})}{A(\xi)/A}\right]\right\} \end{bmatrix}$$
 (5)

The time t needed for the piston to travel a distance x from the start is:

$$t = \int_0^x \frac{dx}{\sqrt{x}}$$
 (6)

SECTION III

NUMERICAL RESULTS

The contents within the brackets in the denominator of the equation for v_x depend entirely upon the shape and size of the high pressure vessel. The vessel proper may have a simple geometric shape (Figures 1a, b, and c), or it may be a composite of several simple shapes of overall length, L_0 (Figure 1d). Its dimensions will be referred to the radius r of the barrel.

For a frustrum (Figure 1a), the integral (from the denominator of Equation 5)

$$I = \int_0^1 \frac{(\xi/L_0)_{d}^8(\xi/L_0)}{A(\xi)/A}$$
 (7)

assumes the form

$$I = \frac{\pi r^{2}}{\ell_{0}^{3}} \int_{0}^{\ell_{0}} \frac{\xi^{2} d\xi}{\pi (R - \frac{R - R'}{\ell_{0}} \xi)} = \frac{R'/r}{(R/r - R'/r)^{3}} \left[\left(\frac{R/r}{R'/r} \right)^{2} - 2 \left(\frac{R/r}{R'/r} \right) \ln \left(\frac{R/r}{R'/r} \right) - 1 \right]$$

$$= \frac{\kappa^{1}}{(\kappa - \kappa')^{3}} \left[\left(\frac{\kappa}{\kappa^{1}} \right)^{2} - 2 \left(\frac{\kappa}{\kappa^{1}} \right) \ln \left(\frac{\kappa}{\kappa^{1}} \right) - 1 \right], \text{ when } R/r = \kappa \text{ and } R/r = \kappa^{1}.$$
 (8)

$$I = \frac{1}{(\kappa - 1)^3} \left[\kappa^2 - 2 \kappa \ln \kappa - 1 \right]$$
, when R' = r or $\kappa' = 1$.

If R' = R or $\kappa' = \kappa$, the frustum becomes a cylinder, and

$$I = \frac{1}{3} \frac{1}{\kappa^3} \tag{9}$$

For a rotationally symmetrical ellipsoid (Figure 1b)

$$I = \frac{\pi r^2}{\ell_0^3} \int_0^{\ell_0} \frac{\xi d\xi}{\pi \left(2 \frac{b^2}{a} - \left(\frac{b}{a}\right)^2 \xi\right)} = \left(\frac{r}{b}\right)^2 \frac{1}{1 + \sqrt{1 - (r/b)^2}} \left[\frac{2}{1 + \sqrt{1 - (r/b)^2}} \ell_0 \frac{2}{1 - \sqrt{1 - (r/b)^2}} - 1\right]$$

$$= \frac{1/\beta^2}{1 + \sqrt{1 - 1/\beta^2}} \left[\frac{2}{1 + \sqrt{1 - 1/\beta^2}} \ln \frac{2}{1 + \sqrt{1 - 1/\beta^2}} - 1 \right], \text{ when } b/r = \beta^2.$$
 (10)

The ellipsoid becomes a sphere, when a = b = R. With $R = \beta r$ the formula for the sphere is the same as that for the ellipsoid.

For a paraboloid (Figure 1c)

$$I = \frac{\pi r^2}{\ell_0^3} \int_0^{\ell_0} \frac{\xi^2 d\xi}{\pi 2\rho(\ell_0 + \epsilon - \xi)} = \frac{1}{(R/r)^2 - 1} \left[\left(\frac{(R/r)^2}{(R/r)^2 - 1} \right)^2 \rho_n \left(\frac{R}{r} \right)^2 - \frac{1}{(R/r)^2 - 1} - \frac{3}{2} \right]$$

$$= \frac{1}{\beta^{2}-1} \left[2 \left(\frac{\beta^{2}}{\beta^{2}-1} \right)^{2} \ln \beta - \frac{1}{\beta^{2}-1} - \frac{3}{2} \right], \text{ when } R/r = \beta$$

For these three shapes the numerical values of I have been computed and plotted (Figure 2) as a function of the characteristic dimensions.

For a composite vessel such as Figure ld, consisting of half an ellipsoid, a cylindrical part, a frustum, and a short cylindrical part of barrel cross section, the volume is

$$V_0 = \# \left\{ \frac{b^2}{a^2} \int_0^a (2a\xi - \xi^2) d\xi + R^2 \int_a^{a+\ell_0} d\xi + \int_{a+\ell_0}^{a+\ell_0+\ell_0} (R - \frac{R-R^1}{\ell_1} \xi)^2 d\xi \right\}$$

$$+ r^{2} \int_{\alpha+\ell_{0}+\ell_{1}}^{\alpha+\ell_{0}+\ell_{1}+\ell_{2}} d\xi = \pi \left\{ R^{2} \left(\frac{(\alpha+\ell_{0})^{2}}{\ell_{1}} - \frac{\alpha}{3} + \frac{\ell_{1}}{3} \right) - 2Rr \left(\frac{(\alpha+\ell_{0})^{2}}{\ell_{1}} - \frac{\ell_{1}}{6} \right) \right\}$$

(11)

$$+ r^{2} \left(\frac{(a + \ell_{0})^{2}}{\ell_{1}} + \alpha + \ell_{0} + \frac{\ell_{1}}{3} + \ell_{2} \right) \right) = \pi r^{3} \left\{ \beta^{2} \left(\frac{(\mu + \lambda_{0})^{2}}{\lambda_{1}} + \frac{1}{3} \left(\lambda_{1} - \mu \right) \right) \right\}$$

$$-2\beta\left(\frac{\left(\mu+\lambda_{0}\right)^{2}}{\lambda_{1}}-\frac{\lambda_{1}}{6}\right)+\frac{\left(\mu+\lambda_{0}\right)^{2}}{\lambda_{1}}+\mu+\lambda_{0}+\frac{\lambda_{1}}{3}+\lambda_{2}\right\}$$

when

$$R/r = b/r = \kappa = \beta$$
, $a/r = \mu$, $\ell_0/r = \lambda_0$, $\ell_1/r = \lambda_1$, $\ell_2/r = \lambda_2$ (12)

Then L can be computed according to the definition

$$V_0 = \pi r^2 L_e \tag{13}$$

The integral I for the composite vessel becomes

$$\begin{split} &\mathbf{I} = \frac{\pi \, r^{2}}{\mathsf{L}_{0}^{3}} \, \left\{ \frac{a^{2}}{b^{2}} \left[2 \, a - \xi - 2 \, a \, \int \!\!\! m \left(2 \frac{b^{2}}{a} - \frac{b^{2}}{a^{2}} \, \xi \right) \right]_{0}^{a} + \frac{1}{\mathsf{R}^{2}} \, \left[\frac{\xi^{3}}{3} \right]_{a}^{a + \mathsf{L}_{0}} \right. \\ &+ \left. \frac{\ell_{1}^{3}}{(\mathsf{R} - \mathsf{R}^{1})^{3}} \, \left[-\mathsf{R} + \frac{\mathsf{R} - \mathsf{R}^{1}}{\ell_{1}} \, \xi + 2 \, \mathsf{R} \int \!\!\! m \left(\mathsf{R} - \frac{\mathsf{R} - \mathsf{R}^{1}}{\ell_{1}} \, \xi \right) + \frac{\mathsf{R}^{2}}{\mathsf{R} - \frac{\mathsf{R} - \mathsf{R}^{1}}{\ell_{1}} \, \xi \, \int_{a + \ell_{0}}^{a + \ell_{0} + \ell_{1}} \, \frac{1}{a + \ell_{0}} \right. \\ &+ \frac{1}{r^{2}} \left[\frac{\xi^{3}}{3} \right]_{a + \ell_{0} + \ell_{1}}^{a + \ell_{0} + \ell_{1}} = \frac{1}{(\mu + \lambda_{0} + \lambda_{1} + \lambda_{2})^{3}} \, \left\{ \frac{\mu^{3}}{\beta^{2}} \left[\ln 4^{-1} \right] + \frac{1}{\beta^{2}} \left[\mu^{2} \lambda_{0} + \mu \lambda_{0}^{2} \right] \right. \\ &+ \frac{\lambda_{0}^{3}}{3} \left. \left[+ (\mu + \lambda_{0} + \lambda_{1})^{2} \lambda_{2} + (\mu + \lambda_{0} + \lambda_{1}) \lambda_{2}^{2} + \frac{\lambda_{2}^{3}}{3} + \frac{\lambda_{1}^{3}}{(\beta - 1)^{3}} \right. \left. \left[(\beta - 1) \right. \right. \\ &- 2 \, \beta \, \int \!\!\!\! m \frac{\mu + \lambda_{0} - \beta \, (\mu + \lambda_{0} - \lambda_{1})}{\mu + \lambda_{0} - \lambda_{1} - \beta \, (\mu + \lambda_{0})} - \beta^{2} \lambda_{1} \left(\frac{1}{\mu + \lambda_{0} - \beta \, (\mu + \lambda_{0} - \lambda_{1})} - \frac{1}{\mu_{0}^{+} \lambda_{0}^{+} \lambda_{1}^{-} \beta \, (\mu + \lambda_{0})} \right) \right] \right\} \end{split}$$

A numerical computation of the velocity v_x of the piston and its travel time along the gun barrel has been carried out for a gas with the specific heat ratio y = const = 1.4. To make the results as general and as convenient as possible, certain magnitudes, which can be determined beforehand from the design values, have been considered as parameters:

$$\alpha = \frac{AL_0}{V_0} = \frac{L_0}{L_0} = \frac{\text{length of the vessel}}{\text{equivalent length of the vessel}},$$

$$\omega = \frac{W/g}{\rho_0 V_0} = \frac{\text{mass of the piston}}{\text{mass of compressed air}},$$

$$\delta = 1 - 3I,$$
(15)

$$a_0 = \sqrt{\gamma \frac{p_0}{\rho_0}}$$
 = speed of sound in an ideal gas at the initial pressure and density,

(16)

(17)

and
$$\psi = \rho_0 / \beta$$
, versus

$$\eta = \frac{x}{L_0} = \frac{\text{piston travel}}{\text{length of vessel}}$$
 as the independent variable. (18)

Using these definitions, the dimensionless piston velocity and the travel time may be written as:

$$\left(\frac{\mathbf{v}_{\mathbf{X}}}{\mathbf{a}_{0}}\right) = \nu = \begin{bmatrix}
\frac{2(1-\psi)}{\gamma(\gamma-1)} \left[1 - \left(\frac{1-\psi}{1+\alpha\eta-\psi}\right)^{\gamma-1}\right] \\
\frac{\omega + \frac{\alpha}{3}}{1+\alpha\eta} \frac{1+\eta}{1+\alpha\eta} \left[1 - \frac{8}{(1+\eta)^{3}}\right]
\end{bmatrix}^{\frac{1}{2}}$$
(19)

and

$$\tau = \frac{a_0}{L_0} + \frac{a_0}{L_0} = \int_0^x \frac{dx}{v_x} = \int_0^{\eta} \frac{d\eta}{v} \quad \text{respectively.}$$
 (20)

 ν and τ , versus η , have been computed for selected values of the parameters α , ω , δ , and ψ , and are given in the tables.

Because of the assumptions involved caution must be observed in the use of the tables. The ratio $v_{\rm X}/\sigma_{\rm O}$ is not a true Mach number although it is the ratio of the piston velocity to the velocity of sound in the compressed gas in the pressure vessel at initial conditions. The local speed of sound in the air after adiabatic expansion in the barrel is always lower than $a_{\rm O}$ and, therefore, the true local Mach number of the air in the immediate vicinity of the piston's base is higher than the ratio $v_{\rm X}/\sigma_{\rm O}$.

The computation in this report is based upon the assumption that the velocities involved are well below the speed of sound. We arbitrarily restrict the applicability of the derivation for the computation of gas guns such that the local Mach number in the gas is not to exceed 0.5. The maximum local Mach number is

$$M = \left(\frac{v_X}{a}\right) = \left(\frac{v_X}{a_O}\right) \left(\frac{a_O}{a}\right) = \nu \frac{a_O}{a} \le 0.5, \text{ and } \nu \le 0.5 \frac{a}{a_O}$$
 (21)

The local speed of sound is

$$a = \sqrt{\gamma \left(\frac{\partial p}{\partial \rho}\right)} = \sqrt{\gamma \frac{p}{\rho}} \frac{v\beta}{\beta - \rho} = \sqrt{\gamma g p v \frac{v}{v - b}}$$
 (22)

and according to definition

$$a_0 = \sqrt{\gamma \frac{p_0}{\rho_0}} = \sqrt{\gamma g p v_0}$$
 (23)

$$\frac{a}{a_0} = \sqrt{\frac{p \ v}{p_0 \ v_0} \frac{v}{v-b}} \tag{24}$$

with

$$\frac{p}{po} = \left(\frac{v_0 - b}{v - b}\right)^{\gamma} \tag{25}$$

$$\frac{a}{a_{0}} = \sqrt{\frac{v_{0} - b}{v_{0}}} \frac{v_{0}}{v_{0}} = \sqrt{\frac{v_{0} + Ax}{v_{0}}} \left(\frac{v_{0} - m/\beta}{v_{0} + Ax - m/\beta} \right)^{\gamma} \frac{v_{0} + Ax}{v_{0} + Ax - m/\beta}$$

$$= \sqrt{\frac{(1 + x/L_{e})^{2}}{1 + (x/L_{e})^{-}(\rho_{0}/\beta)}} \left(\frac{1 - (\rho_{0}/\beta)}{1 + (x/L_{e})^{-}(\rho_{e}/\beta)} \right)^{\gamma}} = \sqrt{\frac{(1 + \alpha\eta)^{2}}{1 + \alpha\eta - \psi}} \left(\frac{1 - \psi}{1 + \alpha\eta - \psi} \right)^{\gamma}$$
(26)

All of the values of ν exceeding

$$0.5 \sqrt{\frac{(1+\alpha\eta)^2}{1+\alpha\eta-\psi} \left(\frac{1-\psi}{1+\alpha\eta-\psi}\right)^{\gamma}}$$
 (27)

should not be used. These values, therefore, have been eliminated from the tables by the expedient of printing zeros instead. The values of τ corresponding to those inadmissible values of ν have also been eliminated from the tables.

SECTION IV

SUMMARY

Numerical values which can be used in the calculation of piston velocities and travel times in the barrel of a gas gun have been calculated. The effects of different shapes of the pressure chamber have been taken into account. Piston velocity and travel time are given in dimensionless form as functions of the dimensionless piston travel with certain design characteristics as parameters. These may be computed beforehand and used for interpolation of the tables.

It is assumed that air is the driving medium. However, the tables are also valid for any gas with $\gamma = \text{const} = 1.4$.

In the case of a gas with a specific heat ratio other than 1.4, the tabulations of the computer programs are attached so that the desired numerical values may be computed.

When the pressure chamber is simple in shape, as illustrated in Figure 1a to 1c, the numerical values of I in the parameter $\delta = 1-3I$ can be taken from the graphs in Figure 2.

REFERENCE

W. F. Knackstedt and J. L. Politzer. "Influence du Chambrage en Balistique Interieure" (Chambrage Effect in Interior Ballistics) (in French) Mém. Artillerie Franc (1967)




Figure 1. Representative Shapes of Gas Gun Pressure Chambers

- Frustum a.
- b.
- Rotationally Symmetrical Ellipsoid Rotationally Symmetrical Paraboloid c.
- Composite d.




Figure 2. Numerical Values of the Integral I for Different Shapes of Gas Gun Pressure Chambers

APPENDIX I

Fortran IV Computer Program

```
FORTRAN IV PROGRAM FOR COMPUTATION OF VELOCITY
C
      DIMENSION VFL(11)
      REAL MACH
      READ(5,47)GAMMA
   47 FORMAT(1F12.4)
   48 READ(5,49)PSI
   49 FORMAT(1F12.4)
    4 DDELTA=.25
      DOMEGA=.5
      DETA=.25
      DALPHA= . 2
C
      THESE ARE STEP SIZES FOR DELTA, OMEGA, ETA, ALPHA
      MACH = .5
      MACH IS LOCAL MACH NUMBER
C
      G = GAMMA - 1
      F = 1 \cdot - PSI
       W = 2 \cdot * (1 \cdot -PSI)/GAMMA/G
       THESE ARE INTERMEDIATE CALCULATIONS TO REDUCE COMPUTING TIME
C
      ALPHA= . 2
       D078 M=1,5
C
       THIS LOOP INCREMENTS ALPHA
       R = ALPHA/3.
       THIS IS AN INTERMEDIATE CALCULATION TO REDUCE COMPUTING TIME
C
       DELTA=0.
       D070 L=1,5
       THIS LOOP INCREMENTS DELTA
C
       FTA= . 25
       WRITE(6,40)DELTA, ALPHA, PSI
   40 FORMAT(1H1,54X,13HNU VERSUS ETA,//27X,8HDELTA = ,F4.2,16X,8HALPHA
      1= ,F4.2,16X,6HPSI = ,F4.2,//57X,5HOMEGA,
                                 //2X,3HETA,6X,3HO.O,8X,3HO.5,8X,3H1.O,8X,
      23H1 • 5 • 8X • 3H2 • 0 • 8X • 3H2 • 5 • 8X • 3H3 • 0 • 8X • 3H3 • 5 • 8X • 3H4 • 0 • 8X • 3H4 • 5 • 8X • 3H5
      3.0)
       DO 38 K=1.20
C
       THIS LOOP INCREMENTS ETA
       T = 1. + ETA
       S= ALPHA* ETA
       U = 1. + 5
       A = F + S
       THESE ARE INTERMEDIATE CALCULATIONS TO REDUCE COMPUTING TIME
C
       OMEGA=0.
       DO 31 I=1:11
       THIS LOOP INCREMENTS OMEGA
C
```

C

```
VEL(I) = (W*(1.-(F/A)**G)/(OMEGA +R*T/U*(1.-DELTA/T**3.)))**.5

TEST = MACH*(U**2./A*(F/A)**GAMMA)**.5
IF(VEL(I) - TEST) 31.31.3

THIS TESTS FOR VELOCITIES GREATER THAN MACH .5

3 VEL(I) = 0.
THIS PREVENTS PRINTOUT OF MEANINGLESS VALUES

31 OMEGA=OMEGA+DOMEGA
WRITE(6.35)FTA.(VFL(I).I=1.11)
35 FORMAT(1H0.1X.F4.2.1X.IP11F11.3)
38 ETA=ETA+DETA
70 DELTA=DELTA+DDELTA
78 ALPHA=ALPHA+DALPHA
GO TO 48
END
```

FIRST DATA CARD IS FOR GAMMA

THE SUBSEQUENT DATA CARDS ARE FOR PSI

```
C
       FORTRAN IV PROGRAM FOR COMPUTATION OF TIME
       COMMON ALPHA, DELTA, OMEGA, F, G, R, W, GAMMA, PSI, E
       DIMENSION COR(21), A(10,21)
       REAL MACH
       EXTERNAL VEL, SER
       MACH = .5
0
       MACH IS LOCAL MACH NUMBER
       READ(5,19) GAMMA
  19
      FORMAT(1F12.4)
 13
       RFAD(5,18)PSI
 18
       FORMAT (F12.4)
   14 G= GAMMA - 1.
       F = 1 - PSI
      W = 2.*F/GAMMA/G
C
      THESE ARE INTERMEDIATE STEPS TO REDUCE COMPUTING TIME
      DALPHA= . 2
      DDELTA = .25
      DOMEGA= . 5
C
      THESE ARE STEP SIZES FOR ALPHA, DELTA, AND OMEGA
      ALPHA=.2
      D080 L=1,5
C
      THIS LOOP INCREMENTS ALPHA
      R = ALPHA/3.
      DELTA=0.
      DO 67 KA=1,5
C
      THIS LOOP INCREMENTS DELTA
      WRITE(6,40)DELTA,ALPHA,PSI
 40
      FORMAT(1H1,60X,15HTIME VERSUS ETA,//35X,8HDELTA = ,F4.2,16X,8HALPH
     1A = ,F4.2,16X,6HPSI = ,F4.2,7/65X,
     15HOMEGA,//11X,3HETA,6X,3H0.5,8X,
     23H1.0,8X,3H1.5,8X,3H2.0,8X,3H2.5,8X,3H3.0,8X,3H3.5,8X,3H4.0,8X,
     33H4.5,8X,3H5.0)
      OMEGA= . 5
      DO 51 I=1.10
C
      THIS LOOP INCREMENTS OMEGA
      DO 25 K= 2,21
      THIS LOOP PERFORMS INTEGRATION UP TO ETA=5.0
C
```

```
K \cap = K - 1
      COR(K) = .25 * FLOAT(KO)
      E = COR(K)
C
      THIS COMPUTES THE LOWER LIMIT OF EACH INTEGRAL
      FN=F+.25
0
      THIS COMPUTES THE UPPER LIMIT OF EACH INTEGRAL
      H = ALPHA * F
      Z=F+H
      Y=1.+H
C
      THESE ARE INTERMEDIATE STEPS TO REDUCE COMPUTING TIME
      TEST=1./VEL(E)
      TACH=MACH*Y*(1./Z*(F/Z)**GAMMA)**.5
      IF (TEST-TACH) 76,76,2
    2 A(I,K) = 0.
      GO TO 25
      THIS TESTS FOR VELOCITIES LARGER THEN MACH .5 AND
      PREVENTS COMPUTATION OF MEANINGLESS RESULTS
   76 IF (K - 2)8,8,77
    8 A(I,K) = QUAD(1.E-05,1.E-08,850,SER) + QUAD(1.E-02,1.E-05,1800,SER)
     1)+QUAD(.25,1.E-02,330,VEL)
C
      THIS PERFORMS INTEGRATION BETWEEN ETA = 1.E-08 AND .25
      1.E-08 WAS SELECTED AS COMPROMISE BETWEEN ACCURACY. COMPUTATION
C
      TIME REQUIREMENTS, AND POSSIBLE OVERFLOW CONDITION
      GO TO 25
   77 A(I,K)=QUAD(FN,F,15,VFL)+A(I,KO)
      THIS INTEGRATES FROM .25 TO 5.0 AND SUMS UP
   25 CONTINUE
   51 OMEGA = OMEGA + DOMEGA
      WRITE(6,45)(COR(K),(A(I,K),I=1,10),K=2,21)
   45 FORMAT(1H0,10X,0PF4,2,1X,1P10E11,3)
 67
      DELTA=DELTA+DDELTA
 20
      ALPHA=ALPHA+DALPHA
      GOTO 13
      FND
```

```
FUNCTION VEL(ETA)
      THIS IS THE RECIPROCAL OF THE EXPRESSION FOR THE VELOCITY
C
       COMMON ALPHA, DELTA, OMEGA, F, G, R, W, GAMMA, PSI, E
       T=1.+ETA
       S=ALPHA*ETA
      U=1.+S
      A=F+S
      THESE ARE INTERMEDIATE STEPS TO REDUCE COMPUTING TIME
C
      VEL = (W*(1.-(F/A)**G)/
     1(OMEGA+R*T/U*(1.-DELTA/T**3.)))**(-.5)
      RETURN
      FND
      FUNCTION SER(ETA)
      THIS IS A SERIES EXPANSION OF VEL FOR SMALL ARGUMENT
C
      COMMON ALPHA, DELTA, OMEGA, F, G, R, W, GAMMA, PSI, E
       S=ALPHA*ETA
      T=1.+ETA
      U=1.+5
      TA=S/F
      THESE ARE INTERMEDIATE STEPS TO REDUCE COMPUTING TIME
C
      SFR=(W*G*TA*(1.-GAMMA/2.*TA*(1.-(GAMMA+1.)/3.*TA))/,
     1(OMEGA+R*T/U*(1.-DELTA/T**3.)))**(-.5)
      RETURN
      END
```

C

C

C

DATA

THE FIRST DATA CARD IS FOR GAMMA

THE SUBSEQUENT DATA CARDS ARE FOR PSI

FUNCTION QUAD(BE, AE, ME, DUM) C CONTRIBUTED BY JAY L. POLITZER C QUAD PERFORMS SIMPSONS INTERGRATION C BE = UPPER LIMIT C AE = LOWER LIMIT C ME = NUMBER OF INTERVALS C DUM IS DUMMY FUNCTION NAME OF FUNCTION TO BE INTEGRATED C REAL NAME APPEARS IN EXTERNAL TYPE STATEMENT (VEL , SER) COMMON ALPHA, DELTA, OMEGA, F, G, R, W, GAMMA, PSI, E KE=(ME+1)/2*2 C THIS INSURES PROPER NUMBER OF INTERVALS DX=(BF-AF)/FLOAT(KE) QUAD=DUM(AE)+DUM(BE) EX = AE + DXDO 1 I=2.KE C=4-2*((10*1/2-1/2*10)/5)C THIS PROVIDES CORRECT FACTORS, 2 AND 4 RESPECTIVELY QUAD=C*DUM(EX)+QUAD 1 FX = EX + DXQUAD=QUAD*DX/3. RETURN END

APPENDIX II

Nu Versus Eta -

"Piston Velocity/Piston Travel Distance" -

A Dimensionless Quantity

					NU VERSUS	JS ETA					
		DEL	DELTA = 0.		ALPHA =	0.20	PSI	.0 = 15			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	3.452E-01	2.529E-01	2.0915-61	1.822E-01	1.6366-01	1.497E-01	1.3895-01	1.3016-01	1.228E-01	1.166E-01
0.50	0.	4.755E-01	3.4995-01	2.898E-01	2.528E-01	2.2716-01	2.C79E-01	1.9296-01	1.807E-01	1.706E-01	1.620E-01
0.75	• 0	•0	4.199E-01	3.482E-01	3.040E-01	2.732E-01	2.502E-01	2.322E-01	2.176E-01	2.054E-01	1.951E-01
1.00	• 0	٠	4.755E-01	3.949E-01	3.4495-01	3.102E-01	2.841E-01	2.637E-01	2.472E-01	2.334E-01	2.217E-01
1.25	•0	•0	.0	4.339E-01	3.793E-01	3.412E-01	3.126E-01	2.902E-01	2.721E-01	2.569E-01	2.4416-01
1.50	•0	• 0	•0	4.6752-01	4.089E-01	3.679E-01	3.373E-01	3.132E-01	2.936E-01	2.773E-01	2.634E-01
1.75	•0		• 0	•0	4.349E-01	3.915E-01	3.589E-01	3.333E-01	3.125E-01	2.952E-01	2.805E-01
2.00	•0		• 0	• 0	4.581E-01	4.125E-01	3.783E-01	3.514E-01	3.295E-01	3.112E-01	2.957E-01
2.25	•0		· 0	• 0	•0	4.315E-01	3.957E-01	3.676E-01	3.448E-01	3.257E-01	3.095E-01
2.50	•0		.0	•0	• 0	4.487E-01	4.116E-01	3.825E-01	3.587E-01	3.389E-01	3.220E-01
2.75	•	• 0	• 0	•0	• 0	• 0	4.262E-01	3.960E-01	3.715E-01	3.510E-01	3.336E-01
3.00	•0	•	• 0	•0	•0	•0	4.397E-01	4.086E-01	3.833E-01	3.622E-01	3.442E-01
3.25	•0	• 0	•0	•0	•0	• 0	4.521E-01	4.202E-01	3.942E-01	3.7256-01	3.541E-01
3.50	•0	•0	•0	• 0	•0	•0	• 0	4.310E-01	4.044E-01	3.822E-01	3.632E-01
3.75	•0	•0	• 0	٥.	•0	.0	•0	4.411E-01	4.139E-01	3.912E-01	3.718E-01
4.00	•0	• 0	• 0	•0	•0	•0	• 0	•0	4.228E-01	3.996E-01	3.799E01
4.25	•0	•0	• 0	•0	•0	• 0	•0	•0	4.312E-01	4.076E-01	3.875E-01
4.50	•0	•0	• 0	•0	•0	•0	• 0	0.	4.392E-01	4.151E-01	3.946E-01
4.15	•0	٥	.0	•0	• 0	.0	•0	•0	.0	4.222E-01	4.014E-01
2.00	•0	• 0		• 0	•0	0.	• 0	• 0	• 0	4.290E-01	4.078E-01

					NU VERSUS	JS ETA					
		DEL	DELTA = 0.25		ALPHA =	0.20	PSI	*0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	3.482E-01	2.541E-01	2.097E-01	1.826E-01	1.639E-01	1.5006-01	1.3916-01	1.302E-01	1.229E-01	1.167E-01
0.50	• 0	4.782E-01	3.5106-01	2.904E-01	2.532E-01	2.274E-01	2.081E-01	1.931E-01	1.809E-01	1.707E-01	1.621E-01
0.75	••	• 0	4.208E-01	3.487E-01	3.0436-01	2.735E-01	2.504E-01	2.324E-01	2.177E-01	2.055E-01	1.952E-01
1.00	• 0	•0	4.762E-01	3.953E-01	3.452E-01	3.104E-01	2.843E-01	2.639E-01	2.4736-01	2.335E-01	2.218E-01
1.25	•0	• 0	• 0	4.342E-01	3.795E-01	3.4136-01	3.1286-01	2.904E-01	2.722E-01	2.570E-01	2.441E-01
1.50	.0	•0	•0	4.678E-01	4.091E-01	3.681E-01	3.374E-01	3.132E-01	2.937E-01	2.7736-01	2.635E-01
1.75	•0	•0	• 0	• 0	4.351E-01	3.916E-01	3.5906-01	3.334E-01	3.126E-01	2.953E-01	2.805E-01
2.00	•0	•0	•0	• 0	4.583E-01	4.1266-01	3.784E-01	3.514E-01	3.295E-01	3.1136-01	2.9586-01
2.25	•0	• 0	•0	0.	• 0	4.3166-01	3.958E-01	3.677E-01	3.448E-01	3.257E-01	3.095E-01
2.50	•0	• 0	•0	•0	•0	4.488E-01	4.117E-01	3.825E-01	3.587E-01	3.389E-01	3.221E-01
2.75	• 0	• 0	•0	• 0	• 0	• 0	4.263E-01	3.961E-01	3.7156-01	3.510E-01	3.336E-01
3.00	•0	• 0	•	•0	• 0	• 0	4.397E-01	4.086E-01	3.8336-01	3.622E-01	3.4426-01
3.25	•0	•0	•0	•0	•0	•0	4.521E-01	4.202E-01	3.942E-01	3.725E-01	3.5416-01
3.50	•0	• 0	• 0	.0	• 0	0.	•0	4.310E-01	4.044E-01	3.822E-01	3.633E-01
3.75	•0	.0	•0	.0	• 0	.0	• 0	4.412E-01	4.139E-01	3.912E-01	3.718E-01
00.4	• 0	٥	•0	• 0	•0	•0	•0	٥.	4.229E-01	3.9976-01	3.799€-01
4.25	•0	• 0	• 0	• 0	• 0	0.	• 0	• 0	4.313E-01	4.076E-01	3.875€-01
4.50	•0	• 0	• 0	•0	•0	•0	• 0	•0	4.392E-01	4.151E-01	3.946E-01
4.75	•0	• 0	· 0	•0	.0	• 0	• 0	• 0	• 0	4.222E-01	4.014E-01
00.5	• 0	• 0	• 0	٥.	• 0	• 0	.0	• 0	•0	4.290E-01	4.078E-01

					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.50		ALPHA = (0.20	PSI	•0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.514E-01	2.553E-01	2.104E-01	1.831E-01	1.642E-01	1.5025-01	1.3936-01	1.304E-01	1.2305-01	1.168E-01
0.50	•	4.810E-01	3.521E-01	2.910E-01	2.536E-01	2.277E-01	2. C84E-01	1.932E-01	1.810E-01	1.7086-01	1.622E-01
0.75	•0	• 0	4.2175-01	3.492E-01	3.0476-01	2.737E-01	2.506E-01	2.325E-01	2.1786-01	2.0566-01	1.953E-01
1.00	• 0	•0	4.770E-01	3.9576-01	3.455E-01	3.1066-01	2.845E-01	2.640E-01	2.474E-01	2.336E-01	2.218E-01
1.25	•	•	•0	4.346E-01	3.7976-01	3.415E-01	3.1296-01	2.905E-01	2.722E-01	2.571E-01	2.442E-01
1.50	•	•	.0	4.681E-01	4.093E-01	3.682E-01	3.375E-01	3.1335-01	2.937E-01	2.7746-01	2.635E-01
1.75	ċ.	•0	•0	•0	4.3526-01	3.9176-01	3.591E-01	3.335E-01	3.127E-01	2.953E-01	2.806E-01
2.00	•0	•	• 0	•0	4.584E-01	4.127E-01	3.7846-01	3.515E-01	3.296E-01	3.113E-01	2.958E-01
2.25	•	•	•0	•0	•0	4.3176-01	3.9596-01	3.6778-01	3.449E-01	3.258E-01	3.096E-01
2.50	•	•	•0	•0	•0	4.4895-01	4.118E-01	3.8256-01	3.5886-01	3.390E-01	3.221E-01
2.75	•0	•	•0	•	•0	• 0	4.263E-01	3.961E-01	3.716E-01	3.5116-01	3.336E-01
3.00	.0	•	•	•0	•	•0	4.397E-01	4.086E-01	3.8336-01	3.622E-01	3.442E-01
3.25	• 0	• 0	• 0	•0	•0	•0	4.522E-01	4.203E-01	3.943E-01	3.726E-01	3.541E-01
3.50	•0	• 0	•0	•0	•0	•0	•0	4.3116-01	4.0446-01	3.822E-01	3.633E-01
3.75	•0	• 0	•0	•0	• 0	•0	•0	4.4125-01	4.140E-01	3.912E-01	3.719E-01
4.00	•0	•	•0	•0	•	•0	•0	٥.	4.229E-01	3.997E-01	3.799E-01
4.25	•0	• 0	• 0	•0	•0	•0	•0	•0	4.3136-01	4.076E-01	3.875E-01
4.50	•	•	•	•0	.0	.0	•0	•0	4.392E-01	4.151E-01	3.946E-01
4.75	•	•0	• 0	•0	•0	•0	•0	.0	•0	4.222E-01	4.014E-01
5.00	.0	• 0	•0	•0	•0	0.	•0	0.	•0	4.290E-01	4.078E-01

					NU VERSUS	S ETA					
		DELTA	.TA = 0.75		ALPHA = (0.20	PSI	•0 = I			
					0.4554						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.546E-01	2.565E-01	2.111E-01	1.8355-01	1.6465-01	1.505E-01	1.395E-01	1.306E-01	1.232E-01	1.1696-01
0.50	•0	4.838E-01	3.532E-01	2.916E-01	2.5405-01	2.280E-01	2.086E-01	1.934E-01	1.8126-01	1.710E-01	1.623E-01
0.75	•0	٠	4.226E-01	3.498E-01	3.050E-01	2.740E-01	2.508E-01	2.327E-01	2.1806-01	2.057E-01	1.9546-01
1.00	•0	• 0	4.777E-01	3.9616-01	3.458E-01	3.1086-01	2.846E-01	2.641E-01	2.475E-01	2.337E-01	2.219E-01
1.25	• 0	• 0	0	4.349E-01	3.8005-01	3.417E-01	3.1306-01	2.906E-01	2.723E-01	2.571E-01	2.442E-01
1.50	•0	• 0	.0	4.684E-01	4.095E-01	3.684E-01	3.376E-01	3.134E-01	2.938E-01	2.775E-01	2.636E-01
1.75	•0	٥	0.	•0.	4.3545-01	3.9196-01	3.592E-01	3.336E-01	3.127E-01	2.954E-01	2.806E-01
2.00	•0	• 0	٥٠	· 0	4.585E-01	4.128E-01	3.785E-01	3.516E-01	3.2965-01	3.114E-01	2.958E-01
2.25	•0	• 0	• 0	•0	• 0	4.317E-01	3.959E-01	3.678E-01	3.449E-01	3.258E-01	3.096E-01
2.50	•0		• 0	•0	•	4.490E-01	4.118E-01	3.826E-01	3.588E-01	3.390L-01	3.221E-01
2.75	•0	• 0	•0	•0	• 0	.0	4.264E-01	3.962E-01	3.7166-01	3.511k-01	3.336E-01
3.00	•0		•0	• 0	• 0	.0	4.398E-01	4.087E-01	3.834E-01	3.622E-01	3.443E-01
3.25	•0	•	•0	•0	•0	.0	4.522E-01	4.203E-01	3.943E-01	3.726E-01	3.541E-01
3.50	•0	.0	•0	• 0	• 0	• 0	•0	4.311E-01	4.0456-01	3.822E-01	3.633E-01
3.75	•0	• 0	•0	•0	• 0	0.	•0	4.412E-01	4.140E-01	3.912E-01	3.7196-01
00.4	•0	• 0	•0	• 0	• 0	• 0	•0	• 0	4.229E-01	3.997E-01	3.799E-01
4.25	•0	•0	9.	•0	• 0	.0	• 0	• 0	4.31-36-01	4.076E-01	3.875E-01
4.50	.0	٥.	•0	•0	• 0	0.	• 0	• 0	4.392E-01	4.152E-01	3.947€-01
4.75	•0	• 0	.0	•0	• 0	.0	• 0	.0	• 0	4.223E-01	4.014E-01
2.00	•0	• 0	• 0	• 0	•0	•0	• 0	• 0	.0	4.290E-01	4.078E-01

DELTA			= 1.00		_	JS ETA 0.20	ISd	*0 = I			
	-				OMEGA						
0.0 0.5 1.0 1.5	1.0	0	1.5 2.118E-01		2.0	2.5	3.0 1.507E-01	3.5	1 3075-01	4.5	5.0
4.867E-01 3.543E-01	3.543E-01		2.923E-01		2.5446-01	2.283E-01	2.088E-01	1.936E-01	1.813E-01	1.7116-01	1.624E-01
0. 0. 4.235E-01 3.503E-01	4.235E-01		3.503E-01		3.054E-01	2.742E-01	2.510E-01	2.328E-01	2.181E-01	2.0596-01	1.9556-01
0. 4.785E-01 3.966E-01	4.785E-01	785E-01	3.966E-01		3.461E-01	3.1105-01	2.848E-01	2.643E-01	2.476E-01	2.338E-01	2.220E-01
0. 0. 4.353E-01	• 0		4.353E-01		3.802E-01	3.419E-01	3.132E-01	2.907E-01	2.724E-01	2.572E-01	2.4435-01
0. 0. 4.687E-01	• 0		4.687E-01		4.097E-01	3.685E-01	3.377E-01	3.135E-01	2.939E-01	2.775E-01	2.636E-01
.0 .0 .0	•0		•0		4.356E-01	3.920E-01	3.593E-01	3.336E-01	3.128E-01	2.954E-01	2.806E-01
, 0 0 0 0 0	•0	•0		4	4.5875-01	4.1296-01	3.786E-01	3.516E-01	3.297E-01	3.114E-01	2.9595-01
.0 .0 .0 .0	•0	°		0		4.318E-01	3.960E-01	3.679E-01	3.450E-01	3.259E-01	3.096E-01
.0 .0 .0 .0	•0	•0		0		4.490E-01	4.119E-01	3.826E-01	3.589E-01	3.390E-01	3.222E-01
.0 .0 .0 .0	•0	•0		0	·	• 0	4.264E-01	3.962E-01	3.716E-01	3.511E-01	3.337E-01
.0 .0 .0 .0	•0	•0		0		• 0	4.398E-01	4.087E-01	3.834E-01	3.623E-01	3.443E-01
•0	•0	•0		0	• 0	•0	4.523E-01	4.203E-01	3.943E-01	3.726E-01	3.541E-01
•0	•0	•0		0	• 0	•0	•0	4.311E-01	4.045E-01	3.822E-01	3.633E-01
• 0	• 0	•		0	.0	•0	• 0	4.412E-01	4.140E-01	3.913E-01	3.719E-01
•0	•0	•0		_	.0	•0	•0	.0	4.229E-01	3.997E-01	3.799€-01
0 • 0 • 0 • 0	•0	•0		0	• 0	0.	•0	•0	4.313E-01	4.077E-01	3.875E-01
•0	•0	•0		0	.0	•0	• 0	•0	4.392E-01	4.152E-01	3.947E-01
.0 .0 .0	•0	•0			• 0	•0	• 0	•0	• 0	4.223E-01	4.014E-01
.0 .0 .0	•0	•0			• 0	•0	•0	•0	• 0	4.290E-01	4.078E-01

					NU VERSUS ET	S ETA					
		DEL	DELTA = 0.		ALPHA = 0.40	04.0	ISd	.0 .			
					OMEGA						
0.0		0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
	4	4.528E-01	3.406E-01	2.844E-01	2.4926-01	2.245E-01	2.0596-01	1.9136-01	1.7946-01	1.695E-01	1.610€-01
	0	• 0	4.640E-01	3.882E-01	3.405E-01	3.069E-01	2.816E-01	2.617E-01	2.455E-01	2.320E-01	2.205E-01
	0	.0	•	4.603E-01	4.0405-01	3.644E-01	3.345E-01	3.110E-01	2.9186-01	2.757E-01	2.621E-01
	J	٥.	0.	•0	4.5316-01	4.083E-01	3.754E-01	3.491E-01	3.2766-01	3.096E-01	2.944E-01
	O	• 0	•0	•0	••	4.450E-01	4.088E-01	3.802E-01	3.568E-01	3.3736-01	3.207E-01
	U	• 0	•0	•0	.0	• 0	4.368E-01	4.063E-01	3.8146-01	3.606E-01	3.428E-01
	0	• 0	•0	•0	•0	.0	.0	4.287E-01	4.025E-01	3.806E-01	3.619E-01
	0	• 0	0.	•0	•0	.0	• 0	.0	4.210E-01	3.981E-01	3.785E-01
	0	• 0	•0	•0	• 0	•0	0.	0.	4.373E-01	4.136E-01	3.933E-01
	0	• 0	•0	•0	• 0	0.	.0	.0	•0	4.274E-01	4.065E-01
	0	• 0	•0	•0	• 0	0.	.0	.0	• 0	•0	4.184E-01
		DEL	DELTA = 0.25		ALPHA = 0.40	0.40	0	0 = 150			
								•			
					UMEGA						
0.0		0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
		4.597E-01	3.435E-01	2.861E-01	2.5035-01	2.253E-01	2.065E-01	1.918E-01	1.798E-01	1.698E-01	1.613E-01
		٠	4.665E-01	3.897E-01	3.4155-01	3.076E-01	2.822E-01	2.622E-01	2.459E-01	2.323E-01	2.208E-01
		• 0	•0	4.614E-01	4.0485-01	3.650E-01	3.350E-01	3.113E-01	2.921E-01	2.760E-01	2.623E-01
		• 0	• 0	•0	4,537E-01	4.0936-01	3.758E-01	3.494E-01	3.278E-01	3.098E-01	2.945E-01
		•0	• 0	• 0	•0	4.454E-01	4.091E-01	3.804E-01	3.5706-01	3.375E-01	3.208E-01
	100	٠.	٠,	• 0	• 0	•0	4.370E-01	4.065E-01	3.815E-01	3.607E-01	3.429E-01
		.0	• 0	.0	.0	.0	• 0	4.289E-01	4.026E-01	3.807E-01	3.620E-01
		• 0	٠.	• 0	• 0	0.	• 0	• 0	4.211E-01	3.982E-01	3.786E-01
,		. 0	•0	•0	• 0	.0	•	• 0	4.374E-01	4.136E-01	3.934E-01
		• 0	ċ	• 0	.0	.0	.0	.0	.0	4.275E-01	4.066E-01
		•	٠.	• 0	• 0	.0	• 0	.0	•0	.0	4.185E-01

					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.50		ALPHA = 0.40	0.40	PSI	·0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	••	4.669E-01	3.465E-01	2.878E-01	2.515E-01	2.261E-01	2.C72E-01	1.9236-01	1.802E-01	1.702E-01	1.616E-01
0.50	•0	•0	4.690E-01	3.911E-01	3.4245-01	3.083E-01	2.827E-01	2.626E-01	2.463E-01	2.326E-01	2.210E-01
0.75	•0	•0	•0	4.626E-01	4.0566-01	3.655E-01	3.3546-01	3.117E-01	2.924E-01	2.762E-01	2.625E-01
1.00	•0	• 0	• 0	•0	4.544E-01	4.098E-01	3.7616-01	3.497E-01	3.2815-01	3.100E-01	2.947E-01
1.25	•	•0	•0	•0	•0	4.457E-01	4.093E-01	3.806E-01	3.5726-01	3.376E-01	3.209E-01
1.50	•0	•0	•0	•0	•0	•0	4.372E-01	4.066E-01	3.817E-01	3.608E-01	3.430E-01
1.75	•0	• 0	•0	•0	•0	•0	•0	4.290E-01	4.028E-01	3.808E-01	3.621E-01
2.00	• 0	• 0	•0	•0	• 0	•0	• 0	•0	4.212E-01	3.982E-01	3.787E-01
2.25	• 0	• 0	• 0	•0	• 0	.0	•0	•0	4.375E-01	4.137E-01	3.934E-01
2.50	• 0	• 0	•0	•0	• 0	•0	• 0	•0	• 0	4.2766-01	4.066E-01.
2.75	•0	• 0	•0	• 0	•0	.0	• 0	• 0	• 0	• 0	4.185E-01
					NU VERSUS ETA	S ETA					
		DELTA	.TA = 0.75		ALPHA = 0.40	04.0	PSI	• 0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	4.745E-01	3.496E-01	2.8965-01	2.526E-01	2.270E-01	2.078E-01	1.9285-01	1.807E-01	1.705E-01	1.620E-01
0.50	•0	•0	4.7166-01	3.926E-01	3.4348-01	3.091E-01	2.8336-01	2.631E-01	2.466E-01	2.329E-01	2.213E-01
0.75	.0	0.	•	4.638E-01	4.064E-01	3.661E-01	3.359E-01	3.1206-01	2.927E-01	2.7656-01	2.627E-01
1.00	• 0	• 0	•	•0	4.5506-01	4.102E-01	3.765E-01	3.499E-01	3.283E-01	3.102E-01	2.949E-01
1.25	٠,	• 0	•0	•0	• 0	4.461E-01	4.096E-01	3.808E-01	3.574E-01	3.378E-01	3.211E-01
1.50	•0	• 0	•0	•0	• 0	.0	4.375E-01	4.068E-01	3.818E-01	3.609E-01	3.431E-01
1.75	• 0	• 0	• 0	•0	•0	.0	.0	4.292E-01	4.029E-01	3.809E-01	3.621E-01
2.00	• 0	•	٥.	•0	•0	•0	• 0	•0	4.213E-01	3.9835-01	3.788E-01
2.25	• 0	• 0	•0	•0	• 0	• 0	•0	• 0	4.376E-01	4.138E-01	3.935E-01
2.50	• 0	• 0	ċ	•	• 0	•0	• 0	• 0	• 0	4.276E-01	4.067E-01
2.75	• 0		• 0	•0	.0	.0	•0	•0	•0	0.	4.186E-01

					NU VERSUS	JS ETA					
		DEL	DELTA = 1.00		ALPHA =	0.40	PSI	.0 = IS			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	0.8
0.25	• 0	4.825E-01	3.527E-01	2.313E-01	2.538E-01	2.278E-01	2.0855-01	1.933E-01	1.811F-01	1-7096-01	1 6235-01
0.50	•0	• 0	4.742E-01	3.9416-01	3.4445-01	3.098E-01	2.839E-01	2.635E-01	2.470F-01	2.332F=01	2 2146-01
0.75	• 0	•0	• 0	4.649E-01	4.072E-01	3.667E-01	3.363E-01	3.124E-01	2.930F-01	2.767F-01	2, 6205-01
1.00	•0	• 0	•0	• 0	4.5566-01	4.107E-01	3.769E-01	3.502E-01	3.285E-01	3.104E-01	2.950E-01
1.25	• 0	• 0	•	•0	.0	4.465E-01	4.099ē-01	3.811E-01	3.576E-01	3.379E-01	3.212E-01
1.50	• 0	.0	• 0	•0	.0	٠	4.377E-01	4.070E-01	3.820E-01	3.611E-01	3.433F-01
1.75	• 0	• 0	0.	•0	•0	• 0	.0	4.293E-01	4.030E-01	3.810E-01	3.622F-01
2.00	•0	• 0	•0	•0	.0	• 0	0.	0.	4.214F-01	3.984F-01	3 7895-01
2.25	•0	•	•0	• 0	• 0	• 0	• 0	•0	4.377E-01	4.139E-01	3.9356-01
2.50	•0	•	• 0	•0	• 0	• 0	• 0	0.	•0	4.277E-01	4-067E-01
2.75	•0	• 0	• 0	•0	• 0	• 0	•0	• 0	•0	•0	4.186E-01
					NU VERSUS ETA	S ETA					
		DEL	ELTA = 0.		ALPHA = 0.60	09.0	PSI	I = 0.			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	0.5
0.25	•0	• 0	3.994E-01	3.363E-01	2.959E-01	2.673E-01	2.457E-01	2.286E-01	2.146E-01	2.029E-01	1.929F-01
0.50	•0	•0	• 0	4.534E-01	3.994E-01	3.6105-01	3.319E-01	3.088E-01	2.900E-01	2.742F-01	2. KORE-01
0.75	•0	• 0	• 0	•0	•0	4.242E-01	3.901E-01	3.631E-01	3.410E-01	3.225E-01	3.068F=01
1.00	• 0	• 0	0.	•0	.0	• 0	4.340E-01	4.040E-01	3.795E-01	3.590F-01	3-4155-01
1.25	• 0	• 0	.0	• 0	•0	•0	.0	4.366E-01	4-102F-01	3.8805-01	10 20107 6
1.50	.0	• 0	•0	•0	0.	0.	•0	0	4 2555-01	10-2000-0	10-4160°C
1.75	•0	0.	• 0	0	c	c		•	1.3336-01	4.120E-01	3.920E-01
					•	• 0	0.	• 0	• 0	4.324E-01	4.113E-01

					NU VERSUS ETA	S ETA					
			DELIA = 0.25		ALPHA = (09.0	I S d	•0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	.0	0.	4.040E-01	3.390E-01	2.9785-01	2.687E-01	2.4675-01	2.294E-01	2.153E-01	2.035E-01	1.934E-01
0.50	.0	.0	•0	4.557E-01	4.009E-01	3.621E-01	3.327E-01	3.095E-01	2.906E-01	2.747E-01	2.612E-01
0.75	•	• 0	• 0	•0	• 0	4.250E-01	3.908E-01	3.636E-01	3.4156-01	3.229E-01	3.071E-01
1.00	•0	• 0	• 0	•0	• 0	• 0	4.345E-01	4.044E-01	3.799E-01	3.593E-01	3.417E-01
1.25	•0	• 0	• 0	.0	•0	.0	•0	4.370E-01	4.105E-01	3.883E-01	3.693E-01
1.50	.0	• 0	0	•0	•0	•0	•0	•0	4.358E-01	4.122E-01	3.921E-01
1.75	.0	• 0	• 0	•0	•0	•0	• 0	•0	•0	4.325E-01	4.115E-01
					NU VERSUS ETA	S ETA					
			DELTA = 0.50		ALPHA = 0.60	09.0	PSI	.0 = 1			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.088E-01	3.418E-01	2.997E-01	2.701E-01	2.478E-01	2.303E-01	2.160E-01	2.041E-01	1.940E-01
0.50	•0	•0	•0	4.580E-01	4.025E-01	3.632E-01	3,336E-01	3.102E-01	2.912E-01	2.752E-01	2.617E-01
0.75	•0	•	0.0	•0	•0	4.259E-01	3.915E-01	3.642E-01	3.419E-01	3.233E-01	3.074E-01
1.00	• 0	.0	•	•0	•0	.0	4,350E-01	4.049E-01	3.802E-01	3.596E-01	3.420E-01
1.25	•0	•	•0	•0	•0	•0	•0	4.3736-01	4.107E-01	3.885E-01	3.695E-01
1.50	•0	• 0	•0	• 0	• 0	•0	•0	٥.	4.360E-01	4.124E-01	3.923E-01
1.75	•0	• 0	•0	•0	• 0	•0	•0	• 0	•0	4.327E-01	4.116E-01

			5.0	1.945E-01	2.621E-01	3.078E-01	3.422E-01	3.697E-01	3.925E-01	4.117E-01				5.0	1.950E-01	2.625E-01	3.081E-01	3.425E-01	10 3007 6	3.6995-01	3.926E-01	4.118E-01	
			4.5	2.047E-01	2.757E-01	3.237E-01	3.599E-01	3.887E-01	4.126E-01	4.328E-01				4.5	2.053E-01	2.763E-01	3.241E-01	3.602E-01		3.890E-01	4.128E-01	4.330E-01	
			4.0	2.167E-01	2.918E-01	3.424E-01	3.806E-01	4.110E-01	4.362E-01	• 0				0.4	2.175E-01	2.924E-01	3.428E-01	3.809E-01		4.113E-01	4.364E-01	• 0	
	•0 =		3.5	2.312E-01	3.1106-01	3.647E-01	4.053E-01	4.3766-01	٥.	•0		•0 = 1		3.5	2.321E-01	3.1176-01	3.653E-01	4.057E-01		4.380E-01	• 0	• 0	
	PSI		3.0	2.4895-01	3.345E-01	3.921E-01	4.356E-01	• 0	• 0	•0		I S d		3.0	2.500E-01	3.3546-01	3.928E-01	4. 3618-01	4000	.0	.0	•	
ETA	09.0		2.5	2.715E-01	3.644E-01	4.268E-01	• 0	0.	• 0	.0	ETA .	09.0		2.5	2.7305-01	3.656E-01	4.277E-01		•	9.	.0	.0	
NU VERSUS	ALPHA = 0.60	OMEGA	2.0	3.0176-01	4.040E-01	• 0	• 0	•0	• 0	• 0	NU VERSUS ETA	ALPHA = 0.60	DMEGA	2.0	3.036F-01	4.0566-01	c	,	•0	• 0	•0	• 0	1
			1.5	3.447E-01	4.603E-01	•0	•0	• 0	•0	•0				1.5	~	4.4241-01		•	•0	.0	0.	0	•
	DELTA = 0.75		1.0	4.1386-01	•0	• 0	•	.0	•0	• 0		DELTA = 1.00		0.1	10-3001		. (•	.0	0.	6		•
	UE			•					.0			90		ď									•
			0.0	•0	•	.0	.0	•0	•0	•0				(•	• 0	•	•0	•0	0		• •	•
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				į	EIA	0.25		0.75	1.00	1.25		06.1	1.75

				NU VERSUS ETA	S ETA					
		DELTA = 0.		ALPHA = 0	0.80	PSI	•0 = 1			
		*		OMEGA						
0.0	0.5	5 1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
•0	0.	4.434E-01	3.759E-01	3.321E-01	3.007E-01	2.7685-01	2.579E-01	2.423E-01	2.293E-01	2.182E-01
•0		•.0	• 0	4.436E-01	4.018E-01	3.700E-01	3.447E-01	3.2396-01	3.0666-01	2.917E-01
•0	0	• 0	•0	• 0	0.0	4.312E-01	4.018E-01	3.777E-01	3.5746-01	3.401E-01
• 0		• 6	•0	.0	.0	• 0	4.440E-01	4.173E-01	3.950E-01	3.7596-01
•0	•0	•0	•0	• 0	• 0	•0	.0	.0	4.245E-01	4.039E-01
• 0	•0	• 0	•0	•0	•0	•0	• 0	•0	• 0	4.268E-01
				NU VERSUS ETA	S ETA					
		DELTA = 0.25		ALPHA = 0.80	0.80	PS	PSI = 0.			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
•0	0	4.4975-01	3.797E-01	3.3475-01	3.027E-01	2.783E-01	2.5916-01	2.4336-01	2.3016-01	2.189E-01
•0	• 0	•0	.0	4.4566-01	4.033E-01	3.712E-01	3.456E-01	3.247E-01	3.072E-01	2.923E-01
.0	0	•0	• 0	•0	• 0	4.321E-01	4.025E-01	3.783E-01	3.579E-01	3.405E-01
•0	.0	•	•0	• 0	•0	• 0	4.445E-01	4.178E-01	3.954E-01	3.762E-01
• 0	• 0	• 0	•0	• 0	• 0	•0	•0	•0	4.247E-01	4.042E-01
• 0	.0	• 0	•0	• 0	• 0	• 0	٥.	.0	• 0	4.2706-01
				NU VERSUS ETA	IS ETA					
		DELTA = 0.50		ALPHA =	0.80	PSI	I = 0.			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
•0	.0	4.563E-01	3.836E-01	3.3745-01	3.046E-01	2.799E-01	2.603E-01	2.444E-01	2.310E-01	2.196E-01
•0	•	• 0	• 0	4.4772-01	4.049E-01	3.7245-01	3.466E-01	3.256E-01	3.079E-01	2.929E-01
• 0	• 0	• 0	• 0	•0	•0	4.330E-01	4.032E-01	3.7896-01	3.5846-01	3.410E-01
• 0	0	•0	٥.	•0	• 0	.0	•0	4.182E-01	3.957E-01	3.765E-01
•0	0	• 0	0.	• 0	•0	.0	• 0	.0	4.250E-01	4.044E-01

DELTA = 0.75 ALPHA = 0.80	.75	.75	NU VE ALPHA	AL PHA	RS.	NU VERSUS ETA ALPHA = 0.80	15d	•0 = 1			
					UMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	0.4	4.5	5.0
	4.631E-01	E-01	3.877E-01		3.4015-01	3.067E-01	2.814E-01	2.616E-01	2.4546-01	2.319E-01	2.204E-01
	٥		•0		4.4936-01	4.065E-01	3.736E-01	3.476E-01	3.264E-01	3.086E-01	2.935E-01
0. 0. 0. 0.	• 0		0.		• 0	0.	4.339E-01	4.040E-01	3.795E-01	3.5896-01	3.414E-01
	• 0		0.		• 0	• 0	• 0	• 0	4.187E-01	3.961E-01	3.769E-01
0. 0. 0.	• 0		•0		• 0	•0	• 0	•0	• 0	4.253E-01	4.047E-01
					NU VERSUS EFA	IS EFA					
DELTA = 1.00	DELTA = 1.00	DELTA = 1.00			ALPHA =	0.80	PSI	• 0 = 1			
					OMESA						
	1.0		1.5		2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.703E-01 3.919E-01	4.703E-01 3.919E-01	E-01 3.919E-01		3	3.4305-01	3.087E-01	2.830E-01	2.629E-01	2.465E-01	2.328E-01	2.212E-01
.0	.0	• 0		4	4.520E-01	4.080E-01	3.748E-01	3.486E-01	3.272E-01	3.093E-01	2.941E-01
•0	•0	•0		0	.0	.0	4.348E-01	4.047E-01	3.801E-01	3.595E-01	3.4196-01
.0 .0	•0	•0		0	• 0	•0	• 0	• 0	4.I91E-01	3.965E-01	3.772E-01
•0	•0	• 0			.0	• 0	• 0	• 0	• 0	4.256E-01	4.049E-01
					NU VERSUS ETA	S ETA					
UELTA = 0.	DELTA = 0.)ELTA = 0.			ALPHA = 1.00	1.00	PSI	•0 = I			
					OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.079E-01	0. 4.079E-01	4.079E-01		3	3.6155-01	3.281E-01	3.C25E-01	2.821E-01	2.653E-01	2.512E-01	2.391E-01
.0 .0 .0	•0		•0		.0	4.344E-01	4.005E-01	3.735E-01	3.513E-01	3.326E-01	3.166E-01
• 0	• 0		•0		• 0	• 0	• 0	4.3236-01	4.066E-01	3.850E-01	3.665E-01
		•0	• 0		• 0	.0	• 0	.0	• 0	4.230E-01	4.027E-01

NU VERSUS ETA	ALPHA = 1.00 PSI = 0.	OMEGA	1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0	4.127E-01 3.649E-01 3.306E-01 3.044E-01 2.836E-01 2.666E-01 2.523E-01 2.401E-01	0. 4.363E-01 4.020E-01 3.747E-01 3.523E-01 3.335E-01 3.174E-01	0. 0. 0. 4.332E-01 4.073E-01 3.856E-01 3.670E-01	0. 0. 0. 0. 4.234E-01 4.031E-01	NU VERSUS ETA	ALPHA = 1.00 PSI = 0.	OMEGA	1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0	4.177E-01 3.683E-01 3.331E-01 3.064E-01 2.852E-01 2.679E-01 2.534E-01 2.411E-01	0. 4.383E-01 4.035E-01 3.759E-01 3.533E-01 3.343E-01 3.181E-01	0. 0. 0. 4.340E-01 4.080E-01 3.862E-01 3.675E-01	0. 0. 0. 4.239E-01 4.035E-01	NU VERSUS ETA	ALPHA = 1.000 PSI = 0.	DMEGA	1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0	4.229E-01 3.719E-01 3.357E-01 3.085E-01 2.869E-01 2.693E-01 2.546E-01 2.420E+01	0. 4.402E-01 4.050E-01 3.771E-01 3.543E-01 3.352E-01 3.189E-01	0. 0. 0. 4.349E-01 4.088E-01 3.868E-01 3.681E-01	
			3.5			4.332	• 0		PSI = 0.		3.5			4.3406	.0		11		3.5			4.349	C
			3.0			•0	•0				3.0	3.064E-(4.035E-(• 0	• 0				3.0			•0	(
JS ETA	1.00		2.5	3.306E-01	4.363E-01	• 0	•0	IS ETA	1.00		2.5	3.331E-01	4.383E-01	•0	0.	JS ETA	1.00		2.5	3.357E-01	4.402E-01	• 0	
NU VERSL	ALPHA =	OMEGA	2.0	3.6495-01	• 0	• 0	•0	NU VERSU	ALPHA =	OMEGA	2.0	3.6835-01	• 0	• 0	• 0	NU VERSI	ALPHA =	OMEGA	2.0	3.719E-01	• 0	• 0	
			1.5	4.127E-01	•0	•0	•0				1.5	4.177E-01	•0	•0	•0				1.5	4.229E-01	•0	•0	•
	DELTA = 0.25		1.0	• 0	•0	• 0	• 0		DELTA = 0.50		1.0	•.0	•0	•0	•0		DELTA = 0.75		1.0	•0	•0	•0	•
			0.5	•0	• 0	• 0	• 0		1		0.5	•0	• 0	•0	•				0.5	•0	• 0	• 0	c
			0.0	•0	•0	•0	•0				0.0	• 0	•0	•0	•0				0.0	•0	•0	•0	
			ETA	0.25	05.0	.75	00-1				ETA	0.25	05.0	.75	00.				ETA	0.25	0.50	51.0	0

			NU VERSUS	S ETA					
	DELTA = 1.00		ALPHA = 1.00	1.00	PSI	•0 = 1			
			OMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
• 0	• 0	4.283E-01	3.755E-01	3.384E-01	3.105E-01	2.886E-01	2.707E-01	2.557E-01	2.430E-01
•	• 0	•0	• 0	4.422E-01	4.066E-01	3.784E-01	3.553E-01	3.361E-01	3.196€-01
• 0	• 0	•0	• 0	.0	• 0	4.358E-01	4.095E-01	3.875E-01	3.686E-01
• 0	٥	•0	• 0	• 0	• 0	• 0	• 0	4.248E-01	4.043E-01
•	• 0	•0	• 0	.0	• 0	• 0	• 0	• 0	•0
٠	٥.	• 0	• 0	.0	•0	• 0	• 0	• 0	٥.
.0	0	•0	• 0	0.	• 0	• 0	• 0	• 0	•0
• 0	• 0	•0	• 0	•0	• 0	• 0	•0	• 0	•0
•	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0
• 0	•0	• 0	.0	• 0	• 0	• 0	• 0	• 0	٥.
•	•0	.0	.0	• 0	• 0	• 0	• 0	• 0	•0
• 0	• 0	•0	0.	• 0	•0	• 0	• 0	• 0	•0
• 0	• 0	• 0	• 0	.0	• 0	•0	• 0	• 0	•0
• 0	• 0	•	.0	.0	•0	• 0	• 0	• 0	•0
	.0	• 0	• 0	• 0	• 0	• 0	•0	• 0	•0
• 0	• 0	• 0	.0	0.	• 0	• 0	• 0	• 0	•0
٥.	0.	•0	.0	.0	• 0	• 0	• 0	• 0	0.
• 0	• 0	• 0	• 0	0.	• 0	٥.	• 0	• 0	• 0
	0.	• 0	.0	•0	• 0	• 0	• 0	• 0	•0
٠,	0.	0.	• 0	• 0	٠,	.0	.0	0.	•0

0M6GA 3.5 3.6 3.6 3.7 3.6 3.6 3.6 3.7 3.7		DELTA	TA = 0.		NU VERSUS	JS ETA	129				
1.0 1.5 2.5 3.0 3.5 3.0 3.5 2.5 2.0 2.0 2.0 1.6 1.6 1.6 1.6 1.6 1.6 1.6 3.4 2.5 2.0 2.0 0.0 1.6 1.6 1.6 1.6 1.4 0.0 1.3 0.0 4.1 95 -0 2.0 3.4 7.6 0.0 2.5 0.0 2.5 0.0 2.5 0.0 2.5 0.0 4.1 95 -0 3.4 7.6 0.0 3.4 7.6 0.0 2.5 0.0 2.5 0.0 4.1 95 -0 3.4 7.6 0.0 3.4 7.6 0.0 3.4 7.6 0.0 5. 3.3 2. 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 6. 4.2 3.3 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 3.4 7. 4.2 4.3 3.4 4.4 3.4 4.4 3.4 4.4 3.4 4.4 3.4 4.4 7. 4.2 4.3 3.4 4.4 3.4 4.4 3.4 4.4 3.4 4.4 7. 5. 5. 5. 5. 5. 5. 5.		750	1			02.0	S	I = 0.02			
1-495E-01 2.528E-01 2.090E-01 1.035E-01 1.03	0.0	6.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
152E-01 3.497E-01 2.896E-01 2.526E-01 2.269E-01 2.730E-01 2.320E-01 3.479E-01 3.479E	• 0	3.450E-01	2.528E-01	2.090E-01	1.8215-01	1.635E-01	1.497E-01	1.388E-01	1.300E-01	1.227E-01	1.165€-01
4.195F-01 3.479E-01 3.037E-01 2.730E-01 2.306E-01	• 0	4.752E-01	3.497E-01	2.896E-01	2.5266-01	2.269E-01	2.078E-01	1.9285-01	1.806E-01	1.7056-01	1.619E-01
6. 749E-01 3.445E-01 3.049E-01 2.634E-01 3.126E-01 2.634E-01 2.634E-01 3.126E-01 <	•0	.0	4.195F-01	3.479E-01	3.037E-01	2.730E-01	2.500E-01	2.320E-01	2.174E-01	2.052E-01	1.9496-01
0. 4.332E-01 3.407E-01 3.407E-01 3.122E-01 2.898E-01 0. 4.667E-01 4.082E-01 3.673E-01 3.367E-01 3.126E-01 0. 0. 4.341E-01 3.698E-01 3.367E-01 3.126E-01 0. 0. 4.341E-01 3.908E-01 3.506E-01 0. 0. 4.305E-01 3.75E-01 3.506E-01 0. 0. 4.476E-01 4.106E-01 3.668E-01 0. 0. 0. 4.251E-01 3.950E-01 0. 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 0. 4.394E-01 4.190E-01 0. 0. 0. 0. 0. 4.397E-01 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. <th>•0</th> <td>.0</td> <td>4.749E-01</td> <td>3.944E-01</td> <td>3.445E-01</td> <td>3.098E-01</td> <td>2.838E-01</td> <td>2.634E-01</td> <td>2.469E-01</td> <td>2.331E-01</td> <td>2.214E-01</td>	•0	.0	4.749E-01	3.944E-01	3.445E-01	3.098E-01	2.838E-01	2.634E-01	2.469E-01	2.331E-01	2.214E-01
0. 4.667E-01 4.082E-01 3.967E-01 3.367E-01 3.126E-01 0. 0. 4.341E-01 3.908E-01 3.327E-01 3.126E-01 0. 0. 4.572E-01 4.116E-01 3.75E-01 3.506E-01 0. 0. 0. 4.305E-01 3.668E-01 3.668E-01 0. 0. 0. 4.276E-01 4.251E-01 3.668E-01 0. 0. 0. 4.251E-01 3.950E-01 0. 0. 0. 4.251E-01 4.106E-01 0. 0. 0. 4.251E-01 4.106E-01 0. 0. 0. 0. 4.251E-01 0. 0. 0. 0. 4.251E-01 0. 0. 0. 0. 4.291E-01 0. 0. 0. 0. 4.291E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	•0	•0	• 0	4.332E-01	3.787E-01	3.407E-01	3.122E-01	2.898E-01	2.717E-01	2.565E-01	2.437E-01
C. 0. 4.341E-01 3.582E-01 3.582E-01 3.327E-01 O. 0. 4.572E-01 4.116E-01 3.775E-01 3.506E-01 O. 0. 0. 4.305E-01 3.948E-01 3.506E-01 O. 0. 0. 4.476E-01 4.106E-01 3.815E-01 O. 0. 0. 4.251E-01 3.950E-01 O. 0. 0. 4.508E-01 4.190E-01 O. 0. 0. 0. 4.508E-01 4.190E-01 O. 0. 0. 0. 4.508E-01 4.190E-01 O. 0. 0. 0. 0. 4.297E-01 O. 0. 0. 0. 0. 0. 0. O. 0. 0. 0. 0. 0. 0. 0. O. 0. 0. 0. 0. 0. 0. 0. 0. O. 0. 0. 0. 0. 0. 0. 0. 0. O. 0. 0. 0. 0. <th></th> <td>.0</td> <td>•0</td> <td>4.667E-01</td> <td>4.082E-01</td> <td>3.673E-01</td> <td>3.367E-01</td> <td>3.126E-01</td> <td>2.931E-01</td> <td>2.768E-01</td> <td>2.630E-01</td>		.0	•0	4.667E-01	4.082E-01	3.673E-01	3.367E-01	3.126E-01	2.931E-01	2.768E-01	2.630E-01
0. 4.572E-01 4.116E-01 3.775E-01 3.506E-01 0. 0. 4.305E-01 3.948E-01 3.668E-01 0. 0. 4.476E-01 4.106E-01 3.668E-01 0. 0. 0. 4.251E-01 3.815E-01 0. 0. 0. 4.508E-01 4.074E-01 0. 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 0. 4.508E-01 4.297E-01 0. 0. 0. 0. 0. 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. <t< td=""><th></th><td>.0</td><td>٠.</td><td>• 0</td><td>4.341E-01</td><td>3.908E-01</td><td>3.582E-01</td><td>3.327E-01</td><td>3.119E-01</td><td>2.946E-01</td><td>2.799E-01</td></t<>		.0	٠.	• 0	4.341E-01	3.908E-01	3.582E-01	3.327E-01	3.119E-01	2.946E-01	2.799E-01
0. 0. 4,305E-01 3,948E-01 3,668E-01 0. 0. 4,476E-01 4,106E-01 3,668E-01 0. 0. 0. 4,251E-01 3,950E-01 0. 0. 0. 4,384E-01 4,074E-01 0. 0. 0. 0. 4,508E-01 4,190E-01 0. 0. 0. 0. 4,297E-01 4,397E-01 0. 0. 0. 0. 0. 4,397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	•0	• 0	0.	• 0	4.572E-01	4.116E-01	3.775E-01	3.506E-01	3.288E-01	3.106E-01	2.951E-01
0. 0. 4.476E-01 4.106E-01 3.815E-01 0. 0. 0. 4.251E-01 3.950E-01 0. 0. 0. 4.384E-01 4.074E-01 0. 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 0. 4.297E-01 0. 0. 0. 0. 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		••0	•0	• 0	• 0	4.305E-01	3.948E-01	3.668E-01	3.440E-01	3.250E-01	3.088E-01
0. 0. 4.251E-01 3.950E-01 0. 0. 4.384E-01 4.074E-01 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 4.297E-01 0. 0. 0. 4.397E-01 0. 0. 0. 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	•0	.0	• 0	4.476E-01	4.106E-01	3.815E-01	3.578E-01	3.381E-01	3.213E-01
0. 0. 4.384£-01 4.074£-01 0. 0. 4.508£-01 4.190£-01 0. 0. 0. 4.297£-01 0. 0. 0. 4.397£-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	•0	•0	•0	• 0	• 0	• 0	4.2515-01	3.950E-01	3.705E-01	3.501E-01	3.327E-01
0. 0. 0. 4.508E-01 4.190E-01 0. 0. 0. 4.297E-01 0. 0. 0. 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	•0	0.	•0	• 0	• 0	• 0	4.384E-01	4.074E-01	3.822E-01	3.612E-01	3.4325-01
0. 0. 0. 4.297E-01 0. 0. 0. 0. 4.397E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	• 0	.0	•0	•0	• 0	• 0	4.508E-01	4.190E-01	3.931E-01	3.714E-01	3.530E-01
0. 0. 0. 0. 4.397E-01 0.	•0	.0	0.	• 0	• 0	• 0	• 0	4.297E-01	4.031E-01	3.810E-01	3.621E-01
	•0	.0	٥.	• 0	• 0	• 0	•0	4.397E-01	4.126E-01	3.899E-01	3.706€-01
	• 0	.0	.0	٥.	• 0	0.	.0	• 0	4.214E-01	3.9836-01	3.786E-01
	•0	0.	•0	•0	• 0	•0	•0	•0	4.297E-01	4.062E-01	3.861E-01
.0 .0 .0	•0	0.	0.	0.	0.	0.	.0	.0	4.376E-01	4.136E-01	3.932E-01
0. 0. 0.	•0	٥.	0.	٥.	• 0	.0	• 0	•0	•0	4.207E-01	3.9995-01
	•0	• 0	•0	•0	• 0	• 0	• 0	• 0	•0	4.2736-01	4.063E-01

				NU VERSUS	S ETA					
	DE	DELIA = 0.25		ALPHA =	0.20	ISd	1 = 0.02			
				OMEGA						
0	0.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0	3.481E-01	2.5406-01	2.0976-01	1.8266-01	1.6395-01	1.499E-01	1.3906-01	1.302E-01	1.229E-01	1.166E-01
0.	4.779E-01	3.5085-01	2.902E-01	2.530E-01	2.2726-01	2.C80E-01	1.9296-01	1.807E-01	1.7065-01	1.620E-01
.0	•0	4.204E-01	3.494E-01	3.040E-01	2.732E-01	2.502E-01	2.3216-01	2.1756-01	2.053E-01	1.9506-01
0	0	4.756E-01	3.948E-01	3.4485-01	3.100E-01	2.840E-01	2.635E-01	2.470E-01	2.332E-01	2.215E-01
0	•0	•	4.336E-01	3.7908-01	3.408E-01	3.1236-01	2.899E-01	2.718E-01	2.566E-01	2.438E-01
0	• 0	.0	4.670E-01	4.084E-01	3.675E-01	3.368E-01	3.127E-01	2.932E-01	2.769E-01	2.630E-01
0	.0	•0	•0	4.343E-01	3.9096-01	3.5836-01	3.328E-01	3.120E-01	2.947E-01	2.800E-01
•	• 0	•0	• 0	4.5735-01	4.118E-01	3.776E-01	3.507E-01	3.288E-01	3.106E-01	2.951E-01
.0	0.	•0	• 0	•0	4.305E-01	3.949E-01	3.668E-01	3.440E-01	3.250E-01	3.0885-01
•	• 0	•0	•0	•0	4.477E-01	4.107E-01	3.816E-01	3.579E-01	3.381E-01	3.213E-01
	• 0	0.	•0	•0	0.	4.251E-01	3.950E-01	3.705E-01	3.501E-01	3.327E-01
	• 0	•0	•0	• 0	• 0	4.385E-01	4.075E-01	3.822E-01	3.612E-01	3.433E-01
•	•	•0	•0	•0	• 0	4.508E-01	4.190E-01	3.931E-01	3.714E-01	3.530E-01
•	• 0	•0	•0	• 0	• 0	• 0	4.297E-01	4.032E-01	3.810E-01	3.621E-01
•	• 0	•0	•0	• 0	• 0	• 0	4.397E-01	4.126E-01	3.8996-01	3.706E-01
	• 0	•0	•0	.0	•0	•0	• 0	4.214E-01	3.983E-01	3.786E-01
·	• 0	• 0	•0	•0	0.	• 0	• 0	4.298E-01	4.062E-01	3.861E-01
•	• 0	•0	•0	•0	•0	• 0	• 0	4.376E-01	4.136E-01	3.932E-01
.0	• 0	•0	•0	•0	• 0	• 0	• 0	• 0	4.207E-01	3.999E-01
.0	.0	•0	• 0	• 0	• 0	• 0	.0	.0	4.273E-01	4.063E-01

DELTA =
2.103E-01
3.519E-01 2.908E-01 2.534E-01 4.213E-01 3.489E-01 3.044E-01
4.764E-01 3.952E-01 3.451E-01
0. 4.340E-01 3.792E-01
0. 4.673E-01 4.086E-01
0. 4.344E-01
0. 0. 4.574E-01
.0 0.
0• 0• 0•
.0 .0 .0
.0 .0.
0. 0.
.0 0.
.0 .0 .0
.0 0.
0• 0• 0•
0. 0. 0.
.0 .0 .0
.0 0.

					NU VERSUS	IS ETA					
		DELTA	.14 = 0.75		ALPHA =	0.20	ISd	I = 0.02			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.545E-01	2.564E-01	2.110E-01	1.8356-01	1.6458-01	1.5045-01	1.3946-01	1.305E-01	1.231E-01	1.1696-01
0.50	0.0	4.835E-01	3.530E-01	2.914E-01	2.538E-01	2.278E-01	2.084E-01	1.9336-01	1.810E-01	1.7096-01	1.622E-01
0.75	•0	.0	4.222E-01	3.494E-01	3.047E-01	2.737E-01	2.506E-01	2.324E-01	2.1785-01	2.056E-01	1.952E-01
1.00	•0	• 0	4.771E-01	3.957E-01	3.4545-01	3.104E-01	2.8436-01	2.638E-01	2.4726-01	2.3346-01	2.216E-01
1.25	•0	٠.	•	4.343E-01	3.794E-01	3.412E-01	3.126E-01	2.901E-01	2.719E-01	2.568E-01	2.439€-01
1.50	•0	• 0	• 0	4.676E-01	4.088E-01	3.678E-01	3.3706-01	3.129E-01	2.933E-01	2.770E-01	2.631E-01
1.75	•0	.0	• 0	•0	4.346E-01	3.911E-01	3.585E-01	3.3296-01	3.121E-01	2.948E-01	2.801E-01
2.00	•0	.0	• 0	.0	4.576=-01	4.1205-01	3.777E-01	3.508E-01	3.289E-01	3.107E-01	2.952E-01
2.25	•0	٥.	• 0	• 0	• 0	4.308E-01	3.950E-01	3.670E-01	3.441E-01	3.2516-01	3.089€-01
2.50	•0	٠.	• 0	٥.	• 0	4.478E-01	4.108E-01	3.817E-01	3.579E-01	3.382E-01	3.213E-01
2.75	•0	• 0	0.	• 0	• 0	• 0	4.252E-01	3.951E-01	3.706E-01	3.502E-01	3.328E-01
3.00	•0	.0	•0	•0	• 0	• 0	4.386E-01	4.075E-01	3.823E-01	3.612E-01	3.433E-01
3.25	•0	• 0	• 0	•0	•0	• 0	4.509E-01	4.191E-01	3.931E-01	3.715E-01	3.531€-01
3.50	•0	.0	• 0	•0		.0	•0	4.298E-01	4.032E-01	3.810E-01	3.622E-01
3.75	•0	.0	• 0	•0	• 0	• 0	•0	4.3985-01	4.126E-01	3.900E-01	3.707E-01
00.4	•0	٥.	0.	•0	• 0	0.	• 0	.0	4.215E-01	3.984E-01	3.787E-01
4.25	0.	• 0	0.	.0	.0	.0	• 0	• 0	4.298E-01	4.062E-01	3.862E-01
4.50	.0	.0	.0	• 0	• 0	0.	• 0	• 0	4.376E-01	4.137E-01	3.932E-01
4.75	•0	0.	• 0	0.	•0	• 0	.0	• 0	• 0	4.207E-01	3. 999E-01
5.00	•0	•0	.0	• 0	.0	.0	• 0	• 0	.0	4.274E-01	4.063E-01

			5.0	1.170€-01	1.623E-01	1.953E-01	2.217E-01	2.440E-01	2.632E+01	2.801E-01	2.952E-01	3.089€-01	3.214E-01	3.328E-01	3.433E-01	3.531E-01	3.622E-01	3.707€-01	3.787E-01	3.862E-01	3.933E-01	4.000E-01	4.063E-01
			4.5	1.233E-01 1	1.7106-01 1	2.057E-01 1	2.335E-01 2	2.568E-01 2	2.770E-01 2	2.949E-01 2	3.108E-01 2	3.251E-01 3	3.382E-01 3	3.502E-01 3	3.613E-01 3	3.715E-01 3	3.811E-01 3	3.900E-01 3	3.984E-01 3	4.062E-01 3	4.137E-01 3	4.207E-01 4	4.2746-01 4
			0.4	1.307E-01	1.812E-01	2.179E-01	2.4736-01	2.720E-01	2.934E-01	3.122E-01	3.290E-01	3.442E-01	3.580E-01	3.706E-01	3.823E-01	3.932E-01	4.032E-01	4.127E-01	4.215E-01	4.298E-01	4.377E-01	• 0	• 0
	1 = 0.02		3.5	1.396E-01	1.9356-01	2.326E-01	2.639E-01	2.902E-01	3.1306-01	3.330E-01	3.509E-01	3.6705-01	3.817E-01	3.952E-01	4.076E-01	4.191E-01	4.298E-01	4.398E-01	• 0	• 0	.0	• 0	• 0
	ISd		3.0	1.507E-01	2.087E-01	2.508E-01	2.844E-01	3.127E-01	3.371E-01	3.586E-01	3.778E-01	3.951E-01	4.109E-01	4.253E-01	4.3866-01	4.509E-01	. 0	• 0	•0	• 0	•0	•0	• 0
JS ETA	0.20		2.5	1.648E-01	2.281E-01	2.7406-01	3.106E-01	3.414E-01	3.679E-01	3.912E-01	4.121E-01	4.308E-01	4.4796-01	0.0	.0	.0	9.	• 0	.0	• 0	•0	• 0	• 0
NU VERSUS ETA	ALPHA =	OMEGA	2.0	1.8396-01	2.542E-01	3.051E-01	3.457E-01	3.7976-01	4.090E-01	4.348E-01	4.5776-01	•0	• 0	• 0	• 0	• 0	•0	• 0	• 0	• 0	.0	• 0	•
			1.5	2.117E-01	2.921E-01	3.500E-01	3.961E-01	4.347E-01	4.679E-01	• 0	• 0	• 0	• 0	• 0	• 0	•0	•0	• 0	•0	•0	.0	.0	• 0
	.14 = 1.00		1.0	2.577E-01	3.5416-01	4.231E-01	4.7796-01	• 0	• 0	• 0	•0	• 0		0	0.0	•0	• 0	• 0	• 0	•	• 0	• 0	• 0
	DELTA		0.5	3.5786-01	4.864E-01	• 0	•	• 0	• 0	0.	•	• 0	• 0	•	•0		.0	• 0	0	• 0	• 0	•	•
			0.0	• 0	• 0	•0	.0	•0	•0	•0	•0	•0	•0	• 0	•	•0	•0	•0	•0	•0	.0	•0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

					NU VERSUS	IS ETA					
		DEL	DELTA = 0.		ALPHA =	0.40	PSI	I = 0.02			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.525E-01	3.404E-01	2.842E-01	2.4908-01	2.2436-01	2.0585-01	1.911E-01	1.7936-01	1.694E-01	1.609E-01
0.50	•0	٠	4.634E-01	3.877E-01	3.4012-01	3.065F-01	2.813E-01	2.614E-01	2.452E-01	2.317E-01	2.202E-01
0.75	•0	• 0	• 0	4.595E-01	4.0345-01	3.6385-01	3.3406-01	3.1046-01	2.913E-01	2.753E-01	2.617E-01
1.00	•0	• 0	• 0	• 0	4.522E-01	4.080E-01	3.747E-01	3.484E-01	3.269E-01	3.090E-01	2.937E-01
1.25	•0	.0	0.	•0	• 0	4.4395-01	4.C78E-01	3.792E-01	3.5596-01	3.365E-01	3.1995-01
1.50	•0	• 0	• 0	•0	• 0	• 0	4.356E-01	4.051E-01	3.803E-01	3.596E-01	3.4196-01
1.75	•0	• 0	•0	0.	• 0	• 0	0.	4.274E-01	4.013E-01	3.794E-01	3.608E-01
2.00	•0	•0	•0	• 0	• 0	.0	• 0	• 0	4.196E-01	3.967E-01	3.7735-01
2.25	•0	• 0	•0	.0	.0	• 0	• 0	• 0	4.358E-01	4.121E-01	3.919E-01
2.50	•0	• 0	•0	• 0	• 0	0.	•0	• 0	•0	4.258E-01	4.050E-01
2.75	• 0	• 0	•0	• 0	• 0	• 0	•0	•0	•0	٥.	4.168E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.25		ALPHA = 0.40	0.40	PSI	I = 0.02			
					OMEGA						
ETA	0.0	0 •	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.594E-01	3.433E-01	2.859E-01	2.5025-01	2.251E-01	2.064E-01	1.917E-01	1.797E-01	1.697E-01	1.612E-01
0.50	•0	.0	4.659E-01	3.892E-01	3.411E-01	3.073E-01	2.819E-01	2.619E-01	2.456E-01	2.320E-01	2.205E-01
0.75	•0	• 0	• • • • • • • • • • • • • • • • • • • •	4.607E-01	4.041E-01	3.644E-01	3.344E-01	3.108E-01	2.9165-01	2.755E-01	2.619E-01
1.00	•0	• 0	•0	•0	4.528E-01	4.084E-01	3.750E-01	3.486E-01	3.2716-01	3.092E-01	2.939€-01
1.25	•0	• 0	•0	.0	• 0	4.443E-01	4.080E-01	3.7946-01	3.561E-01	3.366E-01	3.200E-01
1.50	•0	• 0	•0	•0	• 0	• 0	4.358E-01	4.053E-01	3.805E-01	3.597E-01	3.420E-01
1.75	•0	• 0	•0	•0	• 0	• 0	• 0	4.276E-01	4.014E-01	3.795E-01	3.608E-01
2.00	•0	• 0	•0	•0	• 0	• 0	•0	• 0	4.197E-01	3.968E-01	3.7735-01
2.25	•0	•0	•0	0.	• 0	• 0	•0	.0	4.359E-01	4.122E-01	3.920E-01
2.50	•0	• 0	•0	•0	• 0	• 0	• 0	• 0	•0	4.259E-01	4.050E-01
2.75	•0	• 0	• 0	٥.	•0	.0	•0	• 0	•0	• 0	4.168E-01

DELTA =	DELT	_	A = 0.50	NU VERSUS ETA	US ETA	ISd	1 = 0.02			
				OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.666E-01 3.463E-01 2.876E-01	3.463E-01	E-01	2.876E-01	2.513E-01	2.2605-01	2.070E-01	1.9225-01	1.801E-01	1.701E-01	1.615E-01
0. C. 4.684E-01 3.907E-01	4.6845-01	E-01	3.907E-01	3.4205-01	3.080E-01	2.824E-01	2.623E-01	2.460E-01	2.323E-01	2.208E-01
0. 0. 4.613E-01	•0		4.618E-01	4.049E-01	3.649E-01	3.348E-01	3.112E-01	2.9196-01	2.758E-01	2.621E-01
.0 0.0 0.0	• 0		•0	4.534E-01	4.089E-01	3.754E-01	3.489E-01	3.274E-01	3.094E-01	2.941E-01
.0 0.0	•0		0.	•0	4.446E-01	4.083E-01	3.797E-01	3.563E-01	3.368E-01	3.201E-01
.0 0.0	•0		•0	• 0	• 0	4.360E-01	4.055E-01	3.806E-01	3.598E-01	3.421E-01
.0 .0 .0	0		• 0	•0	•0	.0	4.277E-01	4.015E-01	3.796E-01	3.609E-01
.0 0.0	•0		.0	• 0	0.	•0	0.	4.198E-01	3.969E-01	3.774E-01
.0 .0 .0	•0		•0	.0	•0	•0	•0	4.359E-01	4.122E-01	3.920E-01
.0 0.0	•0		•0	•0	•0	• 0	•0	•0	4.259E-01	4.051E-01
.0 .0 .0			• 0	• 0	• 0	• 0	•0	•0	• 0	4.169E-01
				NU VERSUS ETA	JS ETA					
DELTA = 0.75				ALPHA = 0.40	0.40	ISd	I = 0.02			
				OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.742E-01 3.493E-01 2.894E-01	3.493E-01 2.894E-01	2.8945-01		2.525E-01	2.268E-01	2.077E-01	1.927E-01	1.805E-01	1.704E-01	1.618E-01
0. 6. 4.710E-01 3.921E-01	4.710E-01		3.921E-01	3.430E-01	3.087E-01	2.830E-01	2.628E-01	2.463E-01	- 2.326E-01	2.210E-01
0. 0. 4.630E-01	• 0		4.630E-01	4.0575-01	3.655E-01	3.353E-01	3.115E-01	2.922E-01	2.760E-01	2.623E-01
.0 .0 .0	• 0		•0	4.540E-01	4.093E-01	3.7576-01	3.492E-01	3.276E-01	3.096E-01	2.942E-01
• 0 • 0 • 0	• 0		•0	• 0	4.450E-01	4.086E-01	3.799E-01	3.565E-01	3.369E-01	3.203E-01
.0 .0 .0	• 0		•0	• 0	• 0	4.362E-01	4.057E-01	3.808E-01	3.599E-01	3.422E-01
• 0 • 0 • 0	• 0		• 0	.0	•0	• 0	4.279E-01	4.016E-01	3.797E-01	3.610E-01
.0 .0 .0	• 0		•0	.0	0.	.0	•0	4.199E-01	3.970E-01	3.775E-01
0. 0. 0.	•0		•0	• 0	• 0	• 0	• 0	4.360E-01	4.123E-01	3.921E-01
.0 .0 0.	•0		•0	• 0	•0	•0	•0	•0	4.260E-01	4.051E-01
.0 .0 .0 .0	• 0		• 0	• 0	• 0	• 0	•0	•0	• 0	4.169E-01

			5.0	1.6225-01	2.213E-01	2.625E-01	2.944E-01	3.204E-01	3.423E-01	3.611E-01	3.776E-01	3.921E-01	4.052E-01	4.169E-01				5.0	1.927E-01	2.604E-01	3.061E-01	3.405E-01	3-679F-01	3. 90AE-01	4.007E-01	40 11.00
			4.5	1.708E-01	2.330E-01	2.763E-01	3.098E-01	3.3716-01	3.601E-01	3.798E-01	3.971E-01	4.124E-01	4.261E-01	••				4.5	2.027E-01	2.7385-01	3.218E-01	3.580E-01	3.868E-01	4-106F-01	4.307F-01	1
			4.0	1.810E-01	2.467E-01	2.925E-01	3.278E-01	3.567E-01	3.809E-01	4.018E-01	4.200E-01	4.361E-01	•0	• 0				4.0	2.144E-01	2.895E-01	3.402E-01	3.784E-01	4.089E-01	4.340E-01	•0	
	I = 0.02		3.5	1.932E-01	2.632E-01	3.119E-01	3.495E-01	3.801E-01	4.059E-01	4.280E-01	• 0	• 0	• 0	• 0		I = 0.02		3.5	2.283E-01	3.0835-01	3.623E-01	4.029E-01	4.352E-01	0.	0.	
	I S d		3.0	2.083E-01	2.835E-01	3.357E-01	3.761E-01	4.089E-01	4.365E-01	• 0	• 0	• 0	• 0	.0		I S d		3.0	2.454E-01	3.313E-01	3.892E-01	4.328E-01	• 0	•0	•0	
S ETA	0.40		2.5	2.277E-01	3.094E-01	3.661E-01	4.098E-01	4.454E-01	• 0	• 0	• 0	• 0	٥.	•0	S ETA	09.0		2.5	2.6716-01	3.604E-01	4.232E-01	0.	0.	0.	0.	
NU VERSUS ETA	ALPHA = 0.40	OMEGA	2.0	2.536E-01	3.4405-01	4.065E-01	4.546E-01	• 0	• 0	• 0	•0	.0	.0	• 0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2.9568-01	3.9875-01	0.	• 0	• 0	.0	.0	
			1.5	2.911E-01	3.936E-01	4.642E-01	• 0	• 0	• 0	•	•0	• 0	•0	• 0				1.5	3.3596-01	4.525E-01	• 0	٥.	0.	0.	٥.	
	DELTA = 1.00		1.0	3.525E-01	4.736E-01	•0	• 0	0.	•0	•0	• 0	•0	•0	• 0		DELTA = 0.		1.0	3.990E-01	0.	٠٥.	0.	0.	0.	0.	
	DEL		0.5	4.821E-01	• 0	• 0	• 0	• 0	• 0	•0	• 0	• 0	• 0	.0		DEL		0.5	• 0	• 0	• 0	.0	•	• 0	.0	
			0.0	•0	•0	•0	.0	•0	•0	• 0	• 0	•0	•0	•0				0.0	•0	.0	.0	•0	.0	.0	.0	
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	

				1	1	11	11	10	ı,	1					-	. =					
			5.0	1.9336-01	2.608E-01	3.064E-01	3.408E-01	3.681E-01	3.907E-01	4.099E-01				5.0	1-938F-01	2-612F-01	3-067F-01	3. 410E=01	2007	3 000 000	4-100E-01
			4.5	2.033E-01	2.743E-01	3.222E-01	3.583E-01	3.870E-01	4.108E-01	4.308E-01				4.5	2.039E-01	2.748E-01	3.226E-01	3.586F-01	2 0726-01	4.1005-01	4.310E-01
			4.0	2.151E-01	2.901E-01	3.407E-01	3.788E-01	4.091E-01	4.342E-01	•0				4.0	2.158E-01	2.907E-01	3.411E-01	3.791E-01	4-094F-01	4.344F-01	0.
	PSI = 0.02		3.5	2.292E-01	3.090E-01	3.628E-01	4.033E-01	4.356E-01	•0	• 0		PSI = 0.02		3.5	2.301E-01	3.097E-01	3.634E-01	4.037E-01	4.3595-01		•0
	PS		3.0	2.465E-01	3.322E-01	3.899E-01	4:333E-01	• 0	•0	0.		PS		3.0	2.476E-01	3.331E-01	3.906E-01	4.338E-01	0.	•0	• 0
S ETA	09.0		2.5	2.684E-01	3.615E-01	4.241E-01	0.	.0	0.	.0	S ETA	09.0		2.5	2.698E-01	3.626E-01	4.250E-01	.0	0.	•0	.0
NU VERSUS ETA	ALPHA =	OMEGA	2.0	2.975E-01	4.002E-01	.0	.0	.0	• 0	• 0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2.994E-01	4.018E-01	• 0	.0	• 0	0.	.0
			1.5	3.3875-01	4.5496-01	•0	•0	•0	.0	•0				1.5	3.415E-01	4.572E-01	•0	•0	.0	•0	•
	DELTA = 0.25		1.0	4.036E-01	•0	•0	•0	• 0	. •0	•0		DELTA = 0.50		1.0	4.085E-01	• 0	0.	•0	• 0	• 0	0.
	30		0.5	٥٠	•0	• 0	.0	•0	•0	•		30		0.5	.0	• 0	• 0	• 0	•	• 0	• 0
			0.0	•0	•0	•0	•0	•0	• 0	• 0				0.0	•0	•0	•0	•0	•0	• 0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75

					NU VERSUS ETA	S ETA					
			DELIA = 0.75		ALPHA = (09.0	PSI	I = 0.02			
					NAEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	• 0	4.1346-01	3.444E-01	3.0148-01	2.713E-01	2.487E-01	2.3096-01	2.165E-01	2.045E-01	1.943E-01
0.50	•0	0.	• 0	4.595E-01	4.0346-01	3.638E-01	3.340E-01	3.104E-01	2.9136-01	2.753E-01	2.617E-01
0.75	• 0	• 0	٠.	0.	.0	4.258E-01	3.912E-01	3.639E-01	3.416E-01	3.2296-01	3.0716-01
1.00	• 0	0.	• 0	.0	.0	• 0	4.343E-01	4.041E-01	3.795E-01	3.589E-01	3.413€-01
1.25	•0	0.	• 0	• 0	.0	• 0	.0	4.362E-01	4.097E-01	3.875E-01	3.685E-01
1.50	•0	• 0	• 0	•0	•0	•	•0	• 0	4.346E-01	4.111E-01	3.910E-01
1.75	•0	0	ċ	•••	• 0	0.	•0	.0	• 0	4.311E-01	4.101E-01
					NU VERSUS ETA	S ETA					
			DELTA = 1.00		ALPHA = 0.60	09.0	ISd	I = 0.02			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	.0	• 0	4.186E-01	3.474E-01	3.034E-01	2.727E-01.	2.498E-01	2.3186-01	2.173E-01	2.051E-01	1.948E-01
0.50	.0	0	•0	4.619E-01	4.0508-01	3.650E-01	3.349E-01	3.1126-01	2.9196-01	2.758E-01	2.621E-01
0.75	•0		•0	•0	•0	4.267E-01	3.919E-01	3.645E-01	3.421E-01	3.233E-01	3.074E-01
1.00	•0		•0	•0	• 0	0 °	4.3496-01	4.046E-01	3.798E-01	3.592t-01	3.415E-01
1.25	•0	• 0	• 0	•0	• 0	.0	• 0	4.365E-01	4.100E-01	3.877E-01	3.687E-01
1.50	•0		• 0	.0	•0	٥.	• 0	.0	4.348E-01	4.113E-01	3.912E-01
1.75	•0	0	•0	.0	• 0	• 0	•0	• 0	• 0	4.313E-01	4.102E-01

			DELTA = 0.		NU VERSUS ET ALPHA = 0.80	US ETA	S d	PSI = 0.02			
					OMEGA						
0.5 1.0	0.5 1.0				2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.428E-01	4.428E-01			01	3.317E-01	3.003E-01	2.765E-01	2.575E-01	2.420E-01	2.290E-01	2.179E-01
0• 0• 0•	•0				4.4265-01	4.010E-01	3.692E-01	3.439E-01	3.233E-01	3.059E-01	2.911E-01
• 0	•0				•0	• 0	4.300E-01	4.007E-01	3.766E-01	3.564E-01	3.392E-01
• 0	•0				• 0	•0	• 0	4.425E-01	4.159E-01	3.937E-01	3.746E-01
	•0				0.	•0	•0	• 0	• 0	4.228E-01	4.024E-01
	•0				• 0	• 0	• 0	•0	•0	• 0	4.250E-01
					NU VERSUS ETA	JS ETA					
DELTA = 0.25					ALPHA = 0.80	0.80	PSI	I = 0.02			
					OMEGA						
0.0 0.5 1.0 1.5	1.0				2.0	2.5	3.0	3.5	4.0	4.5	5.0
•0	4.4916-01	4.491E-01 3.792E-01	3.792E-01		3.343E-01	3.023E-01	2.780E-01	2.588E-01	2.430E-01	2.299E-01	2.186E-01
0. 0. 0.	•	0 0	•0		4.447E-01	4.025E-01	3.704E-01	3.449E-01	3.241E-01	3.066E-01	2.917E-01
•0	•0	•0	•0		• 0	• 0	4.309E-01	4.014E-01	3.772E-01	3.569E-01	3.396E-01
• 0	•0	0. 0.	•0		•0	•0	•0	4.430E-01	4.164E-01	3.940E-01	3.750E-01
	•0	0. 0.	•0		• 0	•0	•0	•0	•0	4.231E-01	4.027E-01
.0 .0 .0	• 0	• 0	• 0		• 0	• 0	•0	• 0	•0	••	4.252E-01
					NU VERSUS ETA	JS ETA					
0ELTA = 0.50					ALPHA = 0.80	0.80	PS	PSI = 0.02			
					OMEGA						
0.0 0.5 1.0 1.5	1.0				2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.557E-01 3.832E-01	4.557E-01 3.832E-01	3.832E-01	3.832E-01		3.370E-01	3.043E-01	2.795E-01	2.600E-01	2.441E-01	2.307E-01	2.194E-01
0. 0. 0.	•0	•0 •:0	•0		4.468E-01	4.040E-01	3.716E-01	3.459E-01	3.249E-01	3.073E-01	2.923E-01
.0	• 0	•0	•0		• 0	• 0	4.318E-01	4.021E-01	3.778E-01	3.574E-01	3.400E-01
0 0 0 00	• 0	•0 •0	•0		• 0	•0	•0	4.436E-01	4.168E-01	3.944E-01	3.753E-01
•0	• 0 • 0	• 0 • 0	• 0		•0	•0	•0	•0	.0	4.234E-01	4.029E-01
.0 .0 .0	.0 .0 .0	.0	•0		•0	٥.	• 0	• 0	•0	• 0	4.254E-01

					NU VERSUS	S ETA					
		7	DELTA = 0.75		ALPHA = 0.80	0.80	PS	PSI = 0.02			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	.0	4.626E-01	3.872E-01	3.397E-01	3.063E-01	2.8116-01	2.613E-01	2.4516-01	2.316E-01	2.201E-01
0.50	•0	• 0	• 0	•0	4.489E-01	4.056E-01	3.728E-01	3.469E-01	3.257E-01	3.080E-01	2.928E-01
0.75	•0	•0	•0	•0	• 0	.0	4.327E-01	4.028E-01	3.784E-01	3.579E-01	3.405E-01
1.00	•0	• 0	•0	•0	• 0	• 0	• 0	4.441E-01	4.173E-01	3.948E-01	3.756E-01
1.25	•0	.0	• 0	•0	• 0	• 0	• 0	• 0	• 0	4.237E-01	4.032E-01
1.50	•0	٥.	· 0	•0	•0	.0	•0	• 0	• 0	• 0	4.256E-01
					NO VERSUS ELA	N EI A					
			DELTA = 1.00		ALPHA =	0.80	PSI	I = 0.02			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	• 0	4.698E-01	3.914E-01	3.425E-01	3.083E-01	2.827E-01	2.625E-01	2.462E-01	2.325E-01	2.209E-01
0.50	• 0	.0	• 0	• 0	4.511E-01	4.072E-01	3.740E-01	3.479E-01	3.265E-01	3.086E-01	2.934E-01
0.75	•	.0	• 0	• 0	• 0	•0	4.336E-01	4.036E-01	3.790E-01	3.585E-01	3.409E-01
1.00	• 0	0	• 0	• 0	• 0	• 0	• 0	• 0	4.177E-01	3.952E-01	3.7596-01
1.25	• 0	٥	• 0	•0	• 0	• 0	•0	•0	• 0	4.240E-01	4.034E-01
					NU VERSUS ETA	S ETA					
			TAT IT		CO.T = AHO IA	00-1	120	1 = 0.02			
					UMEGA						
ETA	0.0	0.5	1.0	1.5	.2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	.0	4.776E-01	4.0736-01	3.6105-01	3.276E-01	3.C20E-01	2.816E-01	2.649E-01	2.508E-01	2.388E-01
0.50	•0	• 0	• 0	•0	• 0	4.3335-01	3.995E-01	3.726E-01	3.504E-01	3.318E-01	3.159E-01
0.75	•0	.0	•0	• 0	• 0	.0	• 0	4.3095-01	4.053E-01	3.837E-01	3.653E-01
1.00	.0	.0	•0	• 0	• 0	0.	.0	• 0	.0	4.2146-01	4.011E-01

			5.0	2.397E-01	3.166E-01	3.658E-01	4.015E-01				5.0	2.407E-01	3.173E-01	3.664E-01	4.019E-01				5.0	2.417E-01	3.181E-01	3.669E-01	4.023E-01
			4.5	2.519E-01	3.326E-01	3.843E-01	4.218E-01				4.5	2.531E-01	3.335E-01	3.850E-01	4.223E-01				4.5	2.542E-01	3.3446-01	3.856E-01	4.228E-01
			0.4	2.662E-01	3.5146-01	4.060E-01	•0				0.4	2.675E-01	3.524E-01	4.067E-01	• 0				0.4	2.689E-01	3.534E-01	4.075E-01	•0
	PSI = 0.02		3.5	2.832E-01	3.738E-01	4.318E-01	•0		I = 0.02		3.5	2.848E-01	3.750E-01	4.326E-01	•0		PSI = 0.02		3.5	2.865E-01	3.762E-01	4.335E-01	• 0
	Sd		3.0	3.040E-01	4.010E-01	• 0	• 0		PSI		3.0	3.C60E-01	4.C25E-01	• 0	• 0		PS		3.0	3.080E-01	4.C40E-01	.0	• 0
S ETA	00.1		2.5	3.3016-01	4.352E-01	.0	• 0	FIA	1.00		2.5	3.326E-01	4.372E-01	• 0	• 0	S ETA	1.00		2.5	3.3536-01	4.391E-01	.0	• 0
NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.6435-01	•0	• 0	•0	ATA SHERSHE	ALPHA = 1.00	OMEGA	2.0	3.6785-01	• 0	• 0	•0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.7136-01	.0	• 0	•0
			1.5	4.121E-01	•0	•0	• 0				1.5	4.171E-01	• 0	.0	•0				1.5	4.2236-01	•0	•0	•0
	DELTA = 0.25		1.0	•0	• 0	•0	• 0		DELTA = 0.50		1.0	• 0	.0	.0	•0		DELTA = 0.75		1.0	.0	.0	•0	•0
	DEL		0.5	•0	• 0	•	• 0		DE		0.5	• 0	• 0	• 0	•		DE		0.5	• 0	• 0	• 0	• 0
			010	•0	• 0	•0	• 0				0 * 0	• 0	• 0	•0	• 0				0.0	.0	• 0	•0	.0
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00

			5.0	2.427E-01	3.188E-01	3.674E-01	4.027E-01																
								0	•0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			4.5	2.5546-01	3.352E-01	3.862E-01	4.232E-01	• 0	• 0	.0	• 0	• 0	•0	• 0	•0	•0	•0	.0	.0	• 0	•0	.0	• 0
			0.4	2.703E-01	3.545E-01	4.082E-01	.0	.0	.0	0.	0.	• 0	.0	.0	.0	.0	.0	.0	.0	.0	.0	0.	• 0
	= 0.02		3.5	2.881E-01	3.775E-01	4.344E-01	• 0	• 0	•0	• 0	• 0	• 0		.0	•0	•0	.0	•0	•0	.0	•0	0.	• 0
	PSI		3.0	3.101E-01	4.056E-01	•0	• 0	•0	•0	• 0	0.	• 0	•0	• 0	• 0	•0	• 0	•0	•0	•0	• 0	.0	• 0
S ETA	1.00		2.5	3.379E-01	4.411E-01	• 0	• 0	• 0	0.	.0	• 0	• 0	• 0	•0	•0	• 0	• 0	•0	• 0	• 0	.0	.0	• 0
NU VERSUS ETA	ALPHA =	OMEGA	2.0	3.750E-01	• 0	• 0	• 0	• 0	• 0	• 0	•0	•0	• 0	• 0	• 0	.0	• 0	•0	•0	• 0	• 0	•0	• 0
			1.5	4.277E-01	• 0	• 0	• 0	• 0	.0.	•0	•0	•0	•0	•0	•0	• 0	• 0	• 0	•0	•0	• 0	•0	•0
	DELTA = 1.00		1.0	• 0	• 0	• 0	• 0	• 0	• 0	0.	•0	•0	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	
	0 E		0.5	• 0	٠.	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	0.	•0	• 0	• 0	• 0	• 0	• 0	• 0
			0.0	• 0	• 0	• 0	•0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	•0	•0	•0	•0	•0	•0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

			5.0	1.165E-01	1.618E-01	1.947E-01	2.211E-01	2.433E-01	2.625E-01	2.794E-01	2.945E-01	3.081E-01	3.204E-01	3.318E-01	3.422E-01	3.519E-01	3.610E-01	3.694E-01	3.773E-01	3.847E-01	3.918E-01	3.984E-01	4.047E-01
			4.5	1.227E-01	1.7046-01	2.050E-01	2.328E-01	2.562E-01	2.763E-01	2.941E-01	3.099E-01	3.242E-01	3.372E-01	3.491E-01	3.601E-01	3.703E-01	3.798E-01	3.886E-01	3.969E-01	4.047E-01	4.121E-01	4.191E-01	4.257E-01
			0.4	1.300E-01	1.805E-01	2.1726-01	2.466E-01	2.713E-01	2.926E-01	3.113E-01	3.281E-01	3.4326-01	3.569E-01	3.695E-01	3.811E-01	3.919E-01	4.019E-01	4.112E-01	4.200E-01	4.282E-01	4.360E-01	•0	• 0
	50°0 = I		3.5	1.388E-01	1.9265-01	2.318E-01	2.6316-01	2.894E-01	3.121E-01	3.320E-01	3.499E-01	3.659E-01	3.805E-01	3.939E-01	4.063E-01	4.177E-01	4.283E-01	4.383E-01	•0	•0	•0	•0	• 0
	ISd		3.0	1.4966-01	2.C76E-01	2.4976-01	2.8346-01	3.1176-01	3,3615-01	3.575E-01	3.767E-01	3.939E-01	4.096E-01	4.239E-01	4.372E-01	4.494E-01	• 0	•0	•0	•0	• 0	•0	• 0
S ETA	0.20		2.5	1.6356-01	2.268E-01	2.7276-01	3.094E-01	3.402E-01	3.667E-01	3.900E-01	4.108E-01	4.295E-01	4.465E-01	• 0	• 0	• 0	•0	.0	٥.	•0	•0	•0	• 0
NU VERSUS	ALPHA = (OMEGA	2.0	1.8216-01	2.5246-01	3.0346-01	3.441E-01	3.782E-01	4.0755-01	4.332E-C1	4.562E-01	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0
			1.5	2.0896-01	2.8946-01	3.475E-01	3.9396-01	4.3266-01	4.659E-01	•0	•0	•0	•0	•0	•0	.0	0.	0.	•0	•0	0.	•0	•0
	TA = 0.		1.0	2.5276-01	3.495E-01	4.191E-01	4.743E-01	٠	•0	•0	.0	•0	•0	•0	•0	.0	• 00	.0	•0	· 0	•0	٠	•0
	DELTA		0.5	3.449E-01	4.748E-01	٠.	0.0	• 0	•0	• 0	• 0	٠,	• 0	• 0	•0	.0	0.	• 0	• 0	• 0	• •	.0	• 0
			0.0	.0	•0	•0	•0	•0	•0	• 0	•0	•0	•0	•0	•0	•0	.0	•0	•0	0.	•0	•0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	00.5

		DELTA	.TA = 0.25		NU VERSUS ETA ALPHA = 0.20	US ETA	<u>a</u>	70°0 = 15d			
							a	V = 0.04			
					OMEGA						
0.0	0.5		1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 3.480E-01 2.		2	.539E-01	2.096E-01	1.8255-01	1.6385-01	1.4996-01	1.3906-01	1.301E-01	1.228E-01	1.166E-01
0. 4.776E-01 3	4.776E-01 3	3	.506E-01	2.900E-01	2.528E-01	2.271E-01	2.078E-01	1.928E-01	1.806E-01	1.705E-01	1.6196-01
0. 0. 4.		4	.200E-01	3.481E-01	3.0375-01	2.7295-01	2.499E-01	2.319E-01	2.173E-01	2.051E-01	1.948F-01
		4	.750E-01	3.943E-01	3.444E-01	3.096E-01	2.836E-01	2.632E-01	2.467E-01	2.3296-01	2-212F-01
• 0		0		4.3294-01	3.784E-01	3.403E-01	3.118E-01	2.895E-01	2.713E-01	2.562E-01	2.4346-01
• 0		0	To I	4.662E-01	4.07.7E-01	3.668E-01	3.362E-01	3.122E-01	2.926E-01	2.764F-01	2. 626E=01
0		0		• 0	4.334E-01	3.901E-01	3.576E-01	3.321E-01	3.114E-01	2.9416-01	2.7945-01
°		0		.0	4.563E-01	4.109E-01	3.7675-01	3.499E-01	3.281E-01	3.0995-01	2.945E-01
• 0		0		•0	• 0	4.296E-01	3.940E-01	3.660E-01	3.432E-01	3.242F-01	3.081E-01
• 0		0		•0	.0	4.466E-01	4.096E-01	3.806E-01	3.569E-01	3-372F-01	3.2055-01
.0 0.		0		•0	0.	• 0	4.240E-01	3.940E-01	3.695E-01	3.491F-01	3.318F=01
• 0		0		•0	• 0	• 0	4.372E-01	4.063E-01	3.811E-01	3.601E-01	3.423F=01
٥		0		•0	•0		4.4946-01	4.177E-01	3.919E-01	3.703E-01	3.5206-01
ů		0		•0	• 0	٥.	• 0	4.283E-01	4.019E-01	3.798E-01	3.610F-01
• 0		0		0.	• 0	• 0	• 0	4.383E-01	4.112E-01	3.886E-01	3.694Fi-01
٥		0		• 0	.0	• 0	• 0	0.	4.200E-01	3.969E-01	3.7735-01
°		0		•0	0.	• 0	.0	• 0	4.282E-01	4.048E-01	3.848F-01
•		ċ		• 0	.0	• 0	• 0	•0	4.360E-01	4.121E-01	3.918F-01
.0 0.		0		0.	.0	•0	.0	•0	0.	4-191E-01	3. 986F=01
.0 .0	.0		J	• 0	• 0	•0	.0	• 0	• 0	4.257E-01	4.047E-01

10 10 1 1 1 1 1 1 1					NU VERSUS	S ETA					
0.5 1.0 1.5 2.0 2.0 2.5 3.0 3.5 4.0 4.0 4.65 1.0 1.0 1.5 1.0 1.0 1.5 1.0 1.0 1.0 1.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0		DEL	,,		ALPHA =	0.20	PS	+0°0 = 1			
0.5 1.0 2.5 3.0 3.5 4.6 4.5 <th></th> <th></th> <th></th> <th></th> <th>OMEGA</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>					OMEGA						
904E-01 3.551E-01 2.551E-01 1.830E-01 1.641E-01 1.501E-01 1.330E-01	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
904E-01 3.517E-01 2.533E-01 2.237E-01 2.532E-01 2.532E-01 1.930E-01 1.930E-01 1.706E-01 1.706E-01 4.209E-01 3.486E-01 3.047E-01 3.047E-01 3.047E-01 2.532E-01 2.532E-01 2.532E-01 2.532E-01 2.532E-01 2.552E-01 2.552E-0		3.5115-01	5	2.103E-01	1.8306-01	I.641E-01	1.5016-01	1.392E-01	1.303E-01	1.2306-01	1.167E-01
4,209E-01 3,44E-01 2,732E-01 2,50E-01 2,50E-01 2,50E-01 2,50E-01 2,50E-01 2,05E-01 2,05E-01 2,05E-01 2,05E-01 2,09E-01 3,126E-01 2,146E-01 2,09E-01 3,126E-01 3,126E-01 2,146E-01 2,546E-01 3,40E-01 3,20E-01 3,126E-01 3,126E-01 2,146E-01 2,546E-01 3,126E-01 3,126E-01 2,146E-01 2,546E-01 3,40E-01 3,126E-01 2,146E-01 3,126E-01 3,126E-01 3,126E-01 3,10EE-01		4.804E-01	3.517E-01	2.906E-01	2.5336-01	2.274E-01	2.081E-01	1.930E-01	1.808E-01	1.706E-01	1.620E-01
4.758E—01 3.447E—01 3.098E—01 2.638E—01 2.648E—01 2.648E—01 2.648E—01 2.938E—01 2.339E—01 0. 4.65E—01 3.766E—01 3.405E—01 3.405E—01 3.405E—01 2.946E—01 3.436E—01		•0	4.209E-01	3.486E-01	3.0415-01	2.732E-01	2.501E-01	2.321E-01	2.1746-01	2.052E-01	1.9496-01
C. 4,333E-01 3,786E-01 3,405E-01 3,120E-01 3,120E-01 2,120E-01 2,120		•0	4.758E-01	3.947E-01	3.447E-01	3.098E-01	2.8386-01	2.633E-01	2.468E-01	2.330E-01	2.213E-01
0. 4.665E-01 4.079E-01 3.670E-01 3.363E-01 3.123E-01 2.97E-01 2.776E-01 0. 0. 4.336E-01 3.90ZE-01 3.32E-01 3.115E-01 2.94ZE-01 0. 0. 4.564E-01 4.110E-01 3.577E-01 3.28ZE-01 3.10E-01 2.94ZE-01 0. 0. 4.564E-01 4.110E-01 3.500E-01 3.58ZE-01 3.10E-01 3.10E-01 0. 0. 0. 4.466E-01 4.09TE-01 3.500E-01 3.28ZE-01 3.10E-01 0. 0. 0. 4.466E-01 4.09TE-01 3.500E-01 3.73EE-01 3.73EE-01 0. 0. 0. 0. 4.246E-01 4.09TE-01 3.99EE-01 3.79EE-01 0. 0. 0. 0. 4.246E-01 4.18EE-01 3.79EE-01 0. 0. 0. 0. 4.38EE-01 3.79EE-01 3.79EE-01 0. 0. 0. 0. 0. 0. 4.29EE-01 3.79EE-01 <th></th> <td>•0</td> <td>90</td> <td>4.333E-01</td> <td>3.786E-01</td> <td>3.405E-01</td> <td>3.1206-01</td> <td>2.896E-01</td> <td>2.7146-01</td> <td>2.563E-01</td> <td>2.435E-01</td>		•0	90	4.333E-01	3.786E-01	3.405E-01	3.1206-01	2.896E-01	2.7146-01	2.563E-01	2.435E-01
0. 0. 4,336E-01 3,977E-01 3,577E-01 3,115E-01 3,115E-01 2,942E-01 0. 0. 4,564E-01 4,110E-01 3,768E-01 3,262E-01 3,262E-01 3,106E-01 0. 0. 4,264E-01 4,296E-01 3,660E-01 3,433E-01 3,243E-01 0. 0. 4,466E-01 4,097E-01 3,606E-01 3,433E-01 3,243E-01 0. 0. 0. 4,246E-01 4,097E-01 3,606E-01 3,433E-01 0. 0. 0. 4,240E-01 3,940E-01 3,696E-01 3,733E-01 0. 0. 0. 0. 4,240E-01 4,063E-01 3,796E-01 0. 0. 0. 0. 4,249E-01 4,136E-01 3,796E-01 0. 0. 0. 0. 0. 4,236E-01 4,136E-01 3,796E-01 0. 0. 0. 0. 0. 0. 4,236E-01 4,136E-01 0. 0. 0. 0. <th></th> <td>•0</td> <td>• 0</td> <td>4.665E-01</td> <td>4.079E-01</td> <td>3.670E-01</td> <td>3.363E-01</td> <td>3.1236-01</td> <td>2.927E-01</td> <td>2.764E-01</td> <td>2.626E-01</td>		•0	• 0	4.665E-01	4.079E-01	3.670E-01	3.363E-01	3.1236-01	2.927E-01	2.764E-01	2.626E-01
0. 0. 4.564E-01 4.110E-01 3.768E-01 3.768E-01 3.500E-01 3.282E-01 3.100E-01 0. 0. 4.296E-01 4.296E-01 3.940E-01 3.660E-01 3.433E-01 3.10E-01 0. 0. 4.466E-01 4.097E-01 3.606E-01 3.576E-01 3.243E-01 0. 0. 0. 4.246E-01 4.097E-01 3.606E-01 3.492E-01 0. 0. 0. 0. 4.372E-01 4.063E-01 3.696E-01 3.492E-01 0. 0. 0. 0. 4.372E-01 4.063E-01 3.793E-01 0. 0. 0. 0. 4.495E-01 4.18E-01 3.793E-01 0. 0. 0. 0. 0. 4.384E-01 4.136E-01 3.796E-01 0. 0. 0. 0. 0. 0. 0. 4.286E-01 4.086E-01 0. 0. 0. 0. 0. 0. 0. 4.386E-01 0.		•	• 0	•0	4.336E-01	3.902E-01	3.5776-01	3.322E-01	3.115E-01	2.942E-01	2.795E-01
0. 0. 4,296E-01 3,940E-01 3,660E-01 3,433E-01 3,243E-01 0. 0. 4,466E-01 4,097E-01 3,606E-01 3,570E-01 3,243E-01 0. 0. 0. 4,246E-01 3,940E-01 3,696E-01 3,492E-01 0. 0. 0. 4,246E-01 4,045E-01 3,606E-01 3,492E-01 0. 0. 0. 0. 4,495E-01 4,045E-01 3,919E-01 3,793E-01 0. 0. 0. 0. 0. 4,284E-01 4,019E-01 3,793E-01 0. 0. 0. 0. 0. 0. 4,284E-01 4,113E-01 3,897E-01 0. 0. 0. 0. 0. 0. 4,284E-01 4,113E-01 3,976E-01 0. 0. 0. 0. 0. 0. 4,284E-01 4,113E-01 0. 0. 0. 0. 0. 0. 4,284E-01 4,191E-01 0. 0.		•	• 0	.0	4.564E-01	4.110E-01	3.768E-01	3.500E-01	3.282E-01	3.100E-01	2.945E-01
0. 0. 4.466E-01 4.097E-01 3.806E-01 3.570E-01 3.373E-01 0. 0. 0. 4.240E-01 3.940E-01 3.696E-01 3.492E-01 0. 0. 0. 4.372E-01 4.063E-01 3.692E-01 3.492E-01 0. 0. 0. 0. 4.495E-01 4.178E-01 3.602E-01 0. 0. 0. 0. 4.249E-01 4.178E-01 3.798E-01 0. 0. 0. 0. 0. 4.284E-01 4.019E-01 3.798E-01 0. 0. 0. 0. 0. 0. 4.383E-01 4.113E-01 3.887E-01 0. 0. 0. 0. 0. 0. 4.282E-01 4.048E-01 4.048E-01 0. 0. 0. 0. 0. 0. 4.282E-01 4.191E-01 0. 0. 0. 0. 0. 0. 4.286E-01 4.191E-01 0. 0. 0. 0.		• 0	• 0	• 0	• 0	4.296E-01	3.940E-01	3.660E-01	3.433E-01	3.243E-01	3.081E-01
0. 0. 4,240E-01 3,696E-01 3,696E-01 3,492E-01 0. 0. 0. 4,372E-01 4,063E-01 3,696E-01 3,492E-01 0. 0. 0. 4,495E-01 4,063E-01 3,602E-01 3,602E-01 0. 0. 0. 0. 4,284E-01 4,019E-01 3,602E-01 0. 0. 0. 0. 4,284E-01 4,019E-01 3,708E-01 0. 0. 0. 0. 4,284E-01 4,019E-01 3,708E-01 0. 0. 0. 0. 4,284E-01 4,109E-01 3,970E-01 0. 0. 0. 0. 4,286E-01 4,104E-01 3,970E-01 0. 0. 0. 0. 0. 4,286E-01 4,191E-01 0. 0. 0. 0. 0. 4,191E-01 3,191E-01 0. 0. 0. 0. 0. 4,191E-01 4,191E-01 0. 0. 0. 0.<		•	•0	• 0	• 0	4.466E-01	4.097E-01	3.806E-01	3.570E-01	3.373E-01	3.205€-01
0. 0. 0. 4.372E-01 4.063E-01 3.812E-01 3.602E-01 0. 0. 0. 4.495E-01 4.178E-01 3.919E-01 3.602E-01 0. 0. 0. 0. 4.284E-01 4.019E-01 3.798E-01 0. 0. 0. 0. 4.284E-01 4.019E-01 3.798E-01 0. 0. 0. 0. 4.383E-01 4.136E-01 3.887E-01 0. 0. 0. 0. 4.280E-01 4.280E-01 4.046E-01 0. 0. 0. 0. 4.280E-01 4.046E-01 4.131E-01 0. 0. 0. 0. 4.360E-01 4.191E-01 0. 0. 0. 0. 4.360E-01 4.191E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01		• 0	• 0	.0	• 0	•0	4.2405-01	3.940E-01	3.696E-01	3.492E-01	3.318E-01
0. 0. 0. 4.495E-01 4.178E-01 3.919E-01 3.703E-01 0. 0. 0. 4.284E-01 4.019E-01 3.703E-01 0. 0. 0. 0. 4.383E-01 4.019E-01 3.798E-01 0. 0. 0. 0. 4.280E-01 3.798E-01 0. 0. 0. 0. 4.280E-01 3.970E-01 0. 0. 0. 0. 4.282E-01 4.048E-01 0. 0. 0. 0. 4.380E-01 4.191E-01 0. 0. 0. 0. 4.191E-01		•0	•0	.0	• 0	•0	4.372E-01	4.063E-01	3.812E-01	3.602E-01	3.423E-01
0. 0. 0. 4.284E-01 4.019E-01 3.798E-01 0. 0. 0. 4.383E-01 4.113E-01 3.897E-01 0. 0. 0. 0. 4.200E-01 3.897E-01 0. 0. 0. 0. 4.200E-01 3.970E-01 0. 0. 0. 0. 4.282E-01 4.048E-01 0. 0. 0. 0. 4.360E-01 4.121E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01		•0	•	.0	• 0	.0	4.495E-01	4.178E-01	3.919E-01	3.703E-01	3. 520E-01
0. 0. 0. 4.383E-01 4.113E-01 3.887E-01 0. 0. 0. 0. 4.280E-01 3.970E-01 0. 0. 0. 0. 4.282E-01 4.048E-01 0. 0. 0. 0. 4.380E-01 4.121E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01		•	•0	•0	• 0	• 0	.0	4.284E-01	4.019E-01	3.798E-01	3.610E-01
0. 0. 0. 0. 4.200E-01 3.970E-01 0. 0. 0. 0. 4.282E-01 4.048E-01 0. 0. 0. 0. 4.360E-01 4.121E-01 0. 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 4.191E-01		· 0	•0	.0	.0	• 0	•0	4.383E-01	4.1136-01	3.887E-01	3.694E-01
0. 0. 0. 0. 0. 0. 0. 0. 0. 4.282E-01 4.048E-01 0. 0. 0. 0. 0. 4.360E-01 4.121E-01 0. 0. 0. 0. 0. 0. 4.360E-01 0. 0. 0. 0. 0. 0. 4.257E-01		•	0.	•0	.0	.0	• 0	• 0	4.200E-01	3.970E-01	3.773E-01
0. 0. 0. 0. 0. 4.360E-01 4.121E-01 0. 0. 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 0. 4.191E-01		.0	• 0	•0	• 0	0.	•0	•0	4.282E-01	4.048E-01	3.848E-01
0. 0. 0. 0. 0. 4.191E-01 0. 0. 0. 0. 0. 0. 4.257E-01		• 0	• 0	• 0	• 0	•0	• 0	• 0	4.360E-01	4.121E-01	3.918E-01
0. 0. 0. 0. 0. 0. 4.257E-01		• 0	•	• 0	• 0	•0	•0	•0	• 0	4.191E-01	3.984E-01
		• 0	• 0	•0	• 0	• 0	.0	.0	•0	4.257E-01	4.047E-01

					NU VERSUS ETA	IS ETA					
		DELTA	.TA = 0.75		ALPHA =	0.20	PSI	40.0 = I			
					OMEGA						
ETA	0.0	6.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	3.544E-01	2.564E-01	2.110E-01	1.8346-01	1.644E-01	1.504E-01	1.394E-01	1.305E-01	1.231E-01	1.168E-01
0.50	• 0	4.832E-01	3.528E-01	2.9136-01	2.537E-01	2.277E-01	2.083E-01	1.932E-01	1.809E-01	1.707E-01	1.621E-01
0.75	• 0	•0	4.218E-01	3.491E-01	3.0445-01	2.734E-01	2.503E-01	2.322E-01	2.175E-01	2.053E-01	1.950E-01
1.00	•0	.0	4.765E-01	3.952E-01	3.449E-01	3.100E-01	2.839E-01	2.635E-01	2.469E-01	2.331E-01	2.214E-01
1.25	• 0	•0	• 0	4.336E-01	3.789E-01	3.407E-01	3.121E-01	2.897E-01	2.715E-01	2.564E-01	2.435E-01
1.50	• 0	•0	•0	4.667E-01	4.081E-01	3.671E-01	3.364E-01	3.123E-01	2.928E-01	2.765E-01	2.627E-01
1.75	• 0	• 0	.0	• 0	4.337E-01	3.903E-01	3.578E-01	3.323E-01	3.115E-01	2.942E-01	2.795E-01
2.00	• 0	• 0	• 0	•0	4.566E-01	4.111E-01	3.769E-01	3.501E-01	3.282E-01	3.100E-01	2.946E-01
2.25	•0	•0	• 0	• 0	• 0	4.297E-01	3.941E-01	3.661E-01	3.433E-01	3.243E-01	3.082E-01
2.50	•0	•0	• 0	•0	• 0	4.467E-01	4.098E-01	3.807E-01	3.570E-01	3.373E-01	3.205E-01
2.75	•0	•0	0.	0.	• 0	.0	4.241E-01	3.940E-01	3.696E-01	3.492E-01	3.319E-01
3.00	•0	•	• 0	•0	• 0	.0	4.373E-01	4.064E-01	3.812E-01	3.602E-01	3.423€-01
3.25	• 0	• 0	•0	•0	•0	.0	4.495E-01	4.178E-01	3.919E-01	3.704E-01	3.520E-01
3.50	• 0	• 0	• 0	•0	•0	• 0	• 0	4.2845-01	4.019E-01	3.798E-01	3.610E-01
3.75	•0	• 0	•0	•0	• 0	• 0	• 0	4.383E-01	4.113E-01	3.887E-01	3.694€-01
4.00	• 0	• 0	•0	•0	• 0	• 0	0.	• 0	4.200E-01	3.970E-01	3.773E-01
4.25	• 0	• 0	•0	•0	•0	•0	• 0	• 0	4.283E-01	4.048E-01	3.848E-01
4.50	0.	• 0	•0	•0	• 0	• 0	•0	• 0	4.360E-01	4.121E-01	3.918E-01
4.75	•0	• 0	٠.	•0	.0	• 0	.0	• 0	•0	4.191E-01	3.984E-01
2.00	•0	•0	0.	•0	•0	• 0	• 0	• 0	.0	4.257E-01	4.047E-01

AT 130	1								
DEL	14 = 1.00		ALPHA =	0.20	ISd	I = 0.04			
0.5	1.0	1.5	2-0	4.0		9		,	,
							•	v.	0.6
3.577E-01	7.5/6E-01	2.116E-01	1.839E-01	1.648E-01	1.506E-01	1.396E-01	1.306E-01	1.232E-01	1.170E-01
4.861E-01	3.539E-01	2.919E-01	2.5416-01	2.280E-01	2.085E-01	1.934E-01	1.811E-01	1.7096-01	1.622E-01
•	4.227E-01	3.496E-01	3.048E-01	2.7376-01	2.505E-01	2.324E-01	2.177E-01	2.055E-01	1.951E-01
• 0	4.773E-01	3.956E-01	3.452E-01	3.102E-01	2.841E-01	2.636E-01	2.470E-01	2.332E-01	2.214E-01
•0	0.	4.340E-01	3.791E-01	3.406E-01	3.122E-01	2.898E-01	2.716E-01	2.565E-01	2.436E-01
• 0	• 0	4.670E-01	4.083E-01	3.673E-01	3.365E-01	3.124E-01	2.929E-01	2.766E-01	2.627E-01
• 0	•0	•0	4.339E-01	3.905E-01	3.579E-01	3.323E-01	3.116E-01	2.943E-01	2.796E-01
•0	•0	•0	4.567E-01	4.112E-01	3.7706-01	3.5016-01	3.283E-01	3.101E-01	2.946E-01
• 0	•0	•0	• 0	4.298E-01	3.942E-01	3.661E-01	3.434E-01	3.243E-01	3.082E-01
• 0	•0	• 0	• 0	4.468E-01	4.098E-01	3.807E-01	3.571E-01	3.373E-01	3.205E-01
•0	•0	•0	•0	•0	4.241E-01	3.941E-01	3.696E-01	3.492E-01	3.319E-01
•0	•0	•0	• 0	•0	4.373E-01	4.064E-01	3.812E-01	3.602E-01	3.423E-01
• 0	•0	.0	• 0	• 0	4.496E-01	4.178E-01	3.920E-01	3.704E-01	3.520E-01
• 0	•0	•0	• 0	• 0	•0	4.284E-01	4.020E-01	3.7996-01	3.610E-01
•0	•0	•0	•0	• 0	•0	4.384E-01	4.113E-01	3.8876-01	3.695E-01
• 0	•0	•.0	•0	0.	•0	.0	4.200E-01	3.9706-01	3.774E-01
•0	•0	0.	0.	•0	•0	•0	4.283E-01	4.048E-01	3.848E-01
• 0	•0	•0	•0	0.	•0	•0	4.360E-01	4.122E-01	3.918E-01
•0	•0	•0	.0	•0	• 0	.0	.0	4.191E-01	3.984E-01
• 0	•0	•0	•0	• 0	• 0	•0	.0	4.257E-01	4.047E-01

					NU VERSUS	S ETA					
		DELTA	.TA = 0.		ALPHA = 0.40	0.40	ISd	*0°0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	0.5
0.25	•0	4.522E-01	3.402E-01	2.8406-01	2.437E-01	2.242E-01	2.056E-01	1.910E-01	1.7916-01	1.692E-01	1.608E-01
0.50	•0	• 0	4.629E-01	3.8736-01	3.397E-01	3.062E-01	2.809E-01	2.611E-01	2.449E-01	2.314E-01	2.199E-01
0.75	•0	• 0	• 0	4.587E-01	4.0276-01	3.632E-01	3.334E-01	3.099E-01	2.908E-01	2.748E-01	2.612E-01
1.00	•0	•0	•0	.0	4.512E-01	4.071E-01	3.738E-01	3.476E-01	3.262E-01	3.083E-01	2.931E-01
1.25	•0	•	•0	• 0	.0	4.428E-01	4.067E-01	3.782E-01	3.5506-01	3.3566-01	3.191E-01
1.50	• 0	•	• 0	• 0	• 0	٥.	4.343E-01	4.040E-01	3.792E-01	3.585E-01	3.409E-01
1.75	•0	•0	• 0	• 0	• 0	• 0	• 0	4.261E-01	4.000E-01	3.782E-01	3.596E-01
2.00	•0	•0	• 0	•0	.0	• 0	• 0	• 0	4.181E-01	3.954E-01	3.760E-01.
2.25	•0	•0	•0	•0	.0	•0	•0	• 0	4.342E-01	4.106E-01	3. 904E-01
2.50	•0	• 0	•0	•0	• 0	٠,	• 0	•0	•0	4.242E-01	4.034E-01
2.75	•0	• 0	• 0	• 0	• 0	3.	•0	• 0	.0	.0	4.150E-01
					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.25		ALPHA = 0	0,40	PSI	PSI = 0.04			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0.25	•0	4.591E-01	3.431E-01	2.857E-01	2.500E-01	2.250E-01	2. C63E-01	1.915E-01	1.796E-01	1.696E-01	1.611E-01
0.50	•0	•0	4.653E-01	3.397E-01	3.4065-01	3.069E-01	2.8156-01	2.615E-01	2.453E-01	2.317E-01	2.202E-01
0.75	•0	•0	•0	4.598E-01	4.034E-01	3.637E-01	3.338E-01	3.103E-01	2.9116-01	2.750E-01	2.614E-01
1.00	.0	0.	•0	• 0	4.5183-01	4.0765-01	3.742E-01	3.479E-01	3.264E-01	3.0856-01	2.933E-01
1.25	•0	• 0	•0	.0	.0	4.431E-01	4.070E-01	3.785E-01	3.552E-01	3.358E-01	3.192E-01
1.50	.0	.0	• 0	• 0	.0	0.	4.345E-01	4.0425-01	3.794E-01	3.586E-01	3.410E-01
1.75	•0	.0	ċ	•0	.0	• 0	.0	4.262E-01	4.001E-01	3.783E-01	3.597E-01
2.00	•0	• 0	•0	• 0	.0	٠,	0.	• 0	4.182E-01	3.955E-01	3.760E-01
2.25	•0	٥.	•0	0.	9.	٠	0.	• 0	4.343E-01	4.106E-01	3.905E-01
2.50	0.	.0	•0	.0	0.	0.	•0	• 0	•0	4.242E-01	4.034E-01
2.75	•0	• 0	° c	• 0	• 0	٠.	• 0	•0	• 0	• 0	4.151E-01

				NU VERSUS ETA	S ETA					
	DEL	DELTA = 0.50		ALPHA = 0.40	04.0	PSI	+0.0 =			
				OMEGA						
-	0.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
	4.663E-01	3.460E-01	2.8746-01	2.511E-01	2.258E-01	2.C69E-01	1.920E-01	1.800E-01	1.700E-01	1.614E-01
	•	4.678E-01	3.902E-01	3.416E-01	3.0766-01	2.821E-01	2.620E-01	2.457E-01	2.320E-01	2.205E-01
	• 0	•	4.610E-01	4.042E-01	3.643E-01	3.343E-01	3.106E-01	2.914E-01	2.753E-01	2.616E-01
	• 0	•0	.0	4.524E-01	4.080E-01	3.745E-01	3.482E-01	3.267E-01	3.087E-01	2.934E-01
	0	•	•0	.0	4.435E-01	4.073E-01	3.787E-01	3.554E-01	3.3596-01	3.193E-01
	0	•	•0	• 0	• 0	4.3485-01	4.043E-01	3.7956-01	3.588E-01	3.411E-01
	0	.0	•0	• 0	• 0	• 0	4.264E-01	4.002E-01	3.7846-01	3.598E-01
	0	•0	•0	•0	•0	• 0	• 0	4.183E-01	3.955E-01	3.761E-01
	.0	•0	•0	• 0	• 0	• 0	• 0	4.343E-01	4.107E-01	3.906E-01
	٥	•0	•0	.0	• 0	•0	•0	•0	4.243E-01	4.035E-01
	0	•0	•0	•0	• 0	•0	•0	•0	• 0	4.151E-01
				NU VERSUS ETA	S ETA					
	DEI	DELTA = 0.75		ALPHA = 0.40	0,40	PSI	+0.0 = 1			
				OMEGA						
	0.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
	4.7395-01	3.4916-01	2.892E-01	2.523E-01	2.267E-01	2.075E-01	1.9266-01	1.804E-01	1.703E-01	1.617E-01
	0	4.704E-01	3.916E-01	3.426E-01	3.083E-01	2.826E-01	2.624E-01	2.460E-01	2.324E-01	2.207E-01
	0	•0	4.622E-01	4.0506-01	3.649E-01	3.347E-01	3.110E-01	2.917E-01	2.755E-01	2.618E-01
		•	•0	4.5306-01	4.085E-01	3.749E-01	3.484E-01	3.269E-01	3.089E-01	2.936E-01
	3	•	•0	•	4.4395-01	4. C76E-01	3.7896-01	3.556E-01	3.361E-01	3.195E-01
	•	•0	•0	•0	9.	4.350E-01	4.045E-01	3.797E-01	3.589E-01	3.412E-01
	•0	•0	•0	•0	•0	•0	4.265E-01	4.004E-01	3.785E-01	3.599E-01
	.0	•0	•0	•0	• 0	• 0	• 0	4.184E-01	3.956E-01	3.762E-01
	°	•0	•0	•	• 0	• 0	• 0	4.344E-01	4.108E-01	3.906E-01
	ů	•0	•0	•0	• 0	•0	• 0	•0	4.243E-01	4.035E-01
	ؿ	·	•0	.0	•0	•0	• 0	• 0	•	4.152E-01

ETA 0.0 0.25 0. 4 0.50 0. 0. 1.00 0. 0. 1.25 0. 0. 2.25 0. 0. 2.75 0. 0. 2.75 0. 0. 2.75 0. 0. 2.75 0. 0. 2.75 0. 0. 2.75 0. 0.	0.5 4.8186-01 3. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	TA = 1.00 1.0 3.522E-01 4.730E-01		ALPHA = OMEGA	0.40	6 d	PSI = 0.04			
	0.5 8186-01	1.0 3.522E-01 4.730E-01		DMEGA						
	8186-01	1.0 3.522E-01 4.730E-01								
	818E-01	3.522E-01 4.730E-01	1.5	2.0	2.5	3.0	3.5	4.0	4	
		4.7305-01	2.9106-01	2.535E-01	2.275E-01	2.082F-M1	1.9315-01			0.0
			3.9315-01	3-4365-01	3,000 5		10-3167-1	10-3808-1	1.707E-01	1.620E-01
					10.70.0	10-3760-7	Z-029E-01	2.464E-01	2.327E-01	2.210E-01
		•	4.0335-01	4.058E-01	3.654E-01	3.351E-01	3.113E-01	2.919E-01	2.758E-01	2.620E-01
		•0	•0	4.536E-01	4.089E-01	3.752E-01	3.487E-01	3.271E-01	3.091E-01	2.938E-01
		•0	• 0	.0	4.442E-01	4.078E-01	3.791E-01	3.558E-01	3.362E-01	3-196F-01
		0.	• 0	.0	0.	4.352E-01	4.047E-01	3.7985-01	3.590E-01	2 4135 01
		• 0	•0	• 0	•0	0.	4-266F-01	70 70 70 7	מייים בייים כייים	3.413E-01
		• 0	•0	0.	0	0.		10-2000	10-3001-C	3.600E-01
		•0	0.	0	0.		•	4.1855-01	3.957E-01	3.763E-01
	0.	0-	č	(. (•	•	4.345E-01	4.109E-01	3.907E-01
		•	•	• 0	• 0	•0	• 0	• 0	4.244E-01	4.036E-01
	•0	•0	•0	• 0	•0	• 0	0.	• 0	• 0	4.152E-01
				NU VERSUS ETA	SETA					
	DELTA =	A = 0.		ALPHA = 0.60	09*(PSI	40°0 = 1			
				OMEGA						
• • • • •	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4	c u
• • • •	٥.	3.986E-01	3.356E-01	2.9546-01	2.668E-01	2.452E-01	2.281E-01	2.1425-01	2.025F-01	1.0255-01
	.0	0.	4.519E-01	3.980E-01	3.597E-01	3.307E-01	3.078F-01	2.890E-01	7335 01	10-3636-01
• •	•0	•0	0.	.0	4.222F-01	3. 883F-01	3 4145 00	10 10 10 10 10 10 10 10 10 10 10 10 10 1	10-3661.5	10-3666.7
c		•0	0.				10-2410.6	3.394E-01	3.210E-01	3.053E-01
•0						4.315E-01	4.017E-01	3.774E-01	3.569E-01	3.395E-01
			•0	• 0	• 0	•0	4.338E-01	4.075E-01	3.855E-01	3.667E-01
		•0	•0	• 0	0.	0.	0.	4.324E-01	4.091E-01	3.891E-01
1.75 0. 0.	٥.	•	•0	• 0	• 0	• 0	• 0	• 0	4.290E-01	4.081E-01

			5.0	1.931E-01	2.603E-01	3.057E-01	3.398E-01	3.669E-01	3.893E-01	4.082E-01				5.0	1.936€-01	2.608E-01	3.060E-01	3.400E-01	3.671E+01	3.894E-01	4.083E-01
			4.5	2.031E-01 1.	2.738E-01 2.	3.214E-01 3.	3.572E-01 3.	3.857E-01 3.	4.092E-01 3.	4.291E-01 4.				4.5	2.037E-01 1.	2.743E-01 2.	3.218E-01 3	3.575E-01 3	3.860E-01 3	4.094E-01 3	4.292E-01 4
			4.0	2.1496-01	2.896E-01	3.399E-01	3.777E-01	4.078E-01	4.326E-01	•0				4.0	2.156E-01	2.902E-01	3.403E-01	3.780E-01	4.081E-01	4.328E-01	• 0
	+0.0 =		3.5	2.290E-01	3.085E-01	3.619E-01	4.021E-01	4.341E-01	.0	• 0		PSI = 0.04		3.5	2.298E-01	3.092E-01	3.625F-01	4.026E-01	4.344E-01	.0	•0
	PSI		3.0	2.463E-01	3.316E-01	3.890E-01	4.320E-01	• 0	0.	• 0		PS1		3.0	2,473E-01	3.325E-01	3.896E-01	4.326E-01	.0	0.	•0
FTA	09*		2.5	2.682E-01	3.603E-01	4.231E-01	.0	• 0	.0	• 0	ETA	09.0		2.5	2.696E-01	3.620E-01	4.239E-01	.0	.0	• 0	•0
NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2.9725-01	3.995E-01	.0	•:0	0.	0.	•0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2,9916-01	4.0115-01	•0	• 0	•0	•0	• 0
			1.5	3.384E-01	4.541E-01	.0	•0	•0	.0	.0				1.5	3.412E-01	4.564E-01	•0	•0	•0	•0	•0
	TA = 0.25		1.0	4.032E-01	•0	•0	•0	•0	•0	• 0		DELTA = 0.50		1.0	4.081E-01	•0	•0	•.0	•0	•0	• 0
	DELTA		0.5				•0					DEL		0.5				•0			
			0.0	•0	•0	•0	•0	•	•0	• 0				0,0	•0	•	•	•	•0	.0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75

			5.0	1.941E-01	2.612E-01	3.063E-01	3.403E-01	3.673E-01	3.896E-01	4.085E-01				2.0	1.946E-01	2.616E-01	3.067E-01	3.405E-01	3.675E-01	3.898E-01	4.086E-01	
			4.5	2.0436-01	2.748E-01	3.222E-01	3.578E-01	3.862E-01	4.096E-01	4.294E-01				4.5	2.049E-01	2.7536-01	3.226E-01	3.581E-01	3.864E-01	4.098E-01	4.295E-01	
			4.0	2.163E-01	2.908E-01	3.408E-01	3.784E-01	4.083E-01	4.330E-01	• 0				4.0	2.170E-01	2.914E-01	3.412E-01	3.787E-01	4.086E-01	4.332E-01	.0	
	+0.0 =		3.5	2.307E-01	3.099E-01	3.630E-01	4.030E-01	4.3486-01	• 0	•0		+0°0 = 1		3.5	2.316E-01	3.106E-01	3.636E-01	4.034E-01	4.351E-01	• 0	• 0	
	PSI		3.0	2.484E-01	3.3346-01	3.903E-01	4.3316-01	• 0	• 0	• 0		1 S d		3.0	2.496E-01	3.343E-01	3.910E-01	4.336E-01	0.	.0	0.	
ETA	09.		2.5	2.710E-01	3.632E-01	4.248E-01	0.	.0	.0	0.	ETA.	09.0		2.5	2.7246-01	3.643E-01	4.257E-01	.0	• 0	.0	.0	
NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	3.011E-01	4.027E-01	.0	.0	•0	.0	.0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	3.031E-01	4.042E-01	•0	•0	•0	.0	• 0	
			1.5	3.441E-01	4.587E-01	•0	•0	• 0	.0	.0				1.5	3.470E-01	4.611E-01	•0	• 0	.0	0.	• 0	
	DELTA = 0.75		1.0	4.130E-01	• 0	• 0	•0	•0	•0	•0		DELTA = 1.00		1.0	4.182E-01	٥	٥٠	•0	•0	• 0	•	
	DE		0.5	•0	•0	0.	• 0	.0	• 0	• 0		30		0.5	•0	0					0	
			0.0	•0	•0	•0	•0	•0	•0	• 0				0.0	•0	•0	•0	• 0	•0	•0	•0	
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	

				NU VERSUS	S ETA					
		DELTA = 0.		ALPHA = 0.80	0.80	PSI	PSI = 0.04			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	2.0
•0	•	4.4236-01	3.750E-01	3.3135-01	3.000E-01	2.761E-01	2.572E-01	2.417E-01	2.287E-01	2.176E-01
•0	•0	• 0	•0	4.417E-01	4.001E-01	3.6846-01	3.432E-01	3.226E-01	3.052E-01	2.904E-01
.0	•0	• 0	•0	• 0	.0	4.2885-01	3.995E-01	3.755E-01	3.554E-01	3.382E-01
.0	• 0	•0	•0	• 0	.0	• 0	4.410E-01	4.145E-01	3.923E-01	3. 733E-01
•0	.0	·	•0	•0	• 0	• 0	• 0	• 0	4.212E-01	4.008E-01
•0	.0	•0	٥.	•	• 0	.0	•0	•0	•0	4.232E-01
				NU VERSUS ETA	IS ETA					
		DELTA = 0.25		ALPHA = 0.80	0.80	PSI	40°0 = I			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
•0	• 0	4.486E-01	3.788E-01	3.339E-01	3.019E-01	2.777E-01	2.584E-01	2.427E-01	2.296E-01	2.184E-01
•0	.0	• 0	•0	4.437E-01	4.016E-01	3.696E-01	3.442E-01	3.234E-01	3.059E-01	2.910E-01
.0	0	•0	•0	•0	• 0	4.297E-01	4.002E-01	3.761E-01	3.559E-01	3.386E-01
•0	•0	•	•0	• 0	• 0	•0	4.415E-01	4.150E-01	3.927E-01	3.737E-01
•0	.0	•0	• 0	•0	•0	• 0	• 0	• 0	4.215E-01	4.011E-01
	•0	•0	•	• 0	• 0	• 0	• 0	• 0	••	4.234E-01
				NU VERSUS ETA	JS ETA					
		DELTA = 0.50		ALPHA = 0.80	0.80	b S	PSI = 0.04			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0	•0	4.551E-01	3.827E-01	3.3665-01	3.0395-01	2.792E-01	2.597E-01	2.438E-01	2.304E-01	2.191E-01.
0.	0	• 0	.0	4.458E-01	4.032E-01	3.7085-01	3.4516-01	3.242E-01	3.066E-01	2.916E-01
0.	0.	•0	• 0	•0	•0	4.306E-01	4.009E-01	3.767E-01	3.564E-01	3.391E-01
•0	0	•0	.0	• 0	•0	• 0	4.420E-01	4.154E-01	3.931E-01	3.740E-01
•0	0	• 0	• 0	•0	9.	•0	• 0	• 0	4.218E-01	4.013E-01
•	0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	4.236E-01

					NU VERSUS	S ETA					
			DELTA = 0.75		ALPH4 = 0.80	08.0	PSI	40.0 = I			
					DWEGA						
ETA	0.0	0.5	1.0	1.5	2.0	5.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	• 0	4.6205-01	3.8676-01	3.393E-01	3.059E-01	2.808E-01	2.609E-01	2.448E-01	2.3135-01	2.199E-01
0.50	•0	• 0	• 0	• 0	4.4796-01	4.047E-01	3.7206-01	3.461E-01	3.250E-01	3.0736-01	2.922E-01
0.75	•0	• 0	•	•0	• 0	• 0	4.315E-01	4.017E-01	3.7736-01	3.5696-01	3.395E-01
1.00	•0	• 0	• 0	• 0	.0	• 0	• 0	4.426E-01	4.1596-01	3.934E-01	3.743E-01
1.25	• 0	٥	• 0	• 0	• 0	• 0	.0	• 0	• 0	4.221E-01	4.016E-01
1.50	• 0	• 0	• 0	0	• 0	• 0	• 0	• 0	• 0	• 0	4.238E-01
					NU VERSUS ETA	S ETA					
			DELTA = 1.00		ALPHA = 0.80	0.80	PSI	+0.0 = I			
					OMEGA						
ETA	0.0.	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.6925-01	3.9096-01	3.4215-01	3.080E-01	2.8236-01	2.622E-01	2.458E-01	2.32.2E-01	2.206E-01
0.50	•0	0	• 0	•0	4.501E-01	4.063E-01	3.732E-01	3.471E-01	3.258E-01	3.080E-01	2.928E-01
0.75	•0	0	• 0	• 0	• 0	• 0	4.324E-01	4.024E-01	3.779E-01	3.574E-01	3.399E-01
1.00	•0	0	• 0	•0	• 0	0.	• 0	4.431E-01	4.163E-01	3.938E-01	3.746E-01
1.25	• 0	• 0	• 0	•0	• 0	.0	.0	• 0	•0	4.224E-01	4.018E-01
1.50	.0	0.	• 0	•0	• 0	0.	• 0	• 0	• 0	• 0	4.240E-01
					NU VERSUS STA	S STA					
			DELTA = 0.		ALPHA = 1.00	1.00	PS	40.0 = ISA			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	.0	.0	4.768E-01	4.066E-01	3.605E-01	3.271E-01	3.C16E-01	2.812E-01	2.645E-01	2.504E-01	2.384E-01
0.50	.0	• 0	•0	•0	• 0	4.322E-01	3.985E-01	3.7166-01	3.495E-01	3.309E-01	3.150E-01
0.75	.0	• 0	• 0	•0	•0	• 0	• 0	4.295E-01	4.039E-01	3.825E-01	3.641E-01
1.00	.0	• 0	•0	•0	• 0	•0	• 0	.0	• 0	4.197E-01	3.996E-01

				-01	-01	-01	-01					-01	-01	-01	-01					-01	-01	-01	-01
			5.0	2.394E-01	3.158E-01	3.646E-01	4.000E-01				5.0	2.403E-01	3.165E-01	3.6526-01	4.004E-01				5.0	2.413€-01	3.1736-01	3.657E-01	4.008E-01
			4.5	2.516E-01	3.318E-01	3.831E-01	4.202E-01				4.5	2.527E-01	3.326E-01	3.837E-01	4.206E-01				4.5	2.538E-01	3.335E-01	3.843E-01	4.211E-01
			4.0	2.658E-01	3.505E-01	4.046E-01	• 0				4.0	2.671E-01	3.515E-01	4.054E-01	• 0				4.0	2.685E-01	3.525E-01	4.061E-01	• 0
	PSI = 0.04		3.5	2.828E-01	3.728E-01	4.303E-01	•0		PSI = 0.04		3.5	2.844E-01	3.740E-01	4.312E-01	• 0		PSI = 0.04		3.5	2.860E-01	3.753E-01	4.3216-01	.0
	PS		3.0	3. C35E-01	4. COOE-01	• 0	•0		PS		3.0	3.055E-01	4.015E-01	•0	• 0		PS		3.0	3.075E-01	4.030E-01	.0	•0
IS ETA	1.00		2.5	3.296E-01	4.3415-01	.0	• 0	S ETA	1.00		2.5	3.321E-01	4.361E-01	.0	• 0	S ETA	1.00		2.5	3.348E-01	4.380E-01	0.	•0
NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.638E-01	• 0	• 0	•0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.6725-01	.0	•0	• 0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.708E-01	.0	.0	•0
			1.5	4.115E-01	•0	•0	•0				1.5	4.165E-01	٥.	• 0	•0				1.5	4.216E-01	•0	•0	•0
	DELTA = 0.25		1.0	• 0	•0	• 0	•0		DELTA = 0.50		1.0	• 0	.0	•0	•0		DELTA = 0.75		1.0	•0	•0	•0	•0
	Q		0.5	• 0	•	• 0	• 0		0		0.5	• 0	•0	• 0	• 0		Q		0.5	• 0	0.	• 0	•0
			0.0	•0	.0	•0	•0				0.0	•0	.0	• 0	•0				0.0	•0	•0	• 0	•0
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00	ľ.			ETA	0.25	0.50	0.75	1.00

			NU VERSUS	IS ETA					
	DELTA = 1.00		ALPHA =	1.00	PSI	40°0 = I			
			DMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
• 0	•0	4.270E-01	3.744E-01	3.3745-01	3.096E-01	2.8776-01	2.699E-01	2.550E-01	2.423E-01
• 0	.0	•0	•0	4.400E-01	4.045E-01	3.765E-01	3.536E-01	3.344E-01	3.180E-01
•	• 0	•0	•0	• 0	.0	4.330E-01	4.068E-01	3.849E-01	3.662E-01
•0	• 0	•0	•0	• 0	.0	• 0	• 0	4.216E-01	4.012E-01
•0	ċ	0.	• 0	0.	0.	• 0	.0	•0	•0
0	.0	.0	•0	• 0	.0	.0	• 0	.0	•0
• 0	• 0	•0	• 0	• 0	• 0	• 0	•0	•0	0.
٥.	•0	• 0	.0	•0	• 0	• 0	•0	.0	.0
	• 0	•0	• 0	• 0	• 0	• 0	• 0	•0	.0
• 0	٥.	• 0	0.	• 0	.0	• 0	•0	•0	•0
•	• 0	• 0	0.	0.	٥.	.0	•0	•0	٥.
• 0	• 0	٥.	• 0	•0	.0	• 0	•0	.0	.0
• 0	•	• 0	• 0	• 0	0.	• 0	• 0	•0	0.
· 0	• 0	• 0	• 0	• 0	.0	0.	• 0	• 0	•0
0	• 0	• 0	• 0	.0	.0	• 0	• 0	.0	0.
.0	ċ	•0	• 0	.0	.0	• 0	.0	• 0	•0
٠,	• 0	• 0	• 0	•0	0.	• 0	•0	.0	•0
0	•0	0.	• 0	• 0	0.	.0	• 0	• 0	•0
	•0	0.	• 0	9.	.0	.0	.0	• 0	•0
٠.	• 0	•0	• 0	٠.	• 0	• 0	• 0	.0	•0

DELTA	DEL		TA = 0.		_	0.20	154	90 0 = 1			
0.0 0.5 1.0	1.0			1.5	OMEGA 2.0	2.5	3.0	3.5	0.4	4.5	0.0
3.448E-01 2.526E-01	2.526E-01		2.0	2.088E-01	1.820E-01	1.634E-01	1.496E-01	1.387E-01	1.299E-01	1.226E-01	1.164E-01
0. 4.745E-01 3.492E-01 2.89	3.492E-01		2.89	2.892E-01	2.523E-01	2.266E-01	2.075E-01	1.925E-01	1.803E-01	1.702E-01	1.6176-01
0. 4.186E-01 3.472E-01	4. I'86E-01		3.472	E-01	3.031E-01	2.7245-01	2.495E-01	2.3155-01	2.169E-01	2.048E-01	1.945E-01
0. 0. 4.737E-01 3.934E-01	4.737E-01	737E-01	3.934E	-01	3.436E-01	3.090E-01	2.831E-01	2.627E-01	2.463E-01	2.325E-01	2.209E-01
0. 0. 4.319E-01	•0		4.319E-	-01	3.776E-01	3.396E-01	3.112E-01	2.889E-01	2.708E-01	2.558E-01	2.429E-01
0. 0. 4.650E-01	• 0		4.650E-C	10	4.067E-01	3.660E-01	3.355E-01	3.115E-01	2.920E-01	2.758E-01	2.620E-01
	• 0		•0		4.323E-01	3.892E-01	3.568E-01	3.314E-01	3.107E-01	2.935E-01	2.788E-01
.0 .0 0.	• 0		•0		4.551E-01	4.098E-01	3.758E-01	3.491E-01	3.273E-01	3.092E-01	2.9386-01
	•0		•0		•0	4.284E-01	3.929E-01	3.650E-01	3.423E-01	3.234E-01	3.073E-01
	•0		• 0		• 0	4.453E-01	4. C85E-01	3.795E-01	3.560E-01	3.363E-01	3.196E-01
• 0	•0		•0		• 0	.0	4.227E-01	3.928E-01	3.685E-01	3.481E-01	3.308E-01
• 0	• 0		•0		•0	.0	4.3596-01	4.050E-01	3.800E-01	3.590E-01	3.412E-01
•	•0		•		•0	•0	4.480E-01	4.164E-01	3.906E-01	3.691E-01	3.508E-01
•0	•0		• 0		• 0	.0	0.	4.269E-01	4.005E-01	3.785E-01	3.598E-01
•	•0		•0		• 0	.0	.0	4.367E-01	4.098E-01	3.873E-01	3.681E-01
	• 0		•0		• 0	.0	•0	• 0	4.185E-01	3.9554-01	3.760E-01
	•0		.0		• 0	•0	•0	•0	4.266E-01	4.032E-01	3.833E-01
0. 0. 0.	• 0		•0		• 0	0.	0.	•0	4.343E-01	4.105E-01	3. 903E-01
• 0	• 0		•0		• 0	.0	• 0	• 0	• 0	4.174E-01	3.968E-01
.0 .0 .0	•0		•0		•0	.0	•0	• 0	•0	4.239E-01	4.030E-01

			5.0	1-166F-01	1.618E-01	1.946E-01	2.209E-01	2.430E-01	2.621E-01	2.789E-01	2.938E-01	3.073E-01	3.196E-01	3.3096-01	3.412E-01	3.509E-01	3.598F-01	3.681F-01	3. 740E-01	3.8335.01	10-3660	3.903E-01	3.968E-01	4.030E-01
			4.5	-01			2.326E-01 2	2.558E-01 2	2.759E-01 2	2.935E-01 2	3.092E-01 2	3.234E-01 3	3.363E-01 3										4.1/4E-01 3.	4.239E-01 4.
			4.0	1.3015-01	1.305E-01	2.171E-01	2.464E-01	2.709E-01	2.921E-01	3.108E-01	3.274E-01	3.424E-01	3.560E-01	3.685E-01	3.800E-01	3.907E-01	4.006E-01	4.098E-01						.0
	90°0 = 15d		3.5	1.3895-01	1.927E-01	2.317E-01	2.629E-01	2.890E-01	3.116E-01	3.314E-01	3.4911-01	3.6516-01	3.796E-01	3.929E-01	4.051E-01	4.164E-01	4.269E-01	4.368E-01	•	.0	0.		•	•0
	d		3.0	1.498E-01	2.C77E-01	2.4976-01	2.832E-01	3.114∈-01	3.356E-01	3.569E-01	3.7596-01	3.9305-01	4.086E-01	4.2286-01	4.3595-01	4.480E-01	• 0	0.	0.	.0	0.	0.	;	•0
SUS ETA	0.20		2.5	1.6375-01	2.263E-01	2.727E-01	3.092E-01	3.398E-01	3.662E-01	3.893E-01	4.0995-01	4.285E-01	4.454E-01	• 0	•0	0.	0.	•0	.0	0.	•0	0.		•0
NU VERSUS	ALPHA =	OMEGA	2.0	1.8245-01	2.5273-01	3.034E-01	3.4335-01	3.7785-01	4.069E-01	4.325E-01	4.553E-01	•0	• 0	• 0	•0	•0	• 0	• 0	0.	• 0	• 0	•0	(• 0
			1.5	2.095E-01	2.8985-01	3.477F-01	3.9386-01	4.3236-01	4.653E-01	•0	•0	0.	• 0	•0	• 0	•0	•0	•0	.0	0.	.0	0.	c	•
	DELTA = 0.25		1.0	2.538E-01	3.503E-01	4.195E-01	4.744E-01	• 0	• 0	• 0	.0	•0	•0	•0	• 0	•0	•0	0.	•0	0.	• 0	•0		•
	DE		0.5	3.4795-01	4.7725-01	• 0	• 0	٥.	•	• 0	.0	0.	• 0	• 0	•0	• 0	• 0	• 0	.0	•0	• 0	0.	0.	;
			0.0	•0	• 0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	• 0	•0	.0	•0	0.	
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	

					NU VERSUS	JS ETA					
		DELTA	.TA = 0.50		ALPHA =	0.20	ISd	90.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.510E-01	2.550E-01	2.102E-01	1.8296-01	1.641E-01	1.501E-01	1.391E-01	1.303E-01	1.229E-01	1.167E-01
05.0	•0	4.800E-01	3.514E-01	2.904E-01	2.5315-01	2.272E-01	2.079E-01	1.929E-01	1.806E-01	1.705E-01	1.619E-01
0.75	•0	• 0	4.205E-01	3.482E-01	3.0386-01	2.7295-01	2.499E-01	2.318E-01	2.172E-01	2.050E-01	1.947E-01
1.00	• 0	• 0	4.752E-01	3.942E-01	3.442E-01	3.094E-01	2.834E-01	2.630E-01	2.465E-01	2.327E-01	2.210E-01
1.25	• 0	• 0	• 0	4.326E-01	3.780E-01	3.400E-01	3.115E-01	2.891E-01	2.710E-01	2.559E-01	2.431E-01
1.50	•0	• 0	• 0	4.656E-01	4.071E-01	3.663E-01	3.357E-01	3.117E-01	2.922E-01	2.759E-01	2.621E-01
1.75	•0	• 0	• 0	•0	4.327E-01	3.894E-01	3.570E-01	3.315E-01	3.108E-01	2.936E-01	2.789E-01
2.00	•0	• 0	•0	.0	4.554E-01	4.100E-01	3.760E-01	3.492E-01	3.274E-01	3.093E-01	2.939E-01
2.25	.0	• 0	٥.	•0	• 0	4.286E-01	3.931E-01	3.651E-01	3.424E-01	3.235E-01	3.074E-01
2.50	•0	• 0	• 0	•0	• 0	4.454E-01	4. C86E-01	3.796E-01	3.560E-01	3.364E-01	3.196E-01
2.15	•0	• 0	٥.	•0	• 0	•0	4.228E-01	3.929E-01	3.685E-01	3.482E-01	3.309E-01
3.00	.0	• 0	•0	•0	• 0	• 0	4.359E-01	4.051E-01	3.800E-01	3.591E-01	3.413E-01
3.25	.0	• 0	•0	•0	•0	• 0	4.481E-01	4.164E-01	3.907E-01	3.692E-01	3.509E-01
3.50	•0	٠.	0.	•0	• 0	• 0	•0	4.270E-01	4.006E-01	3.786E-01	3.598E-01
3.75	•0		•0	.0	• 0	• 0	• 0	4.368E-01	4.0986-01	3.8736-01	3.682E-01
00.4	•0	0.	•0	•0	•0	.0	.0	•0	4.185E-01	3.955E-01	3.760E-01
4.25	•0	.0	• 0	•0	• 0	•0	•0	•0	4.267E-01	4.033E-01	3.833E-01
4.50	•0	0.	•0	0.	.0	0.	•0	• 0	4.343E-01	4.106E-01	3.903E-01
4.75	•0	• 0	• 0	•0	.0	• 0	•0	• 0	•0	4.174E-01	3.968E-01
2.00	•0	•0	•0	• 0	• 0	• 0	•0	•0	•0	4.240E-01	4.031E-01

					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.75		ALPHA =	0.20	PSI	90°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.542E-01	2.563E-01	2.109E-01	1.833E-01	1.644E-01	1,503E-01	1.393E-01	1.304E-01	1.231E-01	1.168E-01
0.50	•0	4.828E-01	3.525E-01	2.910E-01	2.535E-01	2.275E-01	2.082E-01	1.930E-01	1.808E-01	1.706E-01	1.620E-01
0.75	•0	• 0	4.214E-01	3.4876-01	3.041E-01	2.732E-01	2.501E-01	2.320E-01	2.173E-01	2.051E-01	1.948E-01
1.00	•0	• 0	4.759E-01	3.946E-01	3.445E-01	3.096E-01	2.836E-01	2.631E-01	2.466E-01	2.328E-01	2.211E-01
1.25	•0	• 0	°.	4.330E-01	3.783E-01	3.401E-01	3.116E-01	2.892E-01	2.711E-01	2.560E-01	2.431E-01
1.50	•0	•0	• 0	4.659E-01	4.073E-01	3.664E-01	3.358E-01	3.118E-01	2.923E-01	2.760E-01	2.622E-01
1.75	.0	• 0	•0	•0	4.328E-01	3.895E-01	3.5716-01	3.316E-01	3.109E-01	2.936E-01	2.789E-01
2.00	•0	• 0	• 0	•0	4.556E-01	4.101E-01	3.761E-01	3.493E-01	3.275E-01	3.093E-01	2.9396-01
2.25	•0	• 0	· 0	•0	• 0	4.287E-01	3.931E-C1	3.652E-01	3.425E-01	3.235E-01	3.0746-01
2.50	.0	• 0	•0	•0	• 0	4.455E-01	4.087E-01	3.7976-01	3.5616-01	3.364E-01	3.197E-01
2.75	•0	• 0	• 0	•0	• 0	• 0	4.229E-61	3.929E-01	3.686E-01	3.482E-01	3.309E-01
3.00	•0	• 0	• 0	• 0	• 0	• 0	4.360E-01	4.052E-01	3.801E-01	3.591E-01	3.413E-01
3.25	•0	• 0	•0	•0	.0	• 0	4.481E-01	4.165E-01	3.907E-01	3.692E-01	3.5096-01
3.50	• 0	• 0	• 0	•0	.0	• 0	• 0	4.2706-01	4.006E-01	3.786E-01	3.5986-01
3.75	.0	• 0	• 0	•0	• 0	° c	•0	4.368E-01	4.099E-01	3.873E-01	3.682E-01
4.00	.0	٠	0.	• 0	• 0	• 0	• 0	• 0	4.185E-01	3.956E-01	3.760E-01
4.25	•0	• 0	0.	• 0	• 0	٠.	• 0	.0	4.267E-01	4.033E-01	3.8346-01
4.50	• 0	• 0	0.	٠,	• 0	• 0	• 0	.0	4.3446-01	4.106E-01	3.903E-01
4.75	•0	• 0	.0	.0	• 0	.0	.0	• 0	.0	4.174E-01	3.969E-01
2.00	•0	• 0	.0	.0	• 0	• 0	0.	• 0	•0	4.240E-01	4.031E-01

					NU VERSUS ETA	S ETA					
		DELTA	TA = 1.00		ALPHA = (0.20	1 S d	90.0 = 1			
					OMEGA						
ETA	0.0	9.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.576E-01	2.575E-01	2.1166-01	1.8385-01	1.6478-01	1.506E-01	1.395E-01	1.3066-01	1.232E-01	1.169€-01
0.50	•0	4.857E-01	3.5365-01	2.917E-01	2.539E-01	2.2785-01	2.084E-01	1.932E-01	1.809E-01	1.707E-01	1.6216-01
0.75	•0	• 0	4.223E-01	3.4936-01	3.045E-01	2.734E-01	2.502E-01	2.3216-01	2.175E-01	2.052E-01	1.9496-01
1.00	•0	•	4.767E-01	3.951E-01	3.448E-01	3.0986-01	2.8376-01	2.633E-01	2.467E-01	2.329E-01	2.212E-01
1.25	•0	• 0	•0	4.3335-01	3.785E-01	3.403E-01	3.1185-01	2.8946-01	2.712E-01	2.561E-01	2.432E-01
1.50	•0	• 0	•0	4.662E-01	4.075E-01	3.666E-01	3.359E-01	3.119E-01	2.923E-01	2.7616-01	2.622E-01
1.75	•0	.0	•0	•0	4.330E-01	3.897E-01	3.5726-01	3.317E-01	3.109E-01	2.937E-01	2.790E-01
2.00	•0	•	•0	•0	4.5573-01	4.102E-01	3.7616-01	3.493E-01	3.275E-01	3.094E-01	2.939E-01
2.25	•0	• 0	• 0	•0	• 0	4.288E-01	3.932E-01	3.652E-01	3.425E-01	3.235E-01	3.074E-01
2.50	•0	•0	•0	• 0	• 0	4.456E-01	4.087E-01	3.797E-01	3.561E-01	3.364E-01	3.197E-01
2.75	•0	• 0	•0	•0	• 0	• 0	4.229E-01	3.930E-01	3.686E-01	3.483E-01	3.309E-01
3.00	•0	• 0	0.	•0	•0	• 0	4.360E-01	4.052E-01	3.801E-01	3.591E-01	3.413E-01
3.25	•	•0	•0	•0	•0	• 0	4.482E-01	4.165E-01	3.907E-01	3.692E-01	3.509€-01
3.50	•0	•	•0	•0	• 0	• 0	•0	4.270E-01	4.006E-01	3.786E-01	3.598E-01
3.75	•0	• 0	•0	•0	•0	• 0	•0	4.368E-01	4.099E-01	3.874E-01	3.682E-01
4.00	•0	•0	0.	•0	•0	•0	• 0	• 0	4.185E-01	3.956E-01	3.760E-01
4.25	•0	•0	•0	•0	0.	•0	•0	•0	4.267E-01	4.033E-01	3.834E-01
4.50	•0	.0	• 0	.0	• 0	•0	•0	• 0	4.344E-01	4.106E-01	3.903E-01
4.75	•0	•	.0	•0	•0	•0	•0	• 0	•0	4.175E-01	3.969E-01
2.00	•0	• 0	0.	•0	• 0	٥.	•0	•0	•0	4.240E-01	4.031E-01

DELTA	DELTA	A	• 0 =		NU VERSUS ALPHA = 0	0.40	1 S d	90.0 =			
					OMEGA						
0.0 0.5 1.0 1.5	1.0	0.	1.5		2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.519E-01 3.399E-01 2.838E-01	3.3996-01		2.838E-01		2.487E-01	2.2405-01	2.C55E-01	1.909E-01	1.790E-01	1.691E-01	1.607E-01
0. 0. 4.623E-01 3.868E-01	4.623E-01		3.868E-01		3.392E-01	3.0536-01	2.806E-01	2.608E-01	2.446E-01	2.311E-01	2.197E-01
0. 0. 0. 4.579E-01	ů		4.579E-01		4.019E-01	3.625E-01	3.3286-01	3.093E-01	2.902E-01	2.743E-01	2.607E-01
.0 .0 .0	•0		0.		4.502E-01	4.062E-01	3.730E-01	3.468E-01	3.255E-01	3.076E-01	2.924E-01
.0 .0 .0	0.		•0		• 0	4.416E-01	4.056E-01	3.772E-01	3.541E-01	3.347E-01	3.182E-01
0.00.00	0.		.0		• 0	• 0	4.330E-01	4.028E-01	3.781E-01	3.574E-01	3.399E-01
	ċ		•0		• 0	٠,	• 0	4.247E-01	3.987E-01	3.7696-01	3.584E-01
.0 0.0 0.0	•0		• 0		• 0	.0	• 0	• 0	4.166E-01	3.940E-01	3.746E-01
.0 .0 .0	•0		• 0		• 0	0	• 0	0.	4.325E-01	4.090E-01	3.890E-01
.0 .0 .0	°		•0		• 0	.0	• 0	• 0	• 0	4.224E-01	4.018E-01
• 0 • 0	0.0			10.00	• 0	.0	• 0	• 0	• 0	• 0	4.133E-01
					NU VERSUS ETA	S ETA					
DELTA = 0.25	11	11			ALPHA = 0.40	0.40	PS	PSI = 0.06			
					OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	4.0	4.5	0.5
0. 4.588E-01 3.428E-01 2.855E-01 2	3.428E-01 2.855E-01	2.855E-01		2	2.498E-01	2.248E-01	2.061E-01	1.9146-01	1.7946-01	1.695E-01	1.610E-01
0. 4.647E-01 3.882E-01 3	4.647E-01 3.882E-01	3.882E-01		(1)	3.402E-01	3.065E-01	2.811E-01	2.612E-01	2.450E-01	2.3146-01	2.199E-01
0. 0. 4.590E-01 4	0. 4.590E-01	4.590E-01		4	4.027E-01	3.631E-01	3.332E-01	3.097E-01	2.905E-01	2.745E-01	2.609E-01
0. 0. 0.	0.0	•0		4	4.508E-01	4.066E-01	3.733E-01	3.471E-01	3.257E-01	3.078E-01	2.926E-01
0 • 0 • 0 • 0	0.0	•0		0	• 0	4.420E-01	4.059E-01	3.775E-01	3.543E-01	3.349E-01	3.184E-01
0. 0. 0. 0.	•0	• 0		0	• 0	.0	4.332E-01	4.029E-01	3.782E-01	3.5766-01	3.400E-01
.0 .0 .0	٥٠	0.			.0	• 0	• 0	4.248E-01	3.988E-01	3.771E-01	3.585E-01
.0 .0 .0	•0	•0			.0	•0	• 0	• 0	4.167E-01	3.940E-01	3.747E-01
.0 .0 .0	0.		• 0		.0	• 0	• 0	•0	4.326E-01	4.091E-01	3.890E-01
.0 .0 .0	• 0		• 0		.0	.0	• 0	• 0	• 0	4.225E-01	4.018E-01
•0 •0 •0	• 0		•0		• 0	• 0	• 0	• 0	• 0	• 0	4.1336-01

					NU VERSUS ETA	S ETA					
		DEL	DELTA = 1.00		ALPHA = 0.40	0.40	ISd	90°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.815E-01	3.520E-C1	2.907E-01	2.5335-01	2.274E-01	2.080E-01	1.929E-01	1.807E-01	1.706E-01	1.6196-01
0.50	•0	٥.	4.724E-01	3.926E-01	3.4316-01	3.086E-01	2.828E-01	2.625E-01	2.461E-01	2.324E-01	2.207E-01
0.75	•0	.0	• 0	4.625E-01	4.051E-01	3.6486-01	3.345E-01	3.108E-01	2.914E-01	2.753E-01	2.616E-01
1.00	•	• 0	• 0	•0	4.526E-01	4.080E-01	3.744E-01	3.479E-01	3.264E-01	3.084E-01	2.9316-01
1.25	•0	• 0	• 0	• 0	•0	4.4316-01	4.068E-01	3.7816-01	3.548E-01	3.353E-01	3.1885-01
1.50	•0	• 0	• 0	•0	•0	•0	4.339E-01	4.035E-01	3.787E-01	3.580E-01	3.403E-01
1.75	•0	٥.	.0	0.	• 0	• 0	• 0	4.252E-01	3.992E-01	3.774E-01	3.588E-01
2.00	.0		.0	•0	•0	.0	٥.	• 0	4.170E-01	3.943E-01	3.7496-01
2.25	.0	٠.	•	.0	.0	.0	0.	•0	4.329E-01	4.093E-01	3.892E-01
2.50	•0		• 0	•0	•0	0.	• 0	• 0	•0	4.227E-01	4.020E-01
2.75	•0	•	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	4.135E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.		ALPHA = 0.60	09.0	ISd	90°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	3.982E-01	3.353E-01	2.9516-01	2.665E-01	2.449E-01	2.279E-01	2.139E-01	2.023E-01	1.924E-01
0.50	•0	.0	ċ	4.510E-01	3.9738-01	3.5915-01	3.301E-01	3.072E-01	2.885E-01	2.728E-01	2.594E-01
0.75	.0	.0	c.	0.	4.6595-01	4.2125-01	3.8735-01	3.605E-01	3.386E-01	3.202E-01	3.046E-01
1.00	•0	0	• 0	•0	.0	• 0	4.302E-01	4.005E-01	3.762E-01	3.559E-01	3.385E-01
1.25	•0	•	.0	• 0	• 0	0.	.0	4.3235-01	4.061E-01	3.842E-01	3.655E-01
1.50	•0	• 0	.0	·	.0	.0	0.	• 0	4.307E-01	4.075E-01	3.877E-01
1.75	.0	• 0	.0	• 0	• 0	.0	٠.	• 0	• 0	4.272E-01	4.064E-01
2.00	•	0.	.0	• 0	0.	.0	• 0	• 0	• 0	• 0	4.225E-01

					NU VERSUS	JS ETA					
		061	DELTA = 0.25		ALPHA = 0.60	09.0	PS	PSI = 0.06			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	.0	.0	4.028E-01	3.380E-01	2.9695-01	2.679E-01	2.460E-01	2.287E-01	2.147E-01	2.029E-01	1.929€-01
0.50	•0	• 0	• 0	4.5335-01	3.9386-01	3.602E-01	3.310E-01	3.0796-01	2.891E-01	2.733E-01	2.599E-01
0.75	•0	• 0	• 0	•0	4.670E-01	4.220E-01	3.880E-01	3.611E-01	3.390E-01	3.206E-01	3.049E-01
1.00	.0	• 0	.0	• 0	• 0	.0	4.307E-01	4.009E-01	3.766E-01	3.562E-01	3.388E-01
1.25	• 0	• 0	• 0	•0	•0	•0	•0	4.326E-01	4.064E-01	3.844E-01	3.657E-01
1.50	• 0	• 0	.0	•0	•0	•0	•0	• 0	4.309E-01	4.077E-01	3.878E-01
1.75	•0	.0	•0	•0	•0	0.	•0	• 0	•0	4.273E-01	4.065E-01
2.00	•0	• 0	•0	•0	•0	•0	• 0	• 0	•0	• 0	4.226E-01
					NU VERSUS ETA	SETA					
		DEL	DELTA = 0.50		ALPHA = 0.60	09*0	ISd	90.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	.0	4.076E-01	3.408E-01	2.9886-01	2.693E-01	2.471E-01	2.296E-01	2.154E-01	2.035E-01	1.934E-01
0.50	• 0	•	• 0	4.556E-01	4.0'04E-01	3.613E-01	3.3195-01	3.086E-01	2.897E-01	2.738E-01	2.603E-01
0.75	• 0	• 0	•	• 0	• 0	4.229E-01	3.887E-01	3.616E-01	3.395E-01	3.210E-01	3.052E-01
1.00	.0	• 0	•0	.0	.0	• 0	4.313E-01	4.014E-01	3.769E-01	3.565E-01	3.390E-01
1.25	•0	• 0	•0	0.	•0	• 0	.0	4.329E-01	4.067E-01	3.846E-01	3.658E-01
1.50	•0	• 0	• 0	•0	• 0	• 0	• 0	• 0	4.312E-01	4.079E-01	3.880E-01
1.75	•0	.0	• 0	•0	• 0	• 0	• 0	• 0	• 0	4.275E-01	4.066E-01
2.00	•	• 0	•0	•0	•0	• 0	٥.	•0	• 0	• 0	4.227E-01

					NU VERSUS	JS ETA					
			DELTA = 0.75		ALPHA = 0.60	0.60	PSI	90°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.126E-01	3.437E-01	3.008E-01	2.707E-01	2.4825-01	2.305E-01	2.161E-01	2.041E-01	1.9395-01
0.50	.0	• 0	• 0	4.579E-01	4.019E-01	3.625E-01	3.3285-01	3.093E-01	2.902E-01	2.743E-01	2.607E-01
0.75	•0	• 0	•0	•0	•	4.238E-01	3.894E-61	3.622E-01	3.400E-01	3.214E-01	3.056E-01
1.00	• 0	0	٥.	•	•	• 0	4.318E-01	4.018E-01	3.773E-01	3.568E-01	3.393E-01
1.25	• 0	•0	• 0	•0	.0	• 0	0.	4.333E-01	4.069E-01	3.849E-01	3.660E-01
1.50	• 0	0	• 0	• 0	• 0	0.	• 0	• 0	4.314E-01	4.080E-01	3.881E-01
1.75	•0		• 0	• 0	• 0	•0	• 0	.0	• 0	4.276E-01	4.068E-01
					NU VERSUS ETA	IS ETA					
			DELTA = 1.00		ALPHA =	= 0.60	PS	PSI = 0.06			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	• 0	4.1785-01	3.467E-01	3.028E-01	2.722E-01	2.493E-01	2.314E-01	2.168E-01	2.047E-01	1.944E-01
0.50	•0	• 0	• 0	4.6025-01	4.035E-01	3.6375-01	3.337E-01	3.101E-01	2.308E-01	2.748E-01	2.612E-01
0.75	• 0		• 0	•0	• 0	4.247E-01	3.900E-01	3.627E-01	3.404E-01	3.218E-01	3.059E-01
1.00	•0	• 0	• 0	• 0	.0	• 0	4.323E-01	4.022E-01	3.776E-01	3.570E-01	3.395E-01
1.25	•0		• 0	• 0	•0	• 0	0.	4.336E-01	4.072E-01	3.8516-01	3.662E-01
1.50	• 0	0	• 0	٠,	.0	• 0	.0	.0	4.316E-01	4.082E-01	3.883E-01
1.75	• 0	0	• 0	.0	.0	• 0	.0	.0	• 0	4.2786-01	4.069E-01

DELTA = 0.					NU VERSUS ALPHA = 0.	JS ETA 0.80	184	90°0 = I			
					OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.417E-01 3.745E-0i	4.417E-01		3.745E-01		3.308E-01	2.9968-01	2.758E-01	2.569E-01	2.414E-01	2.284E-01	2.173E-01
.0 .0 .0	•0		•0		4.407E-01	3.992E-01	3.676E-01	3.424E-01	3.218E-01	3.046E-01	2.898E-01
0. 0. 0.	•0		• 0		• 0	• 0	4.275E-01	3.983E-01	3.744E-01	3.543E-01	3.372E-01
• 0 • 0 • 0	°C		• 0		• 0	·c	•0	4.394E-01	4.130E-01	3.909E-01	3.720E-01
.0 .0 .0	٥		•0		• 0		• 0	• 0	• 0	4.195E-01	3.992E-01
.0 .0 .0	· c		• 0		• 0	• 0	• 0	• 0	• 0	• 0	4.213E-01
					NU VERSUS ETA	IS ETA					
DELTA = 0.25	DELTA = 0.25	DELTA = 0.25			ALPHA =	0.80	ISd	90°0 = I			
					OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.480E-01 3.783E-01	4.480E-01 3.783E-01	3.7835-01			3.3346-01	3.015E-01	2.773E-01	2.581E-01	2.424E-01	2.293E-01	2.181E-01
.0 0. 0.	•0	• 0			4.427E-01	4.007E-01	3.687E-01	3.434E-01	3.226E-01	3.052E-01	2.904E-01
.0 .0 .0 .0	•0	•0		0		• 0	4.284E-01	3.990E-01	3.750E-01	3.548E-01	3.376E-01
.0 .0 .0 .0	.0 .0	• 0		0		.0	0.	4.399E-01	4.135E-01	3.913E-01	3.723E-01
0. 0. 0. 0.	•0	•0		0		• 0	• 0	.0	• 0	4.198E-01	3.995E-01
.0 .0 .0 .0	•0			0		• 0	• 0	• 0	• 0	• 0	4.215E-01
					NU VERSUS ETA	JS ETA					
0ELTA = 0.50					ALPHA = 0.80	0.80	PSI	90°0 = I			
					OMEGA						
0.0 0.5 1.0 1.5	1.0		1.5		2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.545E-01 3.822ë-01 3	4.545E-01 3.822E-01	3.8225-01		3	3.3618-01	3.035E-01	2.788E-01	2.593E-01	2.434E-01	2.301E-01	2.188E-01
0. 0. 0.	•0	•0		4	4.4485-01	4.022E-01	3.699E-01	3.4446-01	3.234E-01	3.0596-01	2.910E-01
0 0 0 0	• 0	•0		0	• 0	•0	4.293E-01	3.998E-01	3.756E-01	3.553E-01	3.380E-01
0 0 0 0	• 0				• 0	.0	•0	4.405E-01	4.139E-01	3.917E-01	3.727E-01
.0 .0 .0	•0	.0	•0		•0	.0	• 0	•0	• 0	4.201E-01	3.997E-01
.0 .0 .0	• 0	•0	•0		• 0	.0	• 0	• 0	• 0	• 0	4.217E-01

					NU VERSUS	S ETA					
		O	DELTA = 0.75		ALPHA = 0.80	08.0	PSI	90.0 =			
					DMEGA		,				
ETA	0.0	9.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0		4.614E-01	3.862E-01	3.3896-01	3.0555-01	2.8046-01	2.606E-01	2.4456-01	2.310E-01	2.196E-01
0.50	•0		٥٠	.0	4.469E-01	4.038E-01	3.712E-01	3.453E-01	3.242E-01	3.066E-01	2.915E-01
0.75	•0		•0	0.	• 0	0.	4.302E-01	4.005E-01	3.762E-01	3.558E-01	3.385E-01
1.00	•0	• 0	• 0	.0	• 0	0.	• 0	4.410E-01	4.144E-01	3.920E-01	3.730E-01
1.25	•0		.0	• 0	• 0	.0	• 0	.0	.0	4.204E-01	4.000E-01
1.50	• 0	•	• 0	• 0	0.	• 0	• 0	• 0	• 0	.0	4.219E-01
					NU VERSUS ETA	S ETA					
		J	DELTA = 1.00		ALPHA =	0.80	PSI	90.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	.0		4.686E-01	3.904E-01	3.417E-01	3.076E-01	2.820E-01	2.619E-01	2.455E-01	2.319E-01	2.203E-01
0.50	• 0		٥.	• 0	4.491E-01	4.054E-01	3.7246-01	3.463E-01	3.251E-01	3.073E-01	2.921E-01
0.75	•0		ċ	0.	• 0	• 0	4.311E-01	4.0125-01	3.768E-01	3.564E-01	3.389E-01
1.00	• 0	٠	•	•0	• 0	• 0	.0	4.415E-01	4.148E-01	3.9246-01	3.733E-01
1.25	.0		• 0	• 0	0.	• 0	.0	• 0	.0	4.206E-01	4.002E-01
1.50	• 0		Ċ	•	0	0.	•	• 0	.0	• 0	4.221E-01
					NU VERSUS ETA	US ETA					
			DELIA = 0.		ALP4A = 1.00	1.00	ď	90°0 = 15d			
					OMEGA	55,000					
ETA	0.0	0.5	1.0	1.5	5.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	.0	4.7618-01	10-9090-01	3,5995-01	3.266E-01	3.0115-01	2.808E-01	2.6416-01	2.501E-01	2.380E-01
0.50	•0	0	·	0.	• 0	4.3116-01	3.975E-01	3.7066-01	3.486E-01	3.301E-01	3.142E-01
0.75	•0		.0	0.	• 0	• C	.0	4.280E-01	4.025E-01	3.811E-01	3.628€-01
1.00	• 0	٥.	°.	• 0	• 0	•	• 0	• 0	• 0	4.180E-01	3.980E-01

			5.0	2.390E-01	3.149€-01	3.634E-01	3.984E-01				5.0	2.400E-01	3.157E-01	3.639E-01	3. 987E-01				5.0	2.410E-01	3.164E-01	3.644E-01	3.991E-01
			4.5	2.512E-01	3.309E-01	3.818E-01	4.185E-01				4.5	2.523E-01	3.318E-01	3.824E-01	4.1895-01				4.5	2.534E-01	3.326E-01	3.830E-01	4.194E-01
			4.0	2.654E-01	3.496E-01	4.033E-01	• 0				4.0	2.667E-01	3.506E-01	4.040E-01	• 0				4.0	2.681E-01	3.516E-01	4.047E-01	• 0
	PSI = 0.06		3.5	2.824E-01	3.718E-01	4.288E-01	• 0		PSI = 0.06		3.5	2.84CE-01	3.730E-01	4.297E-01	• 0		90°0 = I		3.5	2.856E-01	3.743E-01	4.306E-01	• 0
	PS		3.0	3.030E-01	3.989E-01	0.	• 0		PS		3.0	3.050E-01	4.004E-01	•0	• 0		PSI		3.0	3.071E-01	4.019E-01	.0	• 0
IS ETA	1.00		2.5	3.291E-01	4.330E-01	0.	0.	IS ETA	1.00		2.5	3.316E-01	4.349E-01	• 0	• 0	S ETA	1.00		2.5	3.342E-01	4.3685-01	• 0	• 0
NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.6325-01	•0	•0	.0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.667E-01	• 0	• 0	• 0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.702E-01	• 0	•0	• 0
			1.5	4.108E-01	•0	•0	.0				1.5	4.158E-01	•0	•0	• 0				1.5	4.210E-01	0.	.0	• 0
	DELTA = 0.25		1.0	4.839E-01	•	•0	•		DELTA = 0.50		1.0	• 0	• 0	• 0	• 0		DELTA = 0.75		1.0	• 0	•0	• 0	ė
				•0			• 0				0.5	• 0	•	• 0	0				9.0	0.	• 0	• 0	• 0
			0.0	• 0	• 0	• 0	•				0.0	• 0	•0	•0	•				0.0	•0	•0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00

			5.0	2.419E-01	3.172E-01	3.650E-01	3.995E-01	•0	•0	•0	•0	•0	•0	•0	•0	٥.	•0	•0	•0	•0	•0	0.	•0
			4.5	2.5466-01	3.335E-01	3.836E-01	4.199E-01	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	•0	• 0	• 0	• 0
			4.0	2.694E-01	3.526E-01	4.055E-01	• 0	• 0	• 0	• 0	• 0	•0		• 0	•0	•0	• 0	•0	0.	.0	•0	•0	• 0
	90.0 =		3.5	2.872E-01	3.755E-01	4.315E-01	.0	.0	• 0	.0	.0	• 0		• 0	• 0	.0	.0	• 0	• 0	• 0	• 0	.0	.0
	ISd		3.0	3.091E-01	4.035E-01	0.	0.	• 0	0.	0.	.0			0.	٠.	.0	.0	.0	0.	.0	.0	.0	.0
ETA	1.00		2.5	3.3695-01	4.388E-01	0.	0.	0.	.0		• 0				.0		.0		• 0			.0	• 0
NU VERSUS	ALPHA = 1.	DMEGA	2.0	3.7388-01	.0			0.	.0			0.0					.0		٥.			.0	•0
			1.5	4.263E-01 3	0.0		0.	0.0	0.0	00					.0						0•0	0.	.0
	= 1.00		1.0				0																
	DELTA		0.5																				
			0.0	Ċ	0	0	0	0	0	0	• 0	0	0	٥	0	• 0	0	0	٥	.0	0	٥.	0
			0				0																
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.15	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00

					NU VERSUS	JS ETA					
		DEL	DELTA = 0.		ALPHA =	0.20	PSI	I = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	3.445E-01	2.524E-01	2.087E-01	1.8195-01	1.633E-01	1.494E-01	1.386E-01	1.298E-01	1.225E-01	1.164E-01
0.50	• 0	4.738E-01	3.487E-01	2.838E-01	2.5196-01	2.263E-01	2.C72E-01	1.922E-01	1.801E-01	1.700E-01	1.614E-01
0.75	•0	• 0	4.177E-01	3.464E-01	3.024E-01	2.718E-01	2.489E-01	2.310E-01	2.165E-01	2.044E-01	1.941E-01
1.00	• 0	•0	4.724E-01	3.923E-01	3.427E-01	3.081E-01	2.823E-01	2.620E-01	2.456E-01	2.319E-01	2.202E-01
1.25	• 0	• 0	•0	4.305E-01	3.7635-01	3.385E-01	3.102E-01	2.880E-01	2.699E-01	2.549E-01	2.421E-01
1.50	•0	• 0	.0	4.632E-01	4.052E-01	3.646E-01	3.342E-01	3.103E-01	2.9096-01	2.748E-01	2.610E-01
1.75	••	٥.	0.	•0	4.305E-01	3.875E-01	3.5538-01	3.299E-01	3.094E-01	2.922E-01	2.776E-01
2.00	•0	• 0	•0	٥	4.530E-01	4.079E-01	3.740E-01	3.474E-01	3.258E-01	3.077E-01	2.924E-01
2.25	• 0	.0	•0	•0	• 0	4.262E-01	3.909E-01	3.6315-01	3.406E-01	3.217E-01	3.057E-01
2.50	•0	•0	•0	.0	0.0	4.428E-01	4.C62E-01	3.774E-01	3.540E-01	3.344E-01	3.178E-01
2.75	•0	• 0	.0	•0	• 0	4.580E-01	4.202E-01	3.905E-01	3.663E-01	3.461E-01	3.289€-01
3.00	•0	• 0	•0	•0	• 0	0.	4.331E-01	4.025E-01	3.776E-01	3.568E-01	3.391E-01
3.25	•0	• 0	•0	•0	• 0	• 0	4.450E-01	4.136E-01	3.880E-01	3.667E-01	3.485E-01
3.50	•0	• 0	•0	0.	.0	.0	•0	4.240E-01	3.978E-01	3.759E-01	3.573E-01
3.75	•0	• 0	•0	.0	• 0	.0	.0	4.336E-01	4.068E-01	3.845E-01	3.655€-01
4.00	.0	•0	•0	•0	• 0	• 0	•0	• 0	4.153E-01	3.926E-01	3.731E-01
4.25	.0	•0	•0	•0	.0	0.	• 0	0.	4.233E-01	4.001E-01	3.804E-01
4.50	••	•0	•	•0	• 0	•0	٥.	• 0	4.308E-01	4.072E-01	3.871E-01
4.75	•0	• 0	•0	•0	• 0	.0	• 0	•0	.0	4.140E-01	3.936E-01
2.00	•0	٥٠	• 0	•0	• 0	•0	.0	•0	.0	4.203E-01	3.996E-01

NU VERSUS ETA ALPHA = 0.20 DMEGA	2.0 2.5 3.0 3.5 4.0 4.5 5.0	1 1.823E-01 1.636E-01 1.497E-01 1.388E-01 1.300E-01 1.227E-01 1.165E-01.	1 2.523E-01 2.266E-01 2.074E-01 1.924E-01 1.802E-01 1.701E-01 1.615E-01	1 3.028E-01 2.721E-01 2.491E-01 2.312E-01 2.166E-01 2.045E-01 1.942E-01	1 3.430E-01 3.083E-01 2.825E-01 2.621E-01 2.457E-01 2.320E-01 2.203E-01	1 3.765E-01 3.387E-01 3.103E-01 2.881E-01 2.700E-01 2.550E-01 2.422E-01	1 4.054E-01 3.647E-01 3.343E-01 3.104E-01 2.910E-01 2.748E-01 2.611E-01	4.306E-01 3.876E-01 3.554E-01 3.300E-01 3.094E-01 2.922E-01 2.776E-01	4.531E-01 4.080E-01 3.741E-01 3.475E-01 3.258E-01 3.078E-01 2.924E-01	0. 4.263E-01 3.910E-01 3.632E-01 3.406E-01 3.218E-01 3.057E-01	0. 4.429E-01 4.063E-01 3.775E-01 3.540E-01 3.345E-01 3.178E-01	0. 4.581E-01 4.203E-01 3.905E-01 3.663E-01 3.461E-01 3.289E-01	0. 4.332E-01 4.025E-01 3.776E-01 3.568E-01 3.391E-01	0. 0. 4.451E-01 4.137E-01 3.881E-01 3.667E-01 3.485E-01	0. 0. 4.240E-01 3.978E-01 3.759E-01 3.573E-01	C. 0. 4.336E-01 4.069E-01 3.845E-01 3.655E-01	0. 0. 4.154E-01 3.926E-01 3.732E-01	0. 0. 4.233E-01 4.001E-01 3.804E-01	0. 0. 4.309E-01 4.073E-01 3.872E-01	0. 0. 0. 4.140E-01 3.936E-01	C. 0. 0. 0. 4.204E-01 3.996E-01
11	3.5														4.240	4.336	0	0	0	0	0
	3.0												4.332E	4.451E	• 0	•	• 0	• 0	• 0	.0	0
SUS ETA =, 0.20 A	2.5									4.263E-	4.429E-	4.5815-	•	c	• 0	0.	0.	• 0	0.	.0	0
NU VER ALPHA OMEG	2.0							4.306E-0	4.531E-0	• 0	• 0	• 0	• 0	•	• 0	·	• 0	• 0	• 0	.0	C
	1.5	2.093E-01	2.894E-01	3.470E-01	3.927E-01	4.308E-01	4.635E-01	• 0	.0	0.		.0	• 0	• 0	• 0	• 0	•0	• 0	• 0	.0	0
TA = 0.25	1.0	2.536E-01	3.498E-01	4.186E-01	4.731E-01	.0	•0	• 0	0.	0.	.0	•	.0	• 0	• 0	ċ	0.	0.	0.	c	c
DELTA	0.5	3.476E-01	4.765E-01	٥.	0.	•	•	.0	•	.0	• 0	.0	٠		• 0	• 0	.0	.0	٠.	•	0
	0.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	• 0	• 0	• 0	• 0	•0	•0	.0	•0	• 0	.0	0.
	ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	00.4	4.25	4.50	4.75	2.00

					NU VERSUS	S ETA					
		DELTA	TA = 0.50		ALPHA = (0.20	PSI	01.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.507E-01	2.5486-01	2.100E-01	1.8285-01	1.639E-01	1.4996-01	1.390E-01	1.302E-01	1.228E-01	1.1666-01
0.50	•0	4.793E-01	3.5096-01	2.900E-01	2.527E-01	2.269E-01	2.0766-01	1.926E-01	1.804E-01	1.702E-01	1.616E-01
0.75	•	• 0	4.1955-01	3.4756-01	3.0316-01	2.723E-01	2.4935-01	2.313E-01	2.167E-01	2.046E-01	1.9435-01
1.00	.0	•0	4.738E-01	3.931E-01	3.433E-01	3.085E-01	2.8266-01	2.623E-01	2.4586-01	2.321E-01	2.204E-01
1.25	•0	•	•0	4.312E-01	3.7685-01	3.388E-01	3.105E-01	2.882E-01	2.7016-01	2.551E-01	2.423E-01
1.50	•0	•0	•0	4.638E-01	4.0566-01	3.649E-01	3.344E-01	3.105E-01	2.911E-01	2.749E-01	2.611E-01
1.75	•	•0	•0	•0	4.3095-01	3.877E-01	3.555E-01	3.301E-01	3.095E-01	2.923E-01	2.777E-01
2.00	0	.0	•0	•0	4.532E-01	4.081E-01	3.742E-01	3.475E-01	3.259E-01	3.078E-01	2.925E-01
2.25	•0	٥	•	0.	• 0	4.264E-01	3.910E-01	3.632E-01	3.406E-01	3.218E-01	3.058E-01
2.50	•	.0	.0	• 0	• 0	4.430E-01	4.C63E-01	3.775E-01	3.541E-01	3.345E-01	3.179E-01
2.75	•0	•0	0.	•0	• 0	4.581E-01	4.203E-01	3.906E-01	3.663E-01	3.461E-01	3.289E-01
3.00	•0	• 0	•0	•0	• 0	• 0	4.332E-01	4.026E-01	3.7765-01	3.568E-01	3.391E-01
3.25	•0	٥	•0	•0	•0	• 0	4.451E-01	4.137E-01	3.881E-01	3.667E-01	3.486E-01
3.50	•0	• 0	•0	•0	• 0	.0	•	4.240E-01	3.978E-01	3.759E-01	3.573E-01
3.75	•0	٥	0.	•0	• 0	• 0	• 0	4.336E-01	4.069E-01	3.845E-01	3.655E-01
4.00	•0	•	• 0	•0	• 0	0.	• 0	• 0	4.154E-01	3.926E-01	3.732E-01
4.25	•0	•0	•0	•0	.0	9.	• 0	• 0	4.234E-01	4.001E-01	3.804E-01
4.50	.0	٠,	• 0	0.	.0	0.	•0	•0	4.309E-01	4.0734-01	3.872E-01
4.75	•		0	•0	• 0	0.	•0	• 0	• 0	4.140E-01	3.936E-01
2.00	•0	• 0	• 0	•0	•0	.0	.0	• 0	•0	4.204E-01	3.996E-01

= 0.75		NU VERSUS ETA ALPHA = 0.20 DMEGA	18d	1 = 0.10		
1.0	1.5 2.0	2.5	3.0	3.5	0.4	4.5
2.561E-01	. 2.107E-01 1.832E-01	2E-01 1.643E-01	1.5025-01	1.392E-01	1.303E-01	1.230E-01
3.520E-01	2.905E-01 2.531E-01	1E-01 2.272E-01	2.0785-01	1.927E-01	1.805E-01	1.704E-01
4.205E-01	3.430E-01 3.035E-01	SE-01 2.726E-01	2.495E-01	2.315E-01	2.169E-01	2.047E-01
4.746E-01	3,936E-01 3,435∈-01	5-01 3.088E-01	2.828E-61	2.624E-01	2.459E-01	2.321E-01
	4.315E-01 3.770E-01	3.390E-01	3.106E-C1	2.883E-01	2.702E-01	2.5516-01
	4.641E-01 4.058E-01	3.650E-01	3.345E-01	3.106E-01	2.911E-01	2.749E-01
0	4.3105-01	3.879E-01	3.5554-01	3.302E-01	3.095E-01	2.923E-01
•0	4.5345-01	E-01 4.082E-01	3.743E-01	3.4768-01	3.259E-01	3.079E-01
.0	• 0	4.265E-01	3.911E-01	3.633E-01	3.4076-01	3.218E-01
•0	• 0	4.430E-01	4.064E-01	3.776E-01	3.5416-01	3.345E-01
• 0	• 0	4.582E-01	4.204E-01	3.906E-01	3.664E-01	3.462E-01
0.	• 0	• 0	4.352E-01	4.026E-01	3.7776-01	3.569E-01
• 0	•	• 0	4.451E-01	4.137E-01	3.381E-01	3.668E-01
0	• 0	• 0	.0	4.240E-01	3.9786-01	3.760E-01
•0	• 0	• 0	• 0	4.337E-01	4.069E-01	3.846E-01
•0	• 0	• 0	.0	0.	4.154E-01	3.9266-01
•0	• 0	• 0	• 0	• 0	4.234E-01	4.002E-01
•0	• 0	• 0	• 0	• 0	4.309E-01	4.073E-01
•0	• 0	• 0	•0	• 0	.0	4.140E-01
0.	•0	•				4 206E-01

					NU VERSUS	IS ETA					
		DELTA	TA = 1.00		ALPHA =	0.20	ISd	01.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	3.573E-01	2.573E-01	2.114E-01	1.3375-01	1.646E-01	1.5046-01	1.3946-01	1.305E-01	1.2316-01	1.168E-01
0.50	• 0	4.850E-01	3.531E-01	2.912E-01	2.535E-01	2.2755-01	2.C81E-01	1.929E-01	1.807E-01	1.705E-01	1.618E-01
0.75	•0	• 0	4.214E-01	3.485E-01	3.038E-01	2.728E-01	2.497E-01	2.3165-01	2.170E-01	2.048E-01	1.945E-01
00.1	•0	0.	4.753E-01	3.940E-01	3.4386-01	3.090E-01	2.8295-01	2.625E-01	2.4605-01	2.322E-01	2.205E-01
1.25	•0	• 0	0.	4.319E-01	3.772E-01	3.392E-01	3.107E-01	2.884E-01	2.703E-01	2.552E-01	2.424E-01
1.50	•0	.0	• 0	4.644E-01	4.060E-01	3.652E-01	3.346E-01	3.107E-01	2.9126-01	2.750E-01	2.612E-01
1.75	•0	• 0	0.	• 0	4.311E-01	3.880E-01	3.556E-01	3.302E-01	3.096E-01	2.924E-01	2.778E-01
2.00	•0	•	• 0	•0	4.535E-01	4.0835-01	3.7436-01	3.477E-01	3.260E-01	3.079E-01	2.925E-01
2.25	•0	0	•0	•0	• 0	4.265E-01	3.912E-01	3.633E-01	3.407E-01	3.219E-01	3.058E-01
2.50	•0	0.0	•0	•0	• 0	4.431E-01	4.064E-01	3.776E-01	3.5416-01	3.3468-01	3.179E-01
2.75	•0	.0	• 0	•0	• 0	4.583E-01	4.204E-01	3.906E-01	3.664E-01	3.462E-01	3.290E-01
3.00	•0	• 0	• 0	•0	• 0	• 0	4.333E-01	4.026E-01	3.777E-01	3.569E-01	3. 392E-01
3.25	•0	.0	•0	•0	• 0	• 0	4.452E-01	4.137E-01	3.881E-01	3.668E-01	3.486E-01
3.50	•0	• 0	• 0	• 0	• 0	•0	•0	4.241E-01	3.979E-01	3.760E-01	3.574E-01
3.75	•0	• 0	•0	•0	.0	• 0	• 0	4.337E-01	4.069E-01	3.846E-01	3.655E-01
00.4	•0	• 0	• 0	•0	.0	• 0	•0	• 0	4.154E-01	3.926E-01	3.732E-01
4.25	•0	• 0	0.	0.	.0	• 0	•0	•0	4.234E-01	4.002E-01	3.804E-01
05.4	•0	0.	•0	•0	.0	•0	.0	.0	4.309E-01	4.073E-01	3.872E-01
4.75	•0	•0	• 0	•0	.0	• 0	.0	•0	.0	4.140E-01	3.936E-01
00.5	• 0	• 0	•0	•0	• 0	٥.	• 0	• 0	• 0	4.204E-01	3.997E-01

					NU VERSUS ETA	JS ETA					
		DEL	DELTA = 0.		ALPHA = 0.40	0.40	Sd.	PSI = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5.	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	4.512E-01	3.394E-01	2.834E-01	2.483E-01	2.237E-01	2.052E-01	1.9065-01	1.788E-01	1.689E-01	1.605E-01
0.50	• 0	• 0	4.610E-01	3.857E-01	3.3835-01	3.049E-01	2.7986-01	2.600E-01	2.439E-01	2.305E-01	2.191E-01
0.75	•0	٥.	•	4.561E-01	4.004E-01	3.611E-01	3.315E-01	3.081E-01	2.891E-01	2.732E-01	2.597E-01
1.00	•0	• 0	•0	• 0	4.480E-01	4.042E-01	3.7125-01	3.452E-01	3.239E-01	3.062E-01	2.910E-01
1.25	• 0	• 0	• 0	٥.	• 0	4.392E-01	4.034E-01	3.751E-01	3.521E-01	3.3284-01	3.164E-01
1.50	•0	•0	•0	•0	• 0	• 0	4.303E-01	4.002E-01	3.757E-01	3.552E-01	3.377E-01
1.75	•0	0.	·c	• 0	• 0	0.	• 0	4.217E-01	3.959E-01	3.743E-01	3.5596-01
2.00	•0	• 0	•0	•0	•0	• 0	٥.	4.404E-01	4.135E-01	3.910E-01	3.718€-01
2.25	•0	• 0	0.	• 0	• 0	• 0	• 0	•0	4.290E-01	4.057E-01	3.858E-01
2.50	•0	• 0	•0	• 0	• 0	.0	• 0	• 0	.0	4.189E-01	3.983E-01.
2.75	•0	• 0	.0	.0	• 0	• 0	0.	• 0	.0	• 0	4.096E-01
					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.25		ALPHA = 0.40	0.40	PS	PSI = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	4.581E-01	3.423E-01	2.851E-U1	2.4948-01	2.245E-01	2.C58E-01	1.9116-01	1.7926-01	1.692E-01	1.608E-01
0.50	• 0	•	4.6345-01	3.871E-01	3,3925-01	3.056E-01	2.804E-01	2.605E-01	2.443E-01	2.3086-01	2.193E-01
0.75	•0	· .		4.572E-01	4.0125-01	3.617E-01	3.3195-01	3.0856-01	2.8946-01	2.735E-01	2.599€-01
1.00	•0	• 0	• 0	٥.	4.4865-01	4.047E-01	3.716E-01	3.4545-01	3.241E-01	3.064E-01	2.912E-01
1.25	•0	•	ċ	.0	• 0	4.395E-01	4.037E-01	3.754E-01	3.523E-01	3.330E-01	3.166E-01
1.50	•0	• 0	• 0	• 0	• 0	٥.	4.305E-01	4.0046-01	3.7596-01	3.5536-01	3.378E-01
1.75	•0	•		.0	• 0	• 0	• 0	4.2195-01	3.960E-01	3.7446-01	3.560E-01
2.00	• 0	• 0	• 0	0.	0.	0.	• 0	4.405E-01	4.1368-01	3.911E-01	3.719E-01
2.25	••	• 0	•	0.	0.	0.	• 0	٠	4.291E-01	4.058E-01	3.859E-01
2.50	•0	• 0	• 0	.0	0.	0.	• 0	• 0	• 0	4.189E-01	3. 984E-01
2.75	.0	• 0	.0	• 0	• 0	0.	٠,	• 0	• 0	٥.	4.097E-01

					NU VERSUS ET	S ETA					
		DEL	DELTA = 0.50		ALPHA = (0.40	PSI	01.0 = I			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.653E-01	3.453E-01	2.868E-01	2.506E-01	2.253E-01	2.0646-01	1.916E-01	1.7965-01	1.696E-01	1.6116-01
0.50	•0	• 0	4.659E-01	3.886E-01	3.402E-01	3.063E-01	2.8096-01	2.609E-01	2.447E-01	2.311E-01	2.196E-01
0.75	•0	.0	• 0	4.584E-01	4.0195-01	3.6226-01	3.324E-01	3.089E-01	2.897E-01	2.737E-01	2.601E-01
1.00	•0	• 0	.0	•0	4.492E-01	4.051E-01	3.7196-01	3.457E-01	3.244E-01	3.066E-01	2.914E-01
1.25	•0	٥	•0	•0	•0	4.399E-01	4.039E-01	3.756E-01	3.525E-01	3.332E-01	3.167E-01
1.50	•0	• 0	• 0	•0	• 0	• 0	4.307E-01	4.006E-01	3.760E-01	3.554E-01	3.379E-01
1.75	•0	• 0	• 0	•0	•0	• 0	•0	4.220E-01	3.962E-01	3.745E-01	3.561E-01
2.00	•0	• 0	•0	.0	• 0	.0	• 0	4.407E-01	4.137E-01	3.912E-01	3.720E-01
2.25	•0	• 0	• 0	•0	• 0	•0	•0	•0	4.292E-01	4.059E-01	3.860E-01
2.50	•0	• 0	• 0	•0	• 0	•0	•0	•0	• 0	4.190E-01	3.985E-01
2.75	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	4.0976-01
					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.75		ALPHA = 0.40	04.0	18d	01.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.728E-01	3.4836-01	2.835E-01	2.517E-01	2.262E-01	2.071E-01	1.9216-01	1.800E-01	1.699E-01	1.614E-01
0.50	•0	•0	4.685E-01	3.900E-01	3.412E-01	3.0716-01	2.815E-01	2.614E-01	2.450E-01	2.3146-01	2.198E-01
0.75	•0	•0	•0	4.5968-01	4.027E-01	3.628E-01	3.328E-01	3.092E-01	2.900E-01	2.740E-01	2.6046-01
1.00	• 0	•	•0	•0	4.4986-01	4.056E-01	3.723E-01	3.460E-01	3.2465-01	3.067E-01	2.915E-01
1.25	• 0	•0	•0	•0	٥.	4.402E-01	4.042E-01	3.758E-01	3.527E-01	3.333E-01	3.168E-01
1.50	•0	•0	•0	0.	• 0	.0	4.310E-01	4.008E-01	3.762E-01	3.5566-01	3.380E-01
1.75	•0	· 0	•0	•0	• 0	٠,	• 0	4.222E-01	3.963E-01	3.7466-01	3.562E-01
2.00	• 0	· 0	•0	° c	•0	0.	•0	4.408E-01	4.138E-01	3.913E-01	3.720E-01
2.25	•0	· co	٠٥.	•	•0	.0	.0	• 0	4.293E-01	4.0596-01	3.860E-01
2.50	•0	• •	•0	0.	.0	.0	•0	•0	• 0	4.190E-01	3.985E-01
2.75	• 0	ů	•	.0	• 0	٥.	.0	• 0	.0	• 0	4.097E-01

					NU VERSUS	JS ETA					
		DEL	DELTA = 1.00		Al. PHA =	0.40	PSI	1 = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.807E-01	3.514E-01	2.903E-01	2.5236-01	2.27JE-01	2.C77E-01	1.927E-01	1.804E-01	1.7036-01	1.6176-01
0.50	•0	0.	4.711E-01	3.915E-01	3.422E-01	3.073E-01	2.8206-01	2.6185-01	2.454E-01	2.317E-01	2.201E-01
0.75	•0	• 0	ċ	4.607E-01	4.035E-01	3.6346-01	3.3336-01	3.096E-01	2.903E-01	2.742E-01	2.606E-01
1.00	•0	.0	• 0	•0	4.5055-01	4.0605-01	3.726E-01	3.463E-01	3.248E-01	3.069E-01	2.9176-01
1.25	•0	0.	•0	• 0	• 0	4.406E-01	4. C45E-01	3.760E-01	3.528E-01	3.335E-01	3.170E-01
1.50	.0	•0	• 0	• 0	•0	• 0	4.312E-01	4.010E-01	3.763E-01	3.557E-01	3.381€-01
1.75	.0	• 0	• 0	•0	•0	0.	• 0	4.223E-01	3.964E-01	3.747E-01	3.563E-01
2.00	•0	.0	.0	• 0	• 0	.0	• 0	4.409E-01	4.139E-01	3.914E-01	3.721E-01
2.25	•0	• 0	• 0	• 0	• 0	0.	•0	• 0	4.294E-01	4.060E-01	3.861E-01
2.50	•0	.0	• 0	•0	• 0	• 0	• 0	• 0	• 0	4.191E-01	3.986E-01
2.75	•0	•0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	4.098E-01
					NU VERSUS	S ETA					
		DEL	DELTA = 0.		ALPHA = 0.60	09.0	PSI	I = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	3.973E-01	3.345E-01	2.944E-01	2.660E-01	2.4445-01	2.274E-01	2.135E-01	2.019E-01	1.919E-01
0.50	• 0	• 0	• 0	4.493E-01	3.9585-01	3.577E-01	3.2896-01	3.060E-01	2.874E-01	2.718E-01	2.584E-01
0.75	•0	• 0	• 0	• 0	4.634E-01	4.190E-01	3.853E-01	3.586E-01	3.368E-01	3.186E-01	3.030E-01
1.00	•0	•	.0	٥.	• 0	• 0	4.275E-C1	3.980E-01	3.739E-01	3.5366-01	3.364E-01
1.25	• 0	٠	• 0	• 0	• 0	.0	• 0	4.292E-01	4.032E-01	3.8146-01	3.628E-01
1.50	•0	•0	•0	•0	• 0	.0	• 0	• 0	4.273E-01	4.042E-01	3.846E-01
1.75	•0	• 0	• 0	• 0	• 0	.0	• 0	• 0	•0	4.235E-01	4.029E-01
2.00	•0	• 0	.0	•0	• 0	• 0	• 0	• 0	•0	• 0	4.186E-01

					10-3626-01	2.589E-01	3.033E-01	3.366E-01	3.630E-01	3.847E-01	4.030E-01	4.187E-01				0.5	1.930F-01	2.5935-01	3.0375-01	20 3000	10-3696 ·c	3.632E-01	3.849€-01	4.031E-01	4.188E-01
			4.5	2 0365 01	70-3630-7	2.723E-01	3.190E-01	3.539E-01	3.816E-01	4.044F-01	4.2365-01	0.				4.5	2.031E-01	2.727F-01	3-193F-01	3.5425-01	10-771000	3.819E-01	4.046E-01	4.238E-01	•0
			4.0	2.142E-01	10 774.	Z.880E-01	3.3736-01	3.742E-01	4.035E-01	4.275E-01	0.	•0				4.0	2.149E-01	2.885E-01	3.377E-01	3.745F-01	4	4.037E-01	4.277E-01	•0	•0
	PSI = 0.10		3.5	2.282F-01		3.00/E-01	3.592E-01	3.984E-01	4.295E-01	•0	•0	• 0		I = 0.10		3.5	2.291E-01	3.074E-01	3.597E-01	3.988F-01		4.298E-01	• 0	• 0	• 0
	ď		3.0	2.455E-01	3 2075 01	10-3163.6	3.860E-01	4.280E-01	•0	.0	0.	•0		ISd		3.0	2.466E-01	3.306E-01	3.867E-01	4.286E-01		•	•0	0.	.0
JS ETA	09.0		2.5	2.673E-01	3.548E-01		4.198E-01	.0	.0	•0	•0	• 0	S ETA	09.0		2.5	2.687E-01	3.600E-01	4.207E-01	0.	c	•	• 0	• 0	• 0
NU VERSUS ETA	ALDHA = 0.60	DMEGA	2.0	2.963E-01	3.9735-01		4.645E-01	• 0	• 0	• 0	• 0	• 0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2.982E-01	3.988E-01	4.657E-01	•0			• 0	•0	•0
			1.5	3.373E-01	4.515E-01	(•0	•0	• 0	•0	•0	• 0				1.5	3.401E-01	4.538E-01	• 0	•0	0.		•0	• 0	•0
	DELTA = 0.25		1.0	4.020E-01	0.	c	•	• 0	•0	• 0	0.	• 0		DELTA = 0.50		1.0	4.068E-01	ů	• 0	•0					•0
			0.5	• 0	•0	c	•	• 0	•0	0	•0	• 0		J		0.5	• 0	•	•0	0.	0.	c	•	•	•
			0.0	•0	• 0	0	• (•	•0	•0	• 0	• 0				0.0	•0	•0	•0	•0	0.		•	•0	•0
			ETA	0.25	0.50	0.75		1.00	1.25	1.50	1.75	2.00				ETA	0.25	0.50	0.75	1.00	1.25	1.50		1.75	2.00

			DELIA = 0.75		ALPHA = 0.60	0.60	ISd	01.0 = 1			
					OMEGA						
0	0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0		• 0	4.117E-01	3.430E-01	3.0015-01	2.701E-01	2.477E-01	2.300E-01	2.156E-01	2.037E-01	1.935€-01
		•		4.561E-01	4.0045-01	3.611E-01	3.315E-01	3.081E-01	2.891E-01	2.732E-01	2.597E-01
.0		• 0	• 0	•0	4.6696-01	4.216E-01	3.873E-01	3.603E-01	3.382E-01	3.197E-01	3.040E-01
0		•	• 0	• 0	• 0	0.	4.291E-01	3.993E-01	3.749E-01	3.545E-01	3.371E-01
.0		٥	• 0	• 0	•0	0.	• 0	4.301E-01	4.040E-01	3.821E-01	3.634E-01
.0			• 0	•0	0.	• 0	• 0	• 0	4.279E-01	4.048E-01	3.850E-01
•		• 0	• 0	• 0	• 0	0.	.0	• 0	• 0	4.239E-01	4.032E-01
.0			•0	•0	.0	• 0	• 0	• 0	• 0	• 0	4.189E-01
					NU VERSUS ETA	S ETA					
			DELTA = 1.00		ALPHA = 0.60	09.0	PS	PSI = 0.10			
					UMEGA						
0.0	0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
•		• 0	4.169E-01	3.459E-01	3.021E-01	2.716E-01	2.4886-01	2.3096-01	2.164E-01	2.043E-01	1.9405-01
.0		•	• 0	4.584E-01	4.020E-01	3.623E-01	3.324E-01	3.0895-01	2.897E-01	2.737E-01	2.602E-01
.0		•	° 0	• 0	4.6815-01	4.225E-01	3.880E-01	3.608E-01	3.386E-01	3.201E-01	3.0436-01
.0		•	• 0	• 0	.0	0.	4.296E-01	3.9976-01	3.7526-01	3.5486-01	3.374E-01
.0			·	• 0	٥.	.0	.0	4.305E-01	4.043E-01	3.823E-01	3.636E-01
.0			°	•0	• 0	0.	• 0	• 0	4.281E-01	4.049E-01	3.852E-01
•			ċ	• 0	• 0	0.	• 0	• 0	•0	4.240E-01	4.034E-01
.0		•	• 0	.0	•	٥.	• 0	• 0	• 0	• 0	4.190E-01

					NU VERSUS	IS ETA					
		0	DELTA = 0.		ALPHA = 0.80	0.80	PSI	I = 0.10			
					OMEGA						
ETA	0.0	9.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	• 0	4.405E-01	3.7346-01	3.2995-01	2.988E-01	2.750E-01	2.562E-01	2.407E-01	2.278E-01	2.167E-01
0.50	•0	•0	•	•0	4.386E-01	3.973E-01	3.6586-01	3.408E-01	3.2036-01	3.031E-01	2.884E-01
0.75	•	•0	•0	٥.	•0	• 0	4.248E-01	3.958E-01	3.720E-01	3.521E-01	3.350E-01
1.00	•0	• 0	•0	•0	•0	•0	•0	4.361E-01	4.099E-01	3.880E-01	3.692E-01
1.25	•	٥٠	•0	•0	•0	•	• 0	.0	• 0	4.159E-01	3.958E-01
1.50	•0	• 0	• 0	.0	• 0	٥.	• 0	• 0	•0	•0	4.174E-01
					NU VERSUS ETA	S ETA					
		O	JELTA = 0.25		ALPHA = 0.80	0.80	ISd	I = 0.10			
					OMEGA						
ETA	0.0	0.5	5 1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	·	4.467E-01	3.7726-01	3.3256-01	3.0076-01	2.765E-01	2.5746-01	2.417E-01	2.286E-01	2.175E-01
0.50	•0	•	• 0	•0	4.406E-01	3.9886-01	3.670E-01	3.417E-01	3.211E-01	3.038E-01	2.890E-01
0.75	•0	•	• 0	•0	• 0	•0	4.257E-01	3.965E-01	3.726E-01	3.526E-01	3.355E-01
1.00	•0		• 0	•0	• 0	• 0	•0	4.366E-01	4.104E-01	3.884E-01	3.695€-01
1.25	•0	• 0	•	•	• 0	• 0	•0	• 0	• 0	4.162E-01	3.961E-01
1.50	•0	• 0	•0	• 0	• 0	• 0	•0	•0	• 0	•0	4.176E-01
					NU VERSUS ETA	JS ETA					
		מ	DELTA = 0.50		ALPHA = 0.80	0.80	PSI	I = 0.10			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	.0	4.533E-01	3.8115-01	3.352E-01	3.026E-01	2.781E-01	2.586E-01	2.4286-01	2.2956-01	2.182E-01
0.50	•0	• 0	• 0	.0	4.427E-01	4.003E-01	3.682E-01	3.427E-01	3.219E-01	3.044E-01	2.896E-01
0.75	•		0.	•	• 0	0.	4.266E-01	3.972E-01	3.732E-01	3.531E-01	3.359€-01
1.00	•0	• 0	• 0	ď.	• 0	9.	• 0	4.372E-01	4.108E-01	3.887E-01	3.6996-01
1.25	•0	• 0	• 0	• 0	• 0	0.	•0	•0	• 0	4.1658-01	3.963E-01
1.50	•0	٥	•0	• 0	• 0	• 0	.0	• 0	• 0	• 0	4.178E-01

				NU VERSUS	JS ETA					
		DELIA = 0.75		4L2HA = 0.80	0.80	PS	PSI = 0.10			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
•0	• 0	4.601E-01	3.852E-01	3.3795-01	3.047E-01	2.796E-01	2.599E-01	2.438E-01	2.304E-01	2.190E-01
• 0	• 0	• 0	• 0	4.4485-01	4.0196-01	3.694E-01	3.437E-01	3.227E-01	3.051E-01	2.902E-01
• 0	• 0	• 0	•0	• 0	0.	4.275E-01	3.980E-01	3.738E-01	3.536E-01	3.363E-01
• 0	0	•0	• 0	• 0	• 0	• 0	4.377E-01	4.113E-01	3.8916-01	3.702E-01
• 0	0	•	0.0	• 0	• 0	• 0	• 0	• 0	4.168E-01	3.966E-01
• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	4.180E-01
				NU VERSUS ETA	S ETA					
		UELTA = 1.00		ALPHA =	0.80	ISd	I = 0.10			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
• 0	• 0	4.673E-01	3.893E-01	3.407E-01	3.067E-01	2.812E-01	2.611E-01	2.448E-01	2.313E-01	2.197E-01
• 0	• 0	•0	•0	4.4698-01	4.035E-01	3.706E-01	3.447E-01	3.235E-01	3.058E-01	2.907E-01
• 0	•0	•0	•0	• 0	• 0	4.284E-01	3.987E-01	3.744E-01	3.541E-01	3.368E-01
• 0	•	•0	•0	.0	• 0	• 0	4.382E-01	4.117E-01	3.895E-01	3.705€-01
• 0	• 0	• 0	•0	•0	• 0	•0	• 0	• 0	4.171E-01	3.968E-01
•0	• 0	•0	•0	• 0	• 0	• 0	• 0	• 0	• 0	4.182E-01
				NU VERSUS ETA	S ETA					
		DELTA = 0.		ALPHA = 1.00	1.00	PSI	01.0 = 1			
				OMEGA						
0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
•0	• 0	4.745E-01	4.0476-01	3.5978-01	3.255E-01	3.CO1E-01	2.798E-01	2.632E-01	2.492E-01	2.372E-01
•0	• 0	.0	•0	• 0	4.287E-01	3.952E-01	3.686E-01	3.466E-01	3.282E-01	3.125E-01
.0	• 0	• 0	•0	•0	0.	• 0	4.2496-01	3.996E-01	3.784E-01	3.602E-01
• 0	• 0	° c	•0	•0	• 0	•0	• 0	.0	4.145E-01	3.946E-01

					NU VERSUS ETA	IS ETA					
DELTA =	DELTA	DELTA	= 0.25		ALPHA = 1.00	1.00	PS	PSI = 0.10			
					UMEGA						
0.0 0.5 1.	0.5	1.	0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0		4.823	3E-01	4.094E-01	3.620E-01	3.2805-01	3.020E-01	2.814E-01	2.645E-01	2.503E-01	2.382E-01
•0		°.		•0	• 0	4.306E-01	3.967E-01	3.698E-01	3.476E-01	3.291E-01	3.132E-01
•0		•		•0	.0	•0	• 0	4.258E-01	4.003E-01	3.790E-01	3.607E-01
.0 .0		•0		• 0	• 0	٥.	• 0	• 0	• 0	4.150E-01	3.950E-01
					NU VERSUS ETA	S ETA					
DELTA = 0.50					ALPHA = 1.00	1.00	PS	PSI = 0.10			
					DMEGA						
0.0 0.5 1.0	0.5 1.0	1.0		1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0. 4.905E-01		4.905E-01		4.144E-01	3.654E-01	3.305E-01	3.040E-01	2.830E-01	2.658E-01	2.514E-01	2.392E-01
.0 .0		• 0		•0	• 0	4.3258-01	3.982E-01	3.710E-01	3.486E-01	3.299E-01	3.139E-01
• 0		•0		•0	•0	• 0	•0	4.266E-01	4.011E-01	3.796E-01	3.6136-01
0 •0 •0	•0	• 0		•0	• 0	• 0	• 0	• 0	• 0	4.154E-01	3.954E-01
					NU VERSUS ETA	JS ETA					
0ELTA = 0.75					ALPHA = 1.00	1.00	PS	PSI = 0.10			
					DMEGA						
0.0 0.5 1.0		1.0		1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
.0 .0		•0		4.196E-01	3.690E-01	3,3315-01	3.C60E-01	2.846E-01	2.672E-01	2.526E-01	2.401E-01
.0 0.		•0		•0	• 0	4.344E-01	3.997E-01	3.722E-01	3.496E-01	3.308E-01	3.147E-01
• 0		•0		•0	• 0	• 0	•0	4.275E-01	4.018E-01	3.802E-01	3.618E-01
.0 .0	.0	•0		•0	• 0	.0	•0	•0	• 0	4.158E-01	3.958E-01

			5.0	2.411E-01	3.154E-01	3.623E-01	3.961E-01																
								0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0
			4.5	2.537E-01	3.316E-01	3.808E-01	4.163E-01	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	٠.	• 0
			4.0	2.685E-01	3.5076-01	4.025E-01	• 0	.0	• 0	• 0	•0	.0	•0	•0	•0	•0	•0	.0	.0	• 0	•0	.0	• 0
	= 0.10		3.5	2.863E-01	3.7346-01	4.284E-01	• 0	• 0	•0	•0	.0	.0	• 0	• 0	.0	•0	0.	•0	•0	.0	0.	.0	• 0
	I S'd		3.0	3.081E-01	4.012E-01	.0	•0	• 0	.0	• 0	0.	•0	•0	.0	٥.	0.	• 0	• 0	.0	.0	.0	.0	• 0
ETA	1.00		5.5	3.358E-01	4.364E-01	• 0	0.	0.	0.	•0			0.		•0	• 0	0.		•0		0.	0.	٥.
NU VERSUS ETA	ALPHA = 1	OMEGA	2.0	3.726E-01	• 0	• 0	•0	• 0	• 0	• 0	•0	•0		•0	• 0	• 0	• 0	•0	•0	•0	• 0	•0	.0
			1.5	4.249E-01	•0	•0	•0	• 0	•0	•0	•0	•0	•0	•0	• 0	•0	.0	•0	.0	•0	• 0	•0	•0
	DELTA = 1.00		1.0	.0	•0	•0	•0	•0	• 0	• 0	• 0	•0	•0	•0	•0	•	•0	• 0	•0	• 0	• 0	0.	• 0
	DEI		0.5	• 0	• 0	•0	•0	•	• 0	• 0	٥	• 0	• 0	• 0		• 0	.0	٠	•	• 0	• 0	•	٥٠
			0.0	• 0	• 0	• 0	•0	•0	•0	•0	.0	•0	•0	•0	•0	• 0	• 0	• 0	•0	• 0	•0	•0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

0.0 0.5 1.0 1.0 1.5 2.0 2.0 3.6 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.4376-01 2.5186-01 2.0326-01 1.0146-01 1.0159-01 1.0159-01 2.0326						NU VERSUS	S ETA					
0.6 0.5 1.0 1.5 2.0 2.5 3.0 3.437E-01 2.518E-01 2.082E-01 1.814E-01 1.629E-01 1.491E-01 4.717E-01 3.472E-01 2.875E-01 2.508E-01 2.508E-01 2.701E-01 2.474E-01 0. 4.586E-01 3.493E-01 3.705E-01 2.701E-01 2.474E-01 0. 4.686E-01 3.991E-01 3.395E-01 3.705E-01 0. 0. 4.586E-01 3.705E-01 3.353E-01 0. 0. 0. 4.581E-01 4.007E-01 3.455E-01 3.509E-01 0. 0. 0. 4.858E-01 4.007E-01 3.455E-01 3.509E-01 0. 0. 0. 0. 4.686E-01 4.007E-01 3.851E-01 0. 0. 0. 0. 4.686E-01 4.007E-01 3.851E-01 0. 0. 0. 0. 0. 4.686E-01 4.05E-01 3.699E-01 0. 0. 0. 0. 0. 0. 0. 4.581E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.			DEL	**		ALPHA = (0.20	PSI	I = 0.20			
0.0 0.5 1.0 1.5 2.0 2.5 3.0 0.0 3.437E-01 2.518E-01 2.082E-01 1.814E-01 1.629E-01 1.491E-01 0. 4.717E-01 3.472E-01 2.875E-01 2.538E-01 2.053E-01 1.491E-01 0. 4.717E-01 3.472E-01 3.493E-01 3.005E-01 2.053E-01 2.053E-01 0. 4.151E-01 3.443E-01 3.005E-01 2.707E-01 2.053E-01 0. 0. 4.686E-01 3.431E-01 3.097E-01 2.005E-01 0. 0. 4.264E-01 4.251E-01 3.509E-01 3.509E-01 0. 0. 4.858E-01 4.251E-01 3.509E-01 3.509E-01 0. 0. 4.66E-01 4.56E-01 4.359E-01 3.509E-01 0. 0. 0. 4.468E-01 4.359E-01 3.509E-01 0. 0. 0. 0. 4.358E-01 3.509E-01 0. 0. 0. 0. 0.						DIMEGA						
0. 3.437E-01 2.58E-01 1.814E-01 1.629E-01 1.491E-01 0. 4.717E-01 3.472E-01 2.875E-01 2.538E-01 2.538E-01 2.059E-01 0. 4.717E-01 3.472E-01 3.443E-01 3.005E-01 2.701E-01 2.063E-01 0. 0. 4.686E-01 3.891E-01 3.399E-01 3.057E-01 2.800E-01 0. 0. 4.581E-01 4.007E-01 3.057E-01 2.800E-01 0. 0. 4.581E-01 4.007E-01 3.057E-01 3.056E-01 0. 0. 4.581E-01 4.007E-01 3.057E-01 3.056E-01 0. 0. 0. 4.468E-01 4.006E-01 3.056E-01 0. 0. 0. 4.468E-01 4.199E-01 3.056E-01 0. 0. 0. 0. 4.562E-01 4.536E-01 3.056E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 4.717E-01 3.472E-01 2.875E-01 2.503E-01 2.533E-01 2.053E-01 0. 4.151E-01 3.443E-01 3.005E-01 2.701E-01 2.474E-01 0. 0. 4.686E-01 3.443E-01 3.005E-01 2.474E-01 0. 0. 4.264E-01 3.399E-01 3.057E-01 2.474E-01 0. 0. 4.264E-01 3.727E-01 3.05E-01 2.774E-01 0. 0. 4.264E-01 4.251E-01 3.057E-01 3.072E-01 0. 0. 4.568E-01 4.251E-01 3.057E-01 3.057E-01 0. 0. 0. 4.468E-01 4.056E-01 3.059E-01 0. 0. 0. 4.468E-01 4.199E-01 3.059E-01 0. 0. 0. 0. 4.568E-01 3.059E-01 0. 0. 0. 0. 4.503E-01 3.051E-01 0. 0. 0. 0. 0. 4.367E-01 0. 0. 0.		• 0	3.4376-01	2.518E-01	2.082E-01	1.8146-01	1.6296-01	1.4918-01	1.383E-01	1.295E-01	1.2236-01	1.161E-01
0. 0. 4.151E-01 3.443E-01 3.005E-01 2.701E-01 2.474E-01 0. 0. 4.686E-01 3.991E-01 3.005E-01 3.057E-01 2.474E-01 0. 0. 4.264E-01 3.727E-01 3.057E-01 3.072E-01 0. 0. 4.581E-01 4.007E-01 3.606E-01 3.072E-01 0. 0. 4.662E-01 4.662E-01 3.507E-01 3.606E-01 0. 0. 0. 4.662E-01 4.358E-01 3.609E-01 0. 0. 0. 4.662E-01 4.358E-01 3.609E-01 0. 0. 0. 0. 4.563E-01 3.509E-01 0. 0. 0. 0. 4.563E-01 3.509E-01 0. 0. 0. 0. 4.563E-01 3.509E-01 0. 0. 0. 0. 0. 4.358E-01 3.509E-01 0. 0. 0. 0. 0. 0. 4.358E-01 3.436E-01		.0	4.717E-01	3.472E-01	2.8756-01	2.5085-01	2.253E-01	2.063E-01	1.914E-01	1.7936-01	1.692E-01	1.607E-01
0. 0. 4.686E-01 3.391E-01 3.399E-01 3.057E-01 2.800E-01 0. 0. 4.264E-01 3.727E-01 3.953E-01 2.800E-01 0. 0. 4.561E-01 4.007E-01 3.953E-01 3.072E-01 0. 0. 4.858E-01 4.468E-01 4.023E-01 3.05E-01 0. 0. 0. 4.468E-01 4.199E-01 3.689E-01 0. 0. 0. 4.468E-01 4.199E-01 3.689E-01 0. 0. 0. 0. 4.562E-01 4.136E-01 0. 0. 0. 0. 4.562E-01 4.136E-01 0. 0. 0. 0. 4.562E-01 4.136E-01 0. 0. 0. 0. 4.564E-01 3.684E-01 0. 0. 0. 0. 4.564E-01 3.684E-01 0. 0. 0. 0. 0. 4.564E-01 0. 0. 0. 0. 0. <t< th=""><th></th><th>• 0</th><th>•0</th><th></th><th>3.443E-01</th><th>3.0055-01</th><th>2.7015-01</th><th>2.4746-01</th><th>2.296E-01</th><th>2.1516-01</th><th>2.031E-01</th><th>1.9296-01</th></t<>		• 0	•0		3.443E-01	3.0055-01	2.7015-01	2.4746-01	2.296E-01	2.1516-01	2.031E-01	1.9296-01
0. 0. 4.264E-01 3.727E-01 3.553E-01 3.072E-01 0. 0. 4.581E-01 4.007E-01 3.553E-01 3.072E-01 0. 0. 4.858E-01 4.007E-01 3.505E-01 3.305E-01 0. 0. 4.468E-01 4.023E-01 3.509E-01 0. 0. 0. 4.563E-01 3.698E-01 0. 0. 0. 4.563E-01 3.698E-01 0. 0. 0. 4.563E-01 3.698E-01 0. 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	• 0	4.686E-01	3.891E-01	3.3995-01	3.057E-01	2.800E-01	2.5996-01	2.4366-01	2.300E-01	2.185E-01
0. 0. 4.581E-01 4.007E-01 3.606E-01 3.305E-01 0. 0. 4.858E-01 4.251E-01 3.606E-01 3.509E-01 0. 0. 0. 4.468E-01 4.03E-01 3.609E-01 0. 0. 0. 4.468E-01 4.199E-01 3.609E-01 0. 0. 0. 0. 4.562E-01 4.199E-01 3.699E-01 0. 0. 0. 0. 4.562E-01 4.199E-01 3.691E-01 0. 0. 0. 0. 0. 4.562E-01 4.503E-01 3.651E-01 0. 0. 0. 0. 0. 0. 4.536E-01 0. 0. 0. 0. 0. 0. 4.536E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•	•0	•0	4.264E-01	3.727E-01	3.3536-01	3.072E-01	2.852E-01	2.673E-01	2.525E-01	2.398E-01
0. 0. 4.858E-01 4.251E-01 3.827E-01 3.509E-01 0. 0. 0. 4.468E-01 4.033E-01 3.689E-01 0. 0. 0. 4.662E-01 4.199E-01 3.689E-01 0. 0. 0. 0. 4.562E-01 3.689E-01 0. 0. 0. 0. 4.562E-01 3.689E-01 0. 0. 0. 0. 4.562E-01 3.689E-01 0. 0. 0. 0. 4.563E-01 3.689E-01 0. 0. 0. 0. 0. 4.563E-01 0. 0. 0. 0. 0. 4.563E-01 0. 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	•0	•0	4.581E-01	4.0076-01	3.606E-01	3.3056-01	3.069E-01	2.877E-01	2.717E-01	2.581E-01
0. 0. 4.468E-01 4.023E-01 3.689E-01 0. 0. 4.662E-01 4.199E-01 3.689E-01 0. 0. 0. 4.358E-01 3.691E-01 0. 0. 0. 4.358E-01 3.998E-01 0. 0. 0. 0. 4.503E-01 4.131E-01 0. 0. 0. 0. 4.358E-01 4.357E-01 0. 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•	• 0	•0	4.858E-01	4.2516-01	3.827E-01	3.509E-01	3.259E-01	3.055E-01	2.886E-01	2.742E-01
0. 0. 4.662E-01 4.199E-01 3.631E-01 0. 0. 0. 4.359E-01 3.691E-01 0. 0. 0. 4.503E-01 3.998E-01 0. 0. 0. 0. 4.503E-01 4.131E-01 0. 0. 0. 0. 4.254E-01 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	• 0	• 0	.0	4.468E-01	4.023E-01	3.689E-01	3.427E-01	3.2136-01	3.035E-01	2.884E-01
0. 0. 4.358E-01 3.998E-01 0. 0. 4.558E-01 3.998E-01 0. 0. 0. 4.503E-01 4.131E-01 0. 0. 0. 0. 4.254E-01 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	•	•0	•0	4.662E-01	4.199E-01	3.851E-01	3.578E-01	3.355E-01	3.1706-01	3.012E-01
0. 0. 0. 4.503E-01 4.131E-01 0. 0. 0. 0. 4.254E-01 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.		•0	• 0	•0	•0	••	4.3586-01	3.998E-01	3.714E-01	3.484E-01	3.291E-01	3.128E-01
0. 0. 0. 0. 0. 0. 0. 0. 4.254E-01 0. 0. 0. 0. 0. 0. 4.367E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0		•0	•	•0	.0	•0	4.503E-01	4.131E-01	3.839E-01	3.601E-01	3.402E-01	3.233E-01
0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0		•0	• 0	0.	•0	.0	•0	4.254E-01	3.953E-01	3.708E-01	3.504E-01	3.330E-01
		•	•	•0	•0	•0	0.	4.367E-01	4.059E-01	3.808E-01	3.598E-01	3.420E-01
		•0	• 0	• 0	•0	•0	• 0	• 0	4.157E-01	3.900E-01	3.686E-01	3.503E-01
		•0	•0		•0	• 0	• 0	• 0	4.2485-01	3.986E-01	3.767E-01	3.580E-01
		•	.0	•0	•0	• 0	.0	•0	4.333E-01	4.066E-01	3.843E-01	3.653E-01
.0 .0 .0 .0 .0 .0 .0		•0	0.	0.	•0	•0	•0	•0	•0	4.141E-01	3.914E-01	3.721E-01
.0 .0 .0 .0 .0 .0		•0	.0	•0	•0	•0	• 0	• 0	• 0	4.212E-01	3.981E-01	3.784E-01
		•0	.0	• 0	•	•0	• 0	•0	0.	•0	4.044E-01	3.845€-01
.0 .0 .0 .0 .0 .0	2.00	•	• 0	•	•0	•0	•0	• 0	•0	•0	4.104E-01	3.901E-01

					NU VERSUS	IS ETA					
		DELTA	.14 = 0.25		ALPHA =	0.20	PSI	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	D. 4	4.5	5.0
0.25	0.	3.468E-01	2.530E-01	2.089E-01	1.8196-01	1.632E-01	1.493E-01	1.385E-01	1.297E-01	1.224E-01	1.162E-01
0.50	.0	4.744E-01	3.483E-01	2.881E-01	2.5125-01	2.2565-01	2.C65E-01	1.9155-01	1.794E-01	1.694E-01	1.608E-01
0.75	.0	• 0	4.160E-01	3.448E-01	3.0095-01	2.7046-01	2.476E-01	2.297E-01	2.152E-01	2.032E-01	1.930E-01
1.00	.0	• 0	4.693E-01	3.896E-01	3.402E-01	3.059E-01	2.802E-01	2.601E-01	2.437E-01	2.301E-01	2.186E-01
1.25	•0	• 0	• 0	4.267E-01	3.7295-01	3.354E-01	3.0736-01	2.853E-01	2.674E-01	2.525E-01	2.399E-01
1.50	.0	•	• 0	4.584E-01	4.0095-01	3.607E-01	3.306E-01	3.070E-01	2.878E-01	2.718E-01	2.582E-01
1.75	•0	• 0	• 0	4.860E-01	4.253E-01	3.828E-01	3.510E-01	3.2596-01	3.056E-01	2.886E-01	2.742E-01
2.00	•0	•	•0	•0	4.469E-01	4.024E-01	3.690E-01	3.427E-01	3.2146-01	3.036E-01	2.884E-01
2.25	•0	• 0	• 0	•0	4.663E-01	4.200E-01	3.852E-01	3.578E-01	3.356E-01	3.170E-01	3.012E-01
2.50	.0	• 0	• 0	• 0	• 0	4.359E-01	3.998E-01	3.715E-01	3.484E-01	3.292E-01	3.128E-01
2.75	•0	• 0	• 0	• 0	.0	4.503E-01	4.132E-01	3.839E-01	3.601E-01	3.403E-01	3.234E-01
3.00	.0	.0	0.	•0	0.	0.	4.254E-01	3.954E-01	3.709E-01	3.504E-01	3.331E-01
3.25	•0	•	• 0	• 0	.0	.0	4.367E-01	4.059E-01	3.808E-01	3.598E-01	3.420E-01
3.50	•0	٠,	•0	•0	.0	• 0	• 0	4.157E-01	3.900E-01	3.686E-01	3.503E-01
3.75	•0	•0	• 0	• 0	.0	0.	• 0	4.248E-01	3.986E-01	3.767E-01	3.581E-01
4.00	•0	•0	•0	•0	0.	• 0	•0	4.333E-01	4.066E-01	3.843E-01	3.653E-01
4.25	•0	• 0	• 0	•0	.0	0.	•0	• 0	4.141E-01	3.914E-01	3.7216-01
4.50	•0	•0	• 0	•0	.0	• 0	•0	• 0	4.212E-01	3.981E-01	3.784E-01
4.75	•0	• 0	• 0	• 0	.0	•0	• 0	• 0	• 0	4.044E-01	3.845E-01
2.00	•0	• 0	• 0	•0	.0	0.	• 0	• 0	• 0	4.104E-01	3.901E-01

					NU VERSUS	IS ETA					
		DELTA	.TA = 0.50		ALPHA =	0.20	PSI	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	.3.0	3.5	0.4	4.5	5.0
0.25	.0	3.499E-01	2.542E-01	2.0956-01	1.823E-01	1.636E-01	1.496E-01	1.387E-01	1.299E-01	1.225E-01	1.163E-01
0.50	.0	4.772E-01	3.493E-01	2.8876-01	2.516E-01	2.259E-01	2.067E-01	1.917E-01	1.7965-01	1.695E-01	1.609E-01
0.75	•0	•0	4.169E-01	3.453E-01	3.012E-01	2.706E-01	2,4786-01	2.299E-01	2.1546-01	2.033E-01	1.931€-01
1.00	•0	•0	4.701E-01	3.9006-01	3.405E-01	3.061E-01	2.803E-01	2.602E-01	2.438E-01	2.302E-01	2.186E-01
1.25	•0	•0	• 0	4.270E-01	3.732E-01	3.356E-01	3.075E-01	2.854E-01	2.675E-01	2.5266-01	2.3996-01
1.50	.0	• 0	•0	4.587E-01	4.011E-01	3.6096-01	3.307E-01	3.0716-01	2.8796-01	2.718E-01	2.582E-01
1.75	•0	•0	•0	4.863E-01	4.255E-01	3.8296-01	3.5116-01	3.260E-01	3.056E-01	2.887E-01	2.743E-01
2.00	.0	•0	•0	•0	4.471E-01	4.025E-01	3.691E-01	3.428E-01	3.2146-01	3.036E-01	2.885E-01
2.25	.0	0.	•0	.0	4.664E-01	4.201E-01	3.8536-01	3.579E-01	3.356E-01	3.170E-01	3.012E-01
2.50	.0	•0	•0	•0	•0	4.3595-01	3.999E-01	3.715E-01	3.484E-01	3.292E-01	3.128€-01
2.75	.0	• 0	•0	•0	• 0	4.5046-01	4.132E-01	3.840E-01	3.602E-01	3.403E-01	3.234E-01
3.00	.0	• 0	• 0	•0	• 0	· c	4.255E-01	3.954E-01	3.709E-01	3.505E-01	3.331E-01
3.25	•0	• 0	•0	•0	• 0	• 0	4.368E-01	4.059E-01	3.808E-01	3.599E-01	3.420E-01
3.50	.0	• 0	•0	•0	• 0	• 0	•0	4.157E-01	3.900E-01	3.686E-01	3.503E-01
3.75	.0	•0	•0	٥.	• 0	• 0	•0	4.248E-01	3.986E-01	3.767E-01	3.581E-01
00.4	.0	.0	• 0	.0	•0	•0	•0	4.333E-01	4.066E-01	3.843E-01	3.653E-01
4.25	.0	•0	•0	•0	• 0	•0	0.	•0	4.141E-01	3.914E-01	3.721E-01
4.50	•0	•0	•0	•0	• 0	•0	۰0	•0	4.212E-01	3.981E-01	3.785E-01
4.75	•	• 0	•0	• 0	.0	.0	• 0	•0	•0	4.044E-01	3.845E-01
2.00	•0	• 0	0	•0	•0	•0	•0	•0	•0	4.104E-01	3. 902E-01

					NU VERSUS	S ETA					
		DELTA	TA = 0.75		ALPHA = 0.20	0.20	PSI	0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•	3.5316-01	2.555E-01	2.102E-01	1.828E-01	1.6396-01	1.4985-01	1.3895-01	1.300E-01	1.227E-01	1.164E-01
0.50	•0	4.800E-01	3.504E-01	2.893E-01	2.5205-01	2.2625-01	2.0696-01	1.9196-01	1.797E-01	1.696E-01	1.610E-01
0.75	•0	.0	4.178E-01	3.458E-01	3.016E-01	2.709E-01	2.480E-01	2.300E-01	2.155E-01	2.0346-01	1.932E-01
1.00	•0	•0	4.708E-01	3.904E-01	3.408E-01	3.063E-01	2.805E-01	2.603E-01	2.4396-01	2.3036-01	2.187E-01
1.25	•0	•0	•0	4.274E-01	3.734E-01	3.358E-01	3.076E-01	2.855E-01	2.676E-01	2.527E-01	2.400E-01
1.50	•0	°0	• 0	4.590E-01	4.0135-01	3.610E-01	3.308E-01	3.0725-01	2.879E-01	2.719E-01	2.583E-01
1.75	•0	•0	•0	4.865E-01	4.256E-01	3.831E-01	3.511E-01	3.261E-01	3.057E-01	2.887E-01	2.743E-01
2.00	•0	0.	•0	•0	4.472E-01	4.026E-01	3.692E-01	3.429E-01	3.215E-01	3.037E-01	2.885E-01
2.25	•0	•0	•0	•0	4.665E-01	4.201E-01	3.853E-01	3.579E-01	3.356E-01	3.1716-01	3.013E-01
2.50	•0	• 0	•0	•0	• 0	4.360E-01	3.999E-01	3.7166-01	3.485E-01	3.292E-01	3.128E-01
2.75	•0	0.	•0	٥.	• 0	4.505E-01	4.133E-01	3.8406-01	3.602E-01	3.403E-01	3.234E-01
3.00	•0	•0	•0	•0	• 0	.0	4.255E-01	3.954E-01	3.709E-01	3.505E-01	3.331E-01
3.25	•0	•0	•0	• 0	.0	.0	4.368E-01	4.060E-01	3.809E-01	3.599E-01	3.420E-01
3.50	•0	•0	•0	•0	•0	0.	.0	4.157E-01	3.901E-01	3.686E-01	3.503E-01
3.75	•0	0.	ċ	•0	• 0	• 0	• 0	4.248E-01	3.986E-01	3.767E-01	3.581E-01
4.00	•0	•0	•0	•0	• 0	• 0	0.	4.333E-01	4.066E-01	3.843E-01	3.653E+01
4.25	•0	°0	•0	•0	•0	• 0	• 0	• 0	4.141E-01	3.914E-01	3.721E-01
4.50	•0	• 0	• 0	•0	• 0	0.	.0	• 0	4.212E-01	3.981E-01	3.785E-01
4.75	•0	• 0	•	•0	• 0	• 0	0.	• 0	• 0	4.044E-01	3.845E-01
2.00	.0	.0	•0	•0	• 0	• 0	• 0	•	• 0	4.104E-01	3.902E-01

					NU VERSUS	S ETA					
		DELTA	TA = 1.00		ALPHA = (0.20	PSI	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	3.565E-01	2.567E-01	2.1095-01	1.832E-01	1.642E-01	1.501E-01	1.391E-01	1.302E-01	1.228E-01	1.1666-01
0.50	•0	4.829E-01	3.515E-01	2.900E-01	2.5245-01	2.265E-01	2.0726-01	1.9216-01	1.7996-01	1.6976-01	1.6116-01
0.75	•0	.0	4.187E-01	3.463E-01	3.0195-01	2.711E-01	2.481E-01	2.302E-01	2.156E-01	2.035E-01	1.932E-01
1.00	•0	.0	4.715E-01	3.908E-01	3.4115-01	3.065E-01	2.807E-01	2.604E-01	2.440E-01	2.304E-01	2.188E-01
1.25	• 0	.0	• 0	4.277E-01	3.736E-01	3.359E-01	3.0776-01	2.856E-01	2.577E-01	2.528E-01	2.401E-01
1.50	•0	0.	.0	4.593E-01	4.0155-01	3.6118-01	3.309E-01	3.072E-01	2.880E-01	2.720E-01	2.583E-01
1.75	•0	• 0	•0	4.868E-01	4.258E-01	3.832E-01	3.512E-01	3.2616-01	3.058E-01	2.888E-01	2.743€-01
2.00	•0	.0	.0	•0	4.473E-01	4.027E-01	3.692E-01	3.429E-01	3.215E-01	3.037E-01	2.886E-01
2.25	•0	•	•0	•0	4.666E-01	4.202E-01	3.854E-01	3.580E-01	3.357E-01	3.1716-01	3.013€-01
2.50	•0	•0	•0	•0	•0	4.3616-01	4.000E-01	3.7166-01	3.485E-01	3.293E-01	3.129€-01
2.75	•0	• 0	•0	•0	•0	4.503E-01	4.133E-01	3.840E-01	3.602E-01	3.403E-01	3.2346-01
3.00	•0	• •	•0	•0	•0	•0	4.256E-01	3.955E-01	3.710E-01	3.505E-01	3.331E-01
3.25	•0	• 0	•0	•0	•0	• 0	4.369E-01	4.060E-01	3.809E-01	3.599E-01	3.421E-01
3.50	•0	• 0	•0	•0	•0	• 0	•0	4.158E-01	3.901E-01	3.686E-01	3.504E-01
3.75	• 0	•0	•0	0.	•0	• 0	•0	4.249E-01	3.986E-01	3.7676-01	3.581€-01
00.4	•0	•	.0	•0	•0	• 0	•0	4.334E-01	4.066E-01	3.843E-01	3.653E-01
4.25	•0	• 0	•0	•0	.0	٠,	•0	.0	4.142E-01	3.9146-01	3.721E-01
4.50	•0	•0	• 0	•0	•0	• 0	• 0	• 0	4.212E-01	3.981E-01	3.785€-01
4.75	•0	• 0	•0	•0	• 0	• 0	•0	•0	•0	4.044E-01	3.845E-01
2.00	.0	•	•0	•0	.0	• 0	.0	.0	• 0	4.104E-01	3.902E-01

3.0 3.5 3.0 2.043E-01 1.898E-01 3.2776E-01 2.579E-01 3.273E-01 3.047E-01	2.0 2.5 472E-01 2.227E-01 366E-01 3.025E-01 419E-01 3.987E-01 4.322E-01 0. 0. 0. 0. 0. 0.		1.5 2.8228 3.8268 0.0 0.0 0.0 0.0
2.043E-01 2.776E-01 3.273E-01	2.227E-01 3.025E-01 3.987E-01 4.322E-01 0. 0. 0. 0. 0.	E-01 E-01 E-01 F-01	
2.776E-01 3.273E-01	3.025E-01 3.987E-01 4.322E-01 0. 0. 0. 0.	E-01 E-01 VER SUS	
3.2786-01	3.571E-01 3.987E-01 4.327E-01 0. 0. 0.	o o	3.960E-01 4.419E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
	3.987E-01 5.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	o o	4.419E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.
3.662E-01 3.405E-01	4.322E-01	VER SUS	0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0
3.970E-01 3.692E-01	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	VER SUS	0. 0. 0. 0. 0. ALPHA = 0
4.226E-01 3.931E-01	0. 0. 0.	VERSUS	0 0 0 0 0
4.444E-01 4.135E-01	0. 0. 0.	VERSUS	00000
0. 4.311E-01	0. 0. ETA	VERSUS	0. 0. 0. ALPHA = 0
.0 .0	0. 0. ETA	VERSUS	O. O. ALPHA = OMEGA 2.0
• 0	0. ETA	VERSUS	O. NU VERSUS ALPHA = OMEGA 2.0
٥.). ETA	VERSUS	NU VERSUS ALPHA = OMEGA 2.0
.0 0.	ETA	VERSUS	NU VERSUS ALPHA = 0 OMEGA 2.0
		1A = 0.4	ALPHA = 0
PSI = 0.20	0+		OMEGA 2.0
		MEGA	2.0
3.0 3.5	2.5		
11 2.049E-01 1.903E-01	2.235E-01		2.838E-01 2.483E-01
01 2.781E-01 2.584E-01	3.0326-01		3.840E-01 3.365E-01
3.283E-01 3.051E-01	3.5776-01		4.522E-01 3.967E-01
3.665E-01 3.407E-01	3.992E-01		0. 4.425E-01 3
3.973E-01 3.694E-01	4.325E-01	4	0. 0. 4
4.228E-01 3.933E-01	• 0	0	0. 0.
4.446E-01 4.136E-01	• 0	0	0 0 0
0. 4.312E-01	• 0	0	.0 .0
.0	• 0		0• 0•
.0	• 0		.0 .0
.0 0.	• 0		.0
.0	• 0		.0

					NU VERSUS	S ETA					
		DELTA	TA = 0.50		ALPHA =	0.40	ISd	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	4.632E-01	3.438E-01	2.855E-01	2.495E-01	2.243E-01	2.055E-01	1.9085-01	1.788E-01	1.688E-01	1.604E-01
0.50	•0	• 0	4.622E-01	3.855E-01	3.3758-01	3.039E-01	2.787E-01	2.588E-01	2.427E-01	2.293E-01	2.178E-01
0.75	•0	• 0	•0	4.533E-01	3.975E-01	3.582E-01	3.287E-01	3.054E-01	2.865E-01	2.7076-01	2.573E-01
1.00	•0	٥٠	•0	• 0	4.431E-01	3.996E-01	3.668E-01	3.410E-01	3.200E-01	3.024E-01	2.874E-01
1.25	•0	• 0		.0	• 0	4.329E-01	3.975E-01	3.696E-01	3.469E-01	3.279E-01	3.117E-01
1.50	•0	•0	3.	•0	•	.0	4.231E-01	3.935E-01	3.693E-01	3.4916-01	3.3196-01
1.75	•0	•0	•	• 0	•	• 0	4.448E-01	4.138E-01	3.884E-01	3.672E-01	3.492E-01
2.00	•0	•0	• 0	• 0	• 0	• 0	•0	4.314E-01	4.050E-01	3.829E-01	3.641E-01
2.25	•0	•0	•0	• 0	• 0	• 0	• 0	• 0	4.196E-01	3.967E-01	3.773E-01
2.50	•0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	4.090E-01	3.890E-01
2.75	•0	• 0	•0	.0	• 0	.0	• 0	• 0	• 0	• 0	3.995E-01
3.00	•0	.0	•0	•0	• 0	• 0	• 0	• 0	• 0	• 0	4.090E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.75		ALPHA = 0.40	04.0	ISd	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	4.708E-01	3.468E-01	2.873E-01	2.506E-01	2.252E-01	2.062E-01	1.913E-01	1.792E-01	1.692E-01	1.607E-01
0.50	•0	•0	4.647E-01	3.869E-01	3.385E-01	3.046E-01	2.792E-01	2.593E-01	2.431E-01	2.296E-01	2.181E-01
0.75	•0	0.	0.	4.545E-01	3.983E-01	3.588E-01	3.291E-01	3.058E-01	2.868E-01	2.710E-01	2.575€-01
1.00	•0	•0	•0	•0	4.4376-01	4.001E-01	3.672E-01	3.413E-01	3.202E-01	3.026E-01	2.876E-01
1.25	•0	• 0	•0	.0	.0	4.332E-01	3.978E-01	3.698E-01	3.471E-01	3.280E-01	3.118E-01
1.50	•0	.0	•0	• 0	.0	• 0	4.233E-01	3.936E-01	3.694E-01	3.492E-01	3.320E-01
1.75	•0	• 0	•0	.0	.0	• 0	4.450E-01	4.139E-01	3.885E-01	3.673E-01	3.492E-01
2.00	0.	• 0	• 0	.0	.0	.0	• 0	4.315E-01	4.051E-01	3.830E-01	3.642E-01
2.25	•0	0.	•0	0.	• 0	•	• 0	.0	4.196E-01	3.968E-01	3.773E-01
2.50	•0	•0	• 0	•0	• 0	• 0	•0	.0	•0	4.091E-01	3.890E-01
2.75	•0	• 0	• 0	•0	.0	0	•0	.0	•0	•0	3.996E-01
3.00	•0	•0	• 0	0.	• 0	.0	• 0	0.	•0	.0	4.091E-01

					NU VERSUS	S ETA					
		DELTA	TA = 1.00		ALPHA = 0.40	0,.0	1 S d	02.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	4.7865-01	3.4995-01	2.890E-01	2.5186-01	2.260E-01	2.068E-01	1.9185-01	1.7976-01	1.695E-01	1.610E-01
0.50	•0	• 0	4.673E-01	3.884E-01	3.395E-01	3.053E-01	2.7985-01	2.597E-01	2.4346-01	2.299E-01	2.183E-01
0.75	•0	• 0	• 0	4.5566-01	3.990E-01	3.594E-01	3.296E-01	3.061E-01	2.871E-01	2.712E-01	2.577E-01
1.00	•0	• 0	.0	٥.	4.4435-01	4.005E-01	3.675E-01	3.416E-01	3.204E-01	3.028E-01	2.877E-01
1.25	•0	• 0	•0	•0	•0	4.336E-01	3.981E-01	3.701E-01	3.4726-01	3.282E-01	3.119€-01
1.50	0.	٠,	•	.0	• 0	• 0	4.235E-01	3.938E-01	3.696E-01	3.494E-01	3.321E-01
1.75	•0	•	•0	٥.	• 0	.0	4.452E-01	4.140E-01	3.886E-01	3.6746-01	3.493E-01
2.00	• 0	•	·	.0	• 0	• 0	• 0	4.316E-01	4.052E-01	3.831E-01	3.643€-01
2.25	3.	٠,	•	•0	•0	• 0	• 0	• 0	4.197E-01	3.969E-01	3.774E-01
2.50	0.		•0	•0	• 5	c	• 0	• 0	•0	4.092E-01	3.891E-01
2.75	•0		• 0	•0	• 0	• 0	•0	• 0	• 0	• 0	3.996E-01.
3.00	•0	ر.	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	4.091E-01
					NU VERSUS ETA	S ETA					
		DEL	ELTA = 0.		ALPHA = (0.60	PSI	I = 0.20			
					OMEGA						
ETA	0.0	0.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	.0	5.1446-01	3.9495-01	3.3248-01	2.9265-01	2.643E-01	2.429E-01	2.260E-01	2.121E-01	2.006E-01	1.907E-01
0.50	.0	٥	•	4.443E-01	3.9145-01	3.537E-01	3.2525-01	3.026E-01	2.842E-01	2.688E-01	2.556E-01
0.75	.0	٠.	·C	٠,	4.5655-01	4.128E-01	3.796E-01	3.5336-01	3.3196-01	3.139E-01	2.985E-01
1.00	.0	٠.	.0	٠,	• 0	4.565E-01	4.1995-01	3.909E-01	3.672E-01	3.4736-01	3.304E-01
1.25	.0	• 0		• 0	• 0	• 0	.0	4.204E-01	3.750E-01	3.736E-01	3.5546-01
1.50	•0	٥	· 0	• 0	.0	٠.	.0	• 0	4.177E-01	3.951E-01	3.7596-01
1.75	•0	٠.	· c·	٠	.0	.0	0.	• 0	• 0	4.132E-01	3.931E-01
2.00	•0	٠	•	• 0	.0	0.	ċ	• 0	• 0	• 0	4.078E-01

					NU VERSUS	IS ETA					
		וח	DELTA = 0.25		ALPHA = 0.60	09.0	Sd	PSI = 0.20			
					OMEGA						
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
	•0	•0	3.994E-01	3.352E-01	2.9445-01	2.656E-01	2.439E-01	2.268E-01	2.128E-01	2.012E-01	1.912E-01
	•0	0.	0.	4.466E-01	3.9295-01	3.549E-01	3.261E-01	3.033E-01	2.848E-01	2.6935-01	2.560E-01
	• 0	٥.	•0	•0	4.577E-01	4.136E-01	3.8036-01	3.539E-01	3.3236-01	3.142E-01	2.989E⊢01
	•0	.0	•0	•0	•0	•0	4.204E-01	3.913E-01	3.675E-01	3.476E-01	3.306E-01
	•0	• 0	•0	•0	0.	•0	.0	4.208E-01	3.952E-01	3.739E-01	3.556E-01
	.0	° 2	•0	•0	• 0	•0	•0	•0	4.179E-01	3.953E-01	3.761E-01
1.75	•0	.0	•0	•0	• 0	0.	• 0	• 0	•0	4.133E-01	3.932E-01
	•0	.0	•0	•0	•0	•0	• 0	• 0	•0	.0	4.0796-01
					NU VERSUS ETA	S ETA					
		90	DELTA = 0.50		ALPHA = 0.60	09.0	PSI	1 = 0.20			
					OMEGA						
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
	•0	٠ ن	4.042E-01	3.380E-01	2.963E-01	2.670E-01	2.450E-01	2.277E-01	2.136E-01	2.018E-01	1.918E-01
	•0		ċ	4.488E-01	3.9446-01	3.560E-01	3.270E-01	3.040E-01	2.854E-01	2.697E-01	2.564E-01
	•0		•0	•0	4.588E-01	4.145E-01	3.8096-01	3.5446-01	3.327E-01	3.146E-01	2.992E-01
1.00	•0		•0	ů.	•0	•0	4.209E-01	3.917E-01	3.6795-01	3.4796-01	3.3096-01
	•0	٠.	• 0	•0	• 0	•0	• 0	4.2116-01	3.955E-01	3.7416-01	3.558E-01
	• 0		•0	•0	• 0	0.	• 0	.0	4.181E-01	3.955E-01	3.762E-01
	• 0		•	0.	.0	0.	• 0	• 0	•0	4.135E-01	3.933E-01
	•0	•	•	•0	.0	•0	• 0	.0	0.	• 0	4.080E-01

					NU VERSUS	S E'TA					
		DEC	DELTA = 0.75		ALOHA = 0.60	09.0	18d	0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.091E-01	3.408E-01	2.982E-01	2.6845-01	2.461E-01	2.285E-01	2.143E-01	2.024E-01	1.9235-01
0.50	• 0		• 0	4.5116-01	3.960E-01	3.5716-01	3.278E-01	3.047E-01	2.859E-01	2.702E-01	2.569E-01
0.75	•0		• 0	• 0	4.6005-01	4.1546-01	3.816E-01	3.5498-01	3.332E-01	3.150E-01	2.995E-01
1.00	• 0	•	•0	• 0	.0	.0	4.214E-01	3.9216-01	3.682E-01	3.482E-01	3.3116-01
1.25	0.		•0	• 0	•0	.0	0.	4.214E-01	3.958E-01	3.743E-01	3.560E-01
1.50	•0		• 0	• 0	.0.	.0	.0	0.	4.183E-01	3.957E-01	3.764E-01
1.75	• 0		• 0	0	0.	• 0	• 0	• 0	• 0	4.136E-01	3.934E-01
2.00	•0		· 0	• 0	• 0	• 0	• 0	•0	•0	• 0	4.081E-01
					NU VERSUS ETA	S ETA					
		DE	DELTA = 1.00		ALPHA = 0.60	09.0	PS	PSI = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0.25	•0	• 0	4.142E-01	3.438E-01	3.002E-01	2.6995-01	2.4725-01	2.294E-01	2.150E-01	2.030E-01	1.928E-01
0.50	•0	• 0	• 0	4.534E-01	3.975E-01	3.5835-01	3.287E-01	3.055E-01	2.865E-01	2.707E-01	2.5736-01
0.75	•0	• 0	• 0	• 0	4.612E-01	4.162E-01	3.823E-01	3.555E-01	3.336E-01	3.154E-01	2.998€-01
1.00	•0	• 0	•0	•0	• 0	.0	4.219E-01	3.925E-01	3.686E-01	3.485E-01	3.314E-01
1.25	•0	• 0	•0	• 0	• 0	• 0	• 0	4.217E-01	3.960E-01	3.745E-01	3.562E-01
1.50	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0	4.185E-01	3.958E-01	3.765E-01
1.75	•0	• 0	• 0	•0	• 0	• 0	•0	•0	•0	4.137E-01	3.936E-01
2.00	• 0	•	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	4.082E-01

					NU VERSUS	US ETA					
			DELTA = 0.		ALPHA =	0.80	I S d	I = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.370E-01	3.705E-01	3.2735-01	2.964E-01	2.7285-01	2.541E-01	2.388E-01	2.260E-01	2.150E-01
0.50	•0	• 0	• 0	•0	4.326E-01	3.919E-01	3.608E-01	3.361E-01	3.159E-01	2.990E-01	2.845E-01
0.75	• 0	0	• 0	•0	• 0	4.531E-01	4.172E-01	3.888E-01	3.654E-01	3.458E-01	3.291E-01
1.00	•0	• 0	•	•0	• 0	• 0	.0	4.269E-01	4.013E-01	3.798E-01	3.614E-01
1.25	• 0	٠.	• 0	•0	• 0	• 0	•0	• 0	• 0	4.061E-01	3.864E-01
1.50	• 0	٥	•0	•0	• 0	• 0	•0	•0	• 0	• 0	4.066E-01
					NU VERSUS ETA	S ETA					
		J	DELTA = 0.25		ALPHA = (0.30	PSI	I = 0.20			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	• 0	4.432E-01	3.742E-01	3.2935-01	2.983E-01	2.743E-01	2.553E-01	2.398E-01	2.268E-01	2.157E-01
0.50	•0	°	•0	• 0	4.346E-01	3.934E-01	3.620E-01	3.3716-01	3.167E-01	2.996E-01	2.850E-01
0.75	٠٥.		• 0	•0	•0	4.542E-01	4.181E-01	3.895E-01	3.660E-01	3.463E-01	3.295E-01
1.00	•0	• 0	• 0	٥.	• 0	• 0	• 0	4.274E-01	4.017E-01	3.802E-01	3.617E-01
1.25	•0	• 0	•0	•0	• 0	.0	• 0	• 0	•0	4.063E-01	3.867E-01
1.50	• 0	• 0	• 0	• 0	.0	• 0	•0	• 0	• 0	• 0	4.068E-01
					NU VERSUS ETA	S ETA					
		J	DELTA = 0.50		ALPHA = (0.80	PS	PSI = 0.20			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.497E-01	3.781E-01	3.325E-01	3.002E-01	2.758E-01	2.566E-01	2.408E-01	2.277E-01	2.165E-01
0.50	•0	• 0	• 0	0.	4.367E-01	3.9495-01	3.632E-01	3.380E-01	3.175E-01	3.003E-01	2.856E-01
0.75	•0	• 0	ċ	• 0	• 0	4.553E-01	4.190E-01	3.902E-01	3.666E-01	3.468E-01	3.299E-01
1.00	•0	• 0	.0	• 0	•0	•0	•0	4.279E-01	4.022E-01	3.805E-01	3.621E-01
1.25	•0	٥	• 0	•0	•0	0.	•0	•0	• 0	4.066E-01	3.869E-01
1.50	•0	٠.	• 0	•0	•0	• 0	•0	• 0	• 0	•0	4.070E-01

					NU VERSUS	IS ETA					
			DELTA = 0.75		ALPHA = 0.80	0.80	S.A	PSI = 0.20			
					OMEGA						
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
	• 0	• 0	4.564E-01	3.8215-01	3.352E-01	3.022E-01	2.774E-01	2.578E-01	2.418E-01	2.285E-01	2.172E-01
	• 0	• 0	°C	•0	4.387E-01	3.964E-01	3.644E-01	3.390E-01	3.183E-01	3.010E-01	2.862E-01
0.75	• 0	• 0	• 0	.0	•	4.564E-01	4.198E-01	3.909E-01	3.672E-01	3.473E-01	3.304E-01
	• 0	0	ڻ	.0	٥.	0.	• 0	4.285E-01	4.026E-01	3.809E-01	3.624E-01
	•0	٠	٠	•0	• 0	.0	• 0	• 0	• 0	4.069E-01	3.872E-01
1.50	•0	0	• 0	• 0	• 0	•0	• 0	• 0	•0	.0	4.072E-01
					NU VERSUS ETA	S ETA					
			DELTA = 1.00		ALPHA =	0.80	ISd	I = 0.20			
					OMEGA						
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	• 0	4.635E-01	3.862E-01	3.380E-01	3.0436-01	2.789E-01	2.591E-01	2.429E-01	2.294E-01	2.180E-01
0.50	• 0	•	٠	.0	4.4085-01	3.980E-01	3.656E-01	3.40CE-01	3.191E-01	3.017E-01	2.868E-01
0.75	•0	• 0	•0	٠.	• 0	.0	4.207E-01	3.916E-01	3.677E-01	3.478E-01	3.308E-01
1.00	•0	٠	ó	• 0	• 0	• 0	•0	4.290E-01	4.030E-01	3.813E-01	3.627E-01
	•0	٥٠	• 0	•0	• 0	.0	•0	• 0	• 0	4.072E-01	3.874E-01
	•0	• 0	• 0	• 0	• 0	• 0	٠	• 0	• 0	• 0	4.073E-01
					NU VERSUS ETA	IS ETA					
			DELTA = 0.		ALPHA = 1.00	1.00	PS	PSI = 0.20			
					V SEW U						
	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
	•0	• 0	4.7008-01	4.008E-01	3.5538-01	3.224E-01	2.972E-01	2.772E-01	2.607E-01	2.468E-01	2.350E-01
0.50	0.	.0	٠	•0	4.6475-01	4.2195-01	3.890E-01	3.6275-01	3.411E-01	3.230E-01	3.075E-01
	0.	c	• 0	.0	• 0	٥.	0.	4.162E-01	3.9156-01	3.707E-01	3.529E-01
1.00	•0	• 0	٠٥.	• •	0	• 0	• 0	• 0	• 0	4.047E-01	3.852E-01

				_	-	_						-1	1	-	_					-	-	1	-
			5.0	2.359€-01	3.082E-01	3.534E-01	3.856E-01				5.0	2.369E-01	3.0896-01	3.539E-01	3.860E-01				5.0	2.3785-01	3.097€-01	3.544E-01	3.864E-01
			4.5	2.479E-01	3.238E-01	3.7136-01	4.051E-01				4.5	2.490E-01	3.247E-01	3.719E-01	4.0556-01				4.5	2.502E-01	3.255E-01	3.7256-01	4.060E-01
			0.4	2.620E-01	3.421E-01	3.922E-01	• 0				0.4	2.633E-01	3.431E-01	3.929E-01	• 0				4.0	2.646E-01	3.441E-01	3.936E-01	•0
	PSI = 0.20		3.5	2.7875-01	3.6396-01	4.171E-01	•0		PSI = 0.20		3.5	2.803E-01	3.651E-01	4.1796-01	• 0		PSI = 0.20		3.5	2.819E-01	3.663E-01	4.188E-01	• 0
	PS		3.0	2.9916-01	3.9046-01	• 0	•0		PS		3.0	3.011E-01	3.919E-01	• 0	•0		PS		3.0	3.C31E-01	3.9346-01	.0	•0
S ETA	00.1		2.5	3.248E-01	4.237E-01	• 0	•0	S ETA	1.00		2.5	3.274E-01	4.256E-01	• 0	• 0	IS ETA	1.00		2.5	3.299E-01	4.275E-01	• 0	•0
NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.5856-01	4.6746-01	• 0	•0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.61 9E-01	• 0	• 0	• 0	NU VERSUS ETA	ALPHA = 1.00	DMEGA	2.0	3.6542-01	0.	.0	.0
			1.5	4.055E-01	•0	•0	•0				1.5	4.104E-01	• 0	• 0	• 0				1.5	4.155E-01	•	• 0	•0
	DELTA = 0.25		1.0	4.7776-01	٠	• 0	•0		DELTA = 0.50		1.0	4.858E-01	•0	• 0	•0		DELTA = 0.75		1.0	4.943E-01	٥.	• 0	ċ
	90		0.5	ó	•	ċ	· 0		٥		0.5	.0	• 0	.0	٥		Ω		0.5	0	• 0	•	٥.
			0.0	•0	•0	•	•0				0.0	0.	•0	•0	•				0.0	•0	•0	• 0	2.
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00

			2.0	2.388E-01	3.104E-01	3.550E-01	3.867E-01																
			2					0	•0	0	0	0	0	0	0	•0	0	0	0	0	0	0	0
			4.5	2.513E-01	3.264E-01	3.7316-01	4.064E-01	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
			0.4	2.660E-01	3.451E-01	3.943E-01	• 0	• 0	•0	• 0	• 0	• 0	• 0	.0	.0	• 0	•0	•0	• 0	• 0	• 0	•0	• 0
	= 0.20		3.5	2.835E-01	3.6758-01	4.1975-01	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
	PSI		3.0	3.051E-01	3.949E-01	0.	.0	0.	• 0	.0	• 0	• 0	.0	.0	• 0	• 0	•0	.0	•0	0.	.0	.0	• 0
ETA	1.00		2.5	3.326E-01	4.294E-01	•0	0.	.0	0.	٥.	• 0	·c	.0	.0	.0	.0	0.	.0	• 0	•0	0.	• 0	• 0
NU VERSUS	ALPHA = 1	OMEGA	2.0	3.6905-01	•0	0.			• 0	.0	.0	.0	• 0	0.	• 0	•0	• 0	.0	•	•0	•0	•0	• 0
			1.5	4.208E-01	0.	0	.0	•0	•0	•0	• 0	• 0	• 0	0.	•0		•0	•	•0	•0	•0	•	• 0
	1A = 1.00		1.0	5.033E-01	ċ	0	• 0	Ů	•0	.0	•0	•0	0.	.0	•0	•0	•	0	·c	0	.0	. 0	•0
	DELIA		0.5																				
			0.0	Ċ			. 0		. 0	•0	0	0.	0	0		. 0	. 0	0				; ;	. 0
			FIA	0.25	0.50	75	1,00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3,25	3.50	3.75	00.4	4.25	4.50	4.75	2.00

				-	_		_	_	_	_		_				10.0		10000					
			5.0	1.1536-01	1.587E-01	1.894E-01	2.135E-01	2.333E-01	2.501E-01	2.647E-01	2.775E-01	2.889E-01	2.991E-01	3.084E-01	3.169E-01	3.247E-01	3.3186-01	3.385E-01	3.447E-01	3.504E-01	3.558E-01	3.609E-01	3.657E-01
			4.5	1.214E-01	1.671E-01	1.9946-01	2.248E-01	2.456E-01	2.633E-01	2.786E-01	2.921E-01	3.040E-01	3.148E-01	3.246E-01	3.334E-01	3.416E-01	3.491E-01	3.561E-01	3.626E-01	3.686E-01	3.743E-01	3.796E-01	3.847E-01
			4.0	1.287E-01	1.7705-01	2.112E-01	2.380E-01	2.601E-01	2.7886-01	2.950E-01	3.092E-01	3.218E-01	3.332E-01	3.435E-01	3.529E-01	3.615E-01	3.694E-01	3.768E-01	3.836E-01	3.900E-01	3.960E-01	4.016E-01	•0
	05.0 = I		3.5	1.373E-01	1.889E-01	2.254E-01	2.540E-01	2.775E-01	2.974E-01	3.146E-01	3.297E-01	3.432E-01	3.553E-01	3.662E-01	3.762E-01	3.853E-01	3.938E-01	4.016E-01	4.088E-01	.0	• 0	• 0	.0
	ISd		3.0	1.481E-01	2.036E-01	2.429E-01	2.736E-01	2.9895-01	3.202E-01	3.387E-01	3.550E-01	3.694E-01	3.824E-01	3.941E-01	4.C48E-01	4.146E-01	4.236E-01	• 0	.0	•0	.0	.0	• 0
S ETA	0.20		2.5	1.618E-01	2.224E-01	2.652E-01	2.987E-01	3.261E-01	3.4946-01	3.695E-01	3.871E-01	4.0285-01	4.168E-01	4.2955-01	4.411E-01	• 0	• 0	.0	• 0	0.	0.	0.	• 0
NU VERSUS	ALPHA =	OMEGA	2.0	1.8025-01	2.4768-01	2.9515-01	3.3226-01	3.626-01	3.883E-01	4.104E-01	4.2995-01	4.472E-01	4.6265-01	0.	.0	•0	• 0	0.	• 0	• 0	• 0	•0	• 0
			1.5	2.068E-01	2.838E-01	3.380E-01	3.802E-01	4.148E-01	4.4396-01	4.690E-01	•0	•0	•0	•0	•0	•0	• 0	•0	0.	0.	•0	•0	.0
	DELTA = 0.		1.0	2.501E-01	3.427E-01	4.076E-01	4.579E-01	4.988E-01	•0	• 0	• 0	• 0	• 0	0.	•0	• 0	• 0	0.	.0	0.	• 0		• 0
	DEL		0.5	3.414E-01	4.6575-01	5.516E-01	0.	.0	.0	.0	• 0	•0	• 0	• 0	٠.	• 0				•0	• 0	• 0	٠.
			0.0	.0	.0	.0	•0	•0	•0	••0	•0	•0	•0			•0				•0	0.	•0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25		2.75		3.25	3.50	3.75		4.25	4.50		2.00

					NU VERSUS	IS ETA					
		DELTA	TA = 0.25		ALPHA =	0.20	PSI	04.0 = I			
					DWEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	3.	3.444E-01	2.5135-01	2.0746-01	1.8063-01	1.6215-01	1.483E-01	1.375E-01	1.288E-01	1.216E-01	1.1546-01
0.50	•0	4.683E-01	3.438E-01	2.8446-01	2.4805-01	2.227E-01	2.038E-01	1.8915-01	1.771E-01	1.6725-01	1.588E-01
0.75	°c	5.538E-01	4.085E-01	3.385E-01	2.9548-01	2.655E-01	2.431E-01	2.256E-01	2.113E-01	1.995E-01	1.895E-01
1.00	•0	• 0	4.586E-01	3.806E-01	3.3242-01	2.9895-01	2.738E-01	2.541E-01	2.381E-01	2.248E-01	2.135E-01
1.25	•0	• 0	4.994E-01	4.1516-01	3.6285-01	3.2636-01	2.990E-01	2.776E-01	2.602E-01	2.457E-01	2.334E-01
1.50	•0	• 0	٥.	4.442E-01	3.884E-01	3.495E-01	3.204E-01	2.974E-01	2.788E-01	2.633E-01	2.502E-01
1.75	•0	• 0	• 0	4.632E-01	4.106E-01	3.696E-01	3.388E-01	3.147E-01	2.950E-01	2.786E-01	2.647E-01
2.00	•0	· 0	• 0	.0	4.3005-01	3.8725-01	3.550E-01	3.298E-01	3.092E-01	2.921E-01	2.775E-01
2.25	2.	• 0	ċ	0.	4.4735-01	4.0285-01	3.695E-01	3.432E-01	3.219E-01	3.041E-01	2.889E-01
2.50	•0	• 0	٠0	•0	4.6275-01	4.169E-01	3.824E-01	3.553E-01	3.332E-01	3.148E-01	2.992E-01
2.75	.0	•0	• 0	•0	.0	4.296E-01	3.941E-01	3.662E-01	3.435E-01	3.246E-01	3.085E-01
3.00	•0	• 0	• 0	0.	.0	4.412E-01	4.C48E-01	3.762E-01	3.529E-01	3.335E-01	3.169E-01
3.25	.0	٥.	ċ	• 0	• 0	• 0	4.146E-01	3.8546-01	3.615E-01	3.416E-01	3.247E-01
3.50	• 0	• 0	• 0	•0	• 0	• 0	4.237E-01	3.938E-01	3.695E-01	3.492E-01	3.319E-01
3.75	0.0	.0	.0	•0	•0	•0	• 0	4.016E-01	3.768E-01	3.561E-01	3.385E-01
4.00	• 0	• 0	·	• 0	•0	• 0	•	4.089E-C1	3.837E-01	3.626E-01	3.447E-01
4.25	• 0	• 0	ċ.	٥.	• 0	• 0	• 0	• 0	3.900E-01	3.6876-01	3.504E-01
4.50	.0	•	0.	٥.	• 0	• 0	•0	•	3.960E-01	3.7435-01	3.559E-01
4.75	°°.	• 0	0.	• 0	• 0	• 0	• 0	• 0	4.016E-01	3.797E-01	3.609E-01
2.00	0.	ů		٥.	.0	° c	• 0	•0	• 0	3.847E-01	3.657E-01

					NU VERSUS	IS ETA					
		DELTA	.TA = 0.50		ALPHA =	0.20	1 S d	04.0 = 1			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•	3.475E-01	2.525E-01	2.081E-01	1.8116-01	1.624E-01	1.486E-01	1.3776-01	1.290E-01	1.2176-01	1.155E-01
0.50	•0	4.711E-01	3.449E-01	2.850E-01	2.4845-01	2.230E-01	2.041E-01	1.893E-01	1.773E-01	1.673E-01	1.589E-01
0.75	•0	5.560E-01	4.093E-01	3.390E-01	2.957E-01	2.657E-01	2.433E-01	2.257E-01	2.115E-01	1.996E-01	1.896E-01
1.00	•0	٥.	4.593E-01	3.811E-01	3.327E-01	2.991E-01	2.739E-01	2.542E-01	2.382E-01	2.249E-01	2.136E-01
1.25	•0	• 0	5.000E-01	4.154E-01	3.630E-01	3.265E-01	2.991E-01	2.777E-01	2.602E-01	2.457E-01	2.334E-01
1.50	•0	• 0	•0	4.445E-01	3.886E-01	3.497E-01	3.205E-01	2.975E-01	2.789E-01	2.634E-01	2.502E-01
1.75	• 0	•	• 0	4.695E-01	4.108E-01	3.697E-01	3.3895-01	3.147E-01	2.951E-01	2.787E-01	2.648E-01
2.00	•0	• 0	•0	• 0	4.302E-01	3.8735-01	3.551E-01	3.298E-01	3.093E-01	2.921E-01	2.776E-01
2.25	•0	•	•0	• 0	4.474E-01	4.029E-01	3.695E-01	3.433E-01	3.219E-01	3.041E-01	2.890E-01
2.50	•0	• 0	0.	• 0	4.628E-01	4.170E-01	3.825E-01	3.553E-01	3.333E-01	3.1496-01	2.992E-01
2.75	•0	• 0	•0	•0	•0	4.297E-01	3.942E-01	3.663E-01	3.436E-01	3.246E-01	3.085E-01
3.00	•0	٠	•0	•0	•0	4.412E-01	4.049E-01	3.762E-01	3.5296-01	3.335E-01	3.169€-01
3.25	•0	• 0	•0	·	٥.	٥.	4.147E-01	3.8546-01	3.616E-01	3.417E-01	3.247E-01
3.50	•0	•	• 0	• 0	•0	• 0	4.237E-01	3.938E-01	3.695E-01	3.492E-01	3.3196-01
3.75	•0	•	٠	•0	•0	٥.	• 0	4.016E-01	3.7686-01	3.561E-01	3.385E-01
4.00	•0	• 0	• 0	•0	•0	• 0	• 0	4.089E-01	3.8376-01	3.626E-01	3.447E-01
4.25	•0	•	• 0	•0	.0	•0	• 0	• 0	3.9016-01	3.687E-01	3.505E-01
4.50	•0	•	•0	•0	.0	•0	.0	• 0	3.960E-01	3.7436-01	3.5596-01
4.15	•0	•	• 0	•0	.0	.0	• 0	• 0	4.016E-01	3.797E-01	3.609E-01
2.00	•0	•	•	• 0	.0	• 0	•0	•0	.0	3.847E-01	3.657E-01

			NU VERSUS	US ETA					
DEL	DELTA = 0.75		ALPHA =	= 0.20	6 d	PSI = 0.40			
			OMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
3.5071-01	2.537E-01	2.088E-01	1.8152-01	1.6285-01	1.488E-01	1.3796-01	1.291E-01	1.218E-01	1.156E-01
4.7385-01	3.453E-01	2.856E-01	2.4486-01	2.233E-01	2.C43E-01	1.894E-01	1.7746-01	1.674E-01	1.590E-01
5.582E-01	4.102E-01	3.395E-01	2.9615-01	2.659E-01	2.435E-01	2.258E-01	2.116E-01	1.997E-01	1.897E-01
٠	4.600E-01	3.815E-01	3.330E-01	2.993E-01	2.7416-01	2.543E-01	2.383E-01	2.250E-01	2.137E-01
• 0	5.006E-01	4.158E-01	3.6325-01	3.266E-01	2.992E-01	2.778E-01	2.603E-01	2.4586-01	2.335E-01
•	٥	4.447E-01	3.8885-01	3.498E-01	3.206E-01	2.976E-01	2.790E-01	2.635E-01	2.503E-01
• 0	• 0	4.697E-01	4.109E-01	3.698E-01	3.390E-01	3.148E-01	2.951E-01	2.787E-01	2.648E-01
• 0	• 0	• 0	4.303E-01	3.8746-01	3.552E-01	3.299E-01	3.093E-01	2.922E-01	2.776E-01
• 0	•0	• 0	4.475E-01	4.030E-01	3.696E-01	3.433E-01	3.220E-01	3.041E-01	2.890E-01
.0	• 0	• 0	4.6295-01	4.170E-01	3.825E-01	3.554E-01	3.333E-01	3.149E-01	2.992E-01
• 0	•0	0.	• 0	4.297E-01	3.942E-01	3.663E-01	3.436E-01	3.246E-01	3.085E-01
• 0	•0	• 0	• 0	4.413E-01	4.049E-01	3.763E-01	3.530E-01	3.335E-01	3.170E-01
• 0	• 0	.0	• 0	• 0	4.147E-01	3.854E-01	3.616E-01	3.417E-01	3.247E-01
• 0	0.	.0	0.	• 0	4.237E-01	3.938E-01	3.695E-01	3.492E-01	3.319E-01
° 0	• 0	.0	• 0	• 0	• 0	4.016E-01	3.769E-01	3.562E-01	3-385E-01
•	• 0	• 0	.0	0.	•0	4.089E-01	3.837E-01	3.626E-01	3.447F-01
• 0	• 0	• 0	• 0	• 0	0.	•0	3.901E-01	3.687E-01	3.505E-01
٥	• 0	• 0	• 0	•0	0.	.0	3.960E-01	3.744E-01	3.559€-01
• 0	• 0	•0	0.	• 0	.0	0.	4.017E-01	3.797E-01	3.609E-01
• 0	• 0	• 0	• 0	.0	0.	• 0	0.	3.847E-01	3.657F-01

			5.0	1.158E-01	1.591E-01	1.897E-01	2.138E-01	100	2.335E-01	2.503E-01	2.649E-01	2.776E-01	2.890E-01	2.993E-01	3.085E-01	3.170E-01	3.247E-01	3.319E-01	3.385E-01	3.447E-01	3.505E-01	3.559€-01	3.609€-01	3.657E-01
			4.5	1.220E-01	1.676E-01	1.998E-01				2.635E-01	2.788E-01	2.922E-01	3.042E-01	3.149E-01	3.247E-01	3.335E-01	3.417E-01	3.492E-01	3.562E-01	3.627E-01	3.687E-01	3.744E-01	3.797E-01	3.847E-01
			4.0	1.293E-01	1.7765-01	2.117E-01	10 1700	2.384E-01	2.604E-01	2.791E-01	2.952E-01	3.094E-01	3.220E-01	3.333E-01	3.436E-01	3.530E-01	3.616E-01	3.695E-01	3.769E-01	3.837E-01	3.901E-01	3.961E-01	4.017E-01	• 0
	0 - 0 - 0		3.5	1.381E-01	1.896E-01	2-260E-01		2.545E-01	2.779E-01	2.977E-01	3.149E-01	3.300E-01	3.434E-01	3.554E-01	3.664E-01	3.763E-01	3.854E-01	3.939E-01	4.017E-01	4.089E-01	• 0	• 0	• 0	• 0
	ISd		3.0	1.4916-01	2.C45E-01	2. 436E-01		2.742E-01	2.994E-01	3.207E-01	3.391E-01	3.553E-01	3.697E-01	3.826E-01	3.943E-01	4.050E-01	4.147E-01	4.238E-01	•0	• 0	0.	•0	•0	·o
S ETA	0.20		2.5	1.631E-01	2.236E-01	10-3677	10-3780.7	2.995E-01	3.268E-01	3.499E-01	3.699E-01	3.875E-01	4.031E-01	4.171E-01	4.298E-01	4.413E-01	.0	•	•0	• 0	• 0	• 0	• 0	• 0
NU VERSUS	ALPHA = (OMEGA	2.0	1.820E-01	2.492F-01		7.4045-01	3.333E-01	3.6358-01	3.890E-01	4.111E-01	4.304E-01	4.4766-01	4.630E-01	• 0	•	•0	• 0	•0	• 0	•	•0	•	•
			1.5	2.095E-01	2 842E-01		3.400E-01	3.819E-01	4.161E-01	4.450E-01	4.699E-01	٥.	•0	•0	•0	•0	•0	•	•	•0	•0	0	•0	• 0
	TA = 1.00		1.0	2.550F=(1)	10-3067 6		4.111E-01	4.607E-01	5.012E-01	0	•0	•0	•0	•	•	•0	•	•0	• 0	•0	ċ	•0	0	.0
	DELTA		0	10-30/3	10-101-0	4. (6/6-01	5.605E-01	0.	0		•0	•0	0	•0	0				. 0					
			c	•	•	•0	• 0	•0	•0	0		. 0	· c			• 6							• •	
				4	67.0	0.50	51.0	00.1	1.25	1.50	1.75	2.00	2.25	2.50	2 75		2000	2 4	37.5	00	20 4			5.00

					NU VERSUS	JS ETA					
		DEL	DELTA = 0.		ALPHA = 0.40	0.40	PSI	04.0 = 1			
					UMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•	4.435E-01	3.336E-01	2.785E-01	2.4405-01	2.1985-01	2.016E-01	1.873E-01	1.757E-01	1.660E-01	1.577E-01
0.50	.0	٠.	4.468E-01	3.738E-01	3.279E-01	2.9558-01	2.712E-01	2.520E-01	2.364E-01	2.234E-01	2.123E-01
0.75	• 0	.0	• 0	4.371E-01	3.837E-01	3.460E-01	3.177E-01	2.953E-01	2.771E-01	2.618E-01	2.4895-01
1.00	•0	• 0	•0	4.840E-01	4.252E-01	3.8375-01	3.523E-01	3.276E-01	3.074E-01	2.906E-01	2.762E-01
1.25	.0	• 0	•0	.0	4.5793-01	4.134E-01	3.797E-01	3.531E-01	3.314E-01	3.133E-01	2.979€-01
1.50	.0	• 0	•	• 0	.0	4.377E-01	4.022E-01	3.7416-01	3.511E-01	3.320E-01	3.156€-01
1.75	•0	• 0	• 0	• 0	• 0	• 0	4.210E-01	3.917E-01	3.677E-01	3.477E-01	3.306E-01
2.00	• 0	٥	• 0	•	• 0	• 0	• 0	4.068E-01	3.820E-01	3.612E-01	3.4346-01
2.25	• 0	•	·	• 0	• 0	• 0	•	• 0	3.9446-01	3.729E-01	3.546E-01
2.50	•0	•	• 0	ċ	• 0	• 0	• 0	• 0	•0	3.833E-01	3.645E-01
2.75	•0	•0	• 0	• 0	• 0	٠,	• 0	• 0	• 0	٥.	3.7335-01
					NU VERSUS ETA	S ETA					
		DEL	DELIA = 0.25		ALPHA = (0.40	PSI	04.0 = I			
					UMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.502E-01	3.364E-01	2.802E-01	2.452E-01	2.206E-01	2.023E-01	1.8786-01	1.7616-01	1.663E-01	1.580E-01
0.50	•0		4.4925-01	3.7524-01	3.2885-01	2.962E-01	2.7175-01	2.525E-01	2.368E-01	2.237E-01	2.126E-01
0.75	•0	.0		4.382E-01	3.8445-01	3.466E-01	3.1815-01	2.956E-01	2.773E-01	2.621E-01	2.491E-01
1.00	•0	• 0	• 0	4.849E-01	4.2588-01	3.841E-01	3.526E-01	3.278E-01	3.0766-01	2.908E-01	2.764E-01
1.25	•0	• 0	.0	.0	4.584E-01	4.137E-01	3.800E-01	3.5336-01	3.316E-01	3.1356-01	2.980E-01
1.50	•0	•	• 0	٥.	.0	4.3805-01	4.024E-01	3.7425-01	3.513E-01	3.3216-01	3.157E-01
1.75	•0	٠.	ċ	0.	.0	· C	4.212E-01	3.9185-01	3.6785-01	3.478E-01	3.307E-01
2.00	• 0	•	• 0	0.	.0	0.	• 0	4.069E-01	3.8216-01	3.6126-01	3.435E-01
2.25	• 0	••	• 0	0.	0.	٥.	0.	• 0	3.944E-01	3.7306-01	3.5476-01
2.50	• 0	٠	ċ	•0	• 0	.0	• 0	• 0	• 0	3.8346-01	3.6465-01
2.75	.0	ċ		• 0	• 0	٥.	• 0	.0	• 0	• 0	3.734E-01

					NU VERSUS ETA	S EFA					
		DELTA	TA = 0.50		ALPHA = 0.40	0.40	PSI	04.0 =			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0.25	•	4.573E-01	3.3935-01	2.8195-01	2.463E-01	2.215E-01	2.0296-01	1.8835-01	1.7656-01	1.667E-01	1.583E-01
0.50	•	٠.	4.516E-01	3.766E-01	3.2986-01	2.969E-01	2.723E-01	2.529E-01	2.371E-01	2.240E-01	2.128E-01
0.75	•0	•	•0	4.3936-01	3.8516-01	3.4715-01	3.185E-01	2.960E-01	2.776E-01	2.623E-01	2.493E-01
1.00	•0	•0	•0	4.857E-01	4.264E-01	3.845E-01	3.530E-01	3.281E-01	3.0796-01	2.909E-01	2.765E-01
1.25	0	•0	•0	.0	4.589E-01	4.140E-01	3.802E-01	3.5356-01	3.318E-01	3.136E-01	2.981E-01
1.50	.0	•0	•	•0	•0	4.382E-01	4.026E-01	3.7446-01	3.5146-01	3.322E-01	3.158E-01
1.75	0.		•0	•0	•0	•0	4.214E-01	3.920E-01	3.6796-01	3.479E-01	3.3085-01
2.00	•0	ó	•0	•0	•0	• 0	• 0	4.070E-01	3.821E-01	3.613E-01	3.436E-01
2.25	•0	ó	0.	• 0	• 0	• 0	• 0	• 0	3.945E-01	3.731E-01	3.548E-01
2.50	•	0	ċ	• 0	• 0	•0	.0	• 0	•0	3.834E-01	3.646E-01
2.75	• 0	0	•0	•0	•0	٥.	•0	•0	•0	• 0	3.734E-01
					NU VERSUS ETA	S ETA					
		DELTA	.TA = 0.75		ALPHA = 0.40	0.40	PSI	04.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	4.647E-01	3.423E-01	2.836E-01	2.4746-01	2.223E-01	2.035E-01	1.8886-01	1.769E-01	1.6706-01	1.586E-01
0.50	•	•0	4.541E-01	3.791E-01	3.307E-01	2.976E-01	2.728E-01	2.533E-01	2.375E-01	2.243E-01	2.131E-01
0.75	·	ċ	ů	4.404E-01	3.8596-01	3.477E-01	3.189E-01	2.963E-01	2.779E-01	2.625E-01	2.495E-01
1.00	•	٥	• 0	4.666E-01	4.2695-01	3.849E-01	3.533E-01	3.284E-01	3.081E-01	2.911E-01	2.767E-01
1.25	•	٥	ċ.	• 0	4.5935-01	4.144E-01	3.805E-01	3.537E-01	3.320E-01	3.137E-01	2.982E-01
1.50	•	ċ	•0	•0	•0	4.385E-01	4.C28E-01	3.7465-01	3.516E-01	3.3236-01	3.159€-01
1.75	•0	ن	•0	•0	•	•0	4.215E-01	3.921E-01	3.681E-01	3.480E-01	3.308E-01
2.00	.0		• 0	0.	•0	.0	• 0	4.071E-01	3.822E-01	3.614E-01	3.436E-01
2.25	.0	٥	Ċ	•	•0	•0	•0	• 0	3.946E-01	3.7316-01	3.548E-01
2.50	•0	ڻ	.0	0.	• 0	•	• 0	• 0	• 0	3.835E-01	3.647E-01
2.75	•	٠	•	•	•	ċ	• 0	• 0	• 0	• 0	3.735E-01

				-01	-01	-01	-01	-01	-01	-01	-01	-01	-01	-01					-01	-01	-01	-01	-01	-01	
			5.0	1.5896-01	2-1335-01	2.497E-01	2.769E-01	2.984E-01	3.160E-01	3.309E-01	3.437E-01	3.549E-01	3.647E-01	3.735E-01				5.0	1.873E-01	2.477E-01	2.864E-01	3.144E-01	3.360E-01	3.535E-01	
			4.5	1.674E-01	2.246E-01	2.628E-01	2.913E-01	3.139E-01	3.324E-01	3.481E-01	3.615E-01	3.732E-01	3.835E-01	•0				4.5	1.969E-01	2.604E-01	3.0116-01	3.305E-01	3.532E-01	3.715E-01	
			4.0	1.774E-01	2.379E-01	2.782E-01	3.083E-01	3.321E-01	3.517E-01	3.682E-01	3.823E-01	3.947E-01	0.	• 0				, 0.4	2.083E-01	2.754E-01	3.183E-01	3.494E-01	3.734E-01	3.927E-01	
	PSI = 0.40		3.5	1.8946-01	2.538E-01	2.966E-01	3.286E-01	3.540E-01	3.747E-01	3.922E-01	4.073E-01	• 0	.0	• 0		0 + 0 = 1		3.5	2.219E-01	2.932E-01	3.3895-01	3.720E-01	3.975E-01	• 0	
	8 d		3.0	2.C42E-01	2.734E-01	3.193E-01	3.536E-01	3.807E-01	4.C30E-01	4.217E-01	• 0	•0	• 0	• 0		PSI		3.0	2.385E-01	3.151E-01	3.641E-01	3.996E-01	• 0	0.	
JS ETA	0.40		2.5	2.2315-01	2.983E-01	3.482E-01	3.854E-01	4.1475-01	4.388E-01	• 0	• 0	• 0	• 0	• 0	S ETA	09.0		2.5	2.595E-01	3.428E-01	3.959E-01	4.344E-01	0.	0.	
NU VERSUS	ALPHA = 0.40	OMEGA	2.0	2.4863-01	3.3175-01	3.8662-01	4.275E-01	4.598E-01	.0	•0	.0	• 0	• 0	.0	NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0	2.873E-01	3.792E-01	4.379E-01	• 0	• 0	• 0	
			1.5	2.853E-01	3.795E-01	4.4156-01	4.875E-01	.0	•0	• 0	•0	.0	• 0	• 0				1.5	3.264E-01	4.305E-01	• 0	.0	• 0	0.	
	DELTA = 1.00		1.0	3.454E-01	4.566E-01	•	• 0	• 0	.0	0.	• °	•0	•0	٥		DELTA = 0.		1.0	3,877E-01	5.106E-01	• 0	• 0	0.	.0	
	DEL		0.5	4.725E-01	• 0	0.	• 0	• 0	.0	• 0	.0	• 0	• 0	.0		DEL		0.5	5.050E-01	.0	.0	• 0	.0	.0	
			0.0	.0	.0	.0	0.0	•0	.0	•0	.0	.0	•0	••				0.0	.0	.0	.0	•0	• 0	.0	
			ETA	0.25	0.50	0.75	1.00		1.50	1.75	2.00	2.25	2.50	2.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	

					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.25		ALPHA = 0.60	09.0	PS	05.0 = 124			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	5.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	5.1516-01	3.922E-01	3.2915-01	2.8915-01	2.608E-01	2.395E-01	2.227E-01	2.090E-01	1.975E-01	1.878E-01
0.50	• 0	0.	5.1416-01	4.327E-01	3.8075-01	3.438E-01	3.1605-01	2.939E-01	2.7596-01	2.6096-01	2.481E-01
0.75	•0	• 0	•0	.0	4.3905-01	3.968E-01	3.648E-01	3.394E-01	3. IB7E-01	3.014E-01	2.867E-01
1.00	•0	• 0	•0	•0	•0	4.3505-01	4. COOE-01	3.724E-01	3.4978-01	3.308E-01	3.146E-01
1.25	•0	•0	•0	•0	• 0	.0	• 0	3.978E-01	3.737E-01	3.535E-01	3.362E-01
1.50	•0	• 0	• 0	•0	• 0	.0	.0	• 0	3.929E-01	3.717E-01	3.536E-01
1.75	• 0	٥.	•0	•0	• 0	• 0	• 0	• 0	•0	3.869E-01	3.680E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.50		ALPHA = (09.0	PS	04.0 = ISA			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	5.258E-01	3.969E-01	3.318E-01	2.909E-01	2.622E-01	2.406E-01	2.235E-01	2.097E-01	1.981E-01	1.883E-01
0.50	•0	• 0	•0	4.349E-01	3.822E-01	3.449E-01	3.1685-01	2.346E-01	2.765E-01	2.614E-01	2.485E-01
0.75	• 0	• 0	•0	• 0	4.4016-01	3.976E-01	3.6545-01	3.400E-01	3.192E-01	3.018E-01	2.870E-01
1.00	• 0	• 0	•0	•0	• 0	4.356E-01	4.005E-01	3.728E-01	3.501E-01	3.3116-01	3.148E-01
1.25	• 0	• 0	• 0	• 0	• 0	• 0	• 0	3.981E-01	3.7396-01	3.537E-01	3.364E-01
1.50	• 0	• 0	•0	•0	• 0	• 0	•0	•0	3.931E-01	3.719E-01	3.537E-01
1.75	•0	0	•	•	.0	0.	• 0	• 0	0.	3.870E-01	3.681E-01

0.0 0.5 1.0 1.5 2.0 2.0 3.5 3.0 3.5 4.0 0.0 0.4 1.5 2.0 2.0 2.5 3.0 3.5 4.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0						NU VERSUS	S ETA					
0.0 0.5 1.0 1.5 2.0 3.0 3.5 4.0 0. 0. 5.373E-01 4.017E-01 3.346E-01 2.636E-01 2.416E-01 2.244E-01 2.104E-01 0. 0. 0. 0. 4.371E-01 3.337E-01 3.606E-01 3.177E-01 2.953E-01 2.771E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 3.984E-01 3.78EE-01 3.78EE-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 3.984E-01 3.78EE-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 3.984E-01 3.78EE-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 3.984E-01 3.78EE-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0			DEL	н		ALPHA = (09.0	PS	04.0 = 1			
0.0						OMEGA						
0.	ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0. 0. 0. 0. 4.371E-01 3.837E-01 3.177E-01 2.953E-01 2.771E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	0.25	•0	5.373E-01	4.017E-01	3.3466-01	2.9285-01	2.6365-01	2.4165-01	2.244E-01	2.104E-01	1.987E-01	1.888E-01
0. 0. 0. 0. 4.412E-01 3.984E-01 3.660E-01 3.405E-01 3.196E-01 0. 0. 0. 4.362E-01 4.010E-01 3.731E-01 3.504E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	0.50	•0	• 0	.0	4.3716-01	3.837E-01	3.460E-01	3.1776-01	2.9536-01	2.7715-01	2.618E-01	2.489E-01
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.75	•0	• 0	• 0	.0	4.412E-01	3.984E-01	3.660E-01	3.405E-01	3.196E-01	3.021E-01	2.873E-01
0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 3.984E-01 3.742E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	1.00	•0	•	• 0	•0	• 0	4.362E-01	4. C10E-01	3.731E-01	3.504E-01	3.313E-01	3.151E-01
0.	1.25	•0	• 0	0.	• 0	•0	.0	•0	3.984E-01	3.742E-01	3.539E-01	3.366E-01
0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0	1.50	•0	• 0	• 0	•0	• 0	• 0	•0	• 0	3.933E-01	3.720E-01	3.539€-01
DELTA = 1.00	1.75	•0	٥	•0	•0	•0	• 0	•0	• 0	• 0	3.871E-01	3.682E-01
OMEGA O.0 O.5 I.0 I.5 Z.0 Z.0 Z.5 Z.0 Z.5 Z.0 Z.5 Z.0 Z.5 Z.0 Z.5 Z.0 Z.5 Z.0 Z.0						NU VERSUS	S ETA					
0.0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 0. 5.495E-01 4.067E-01 3.375E-01 2.948E-01 2.650E-01 2.427E-01 2.253E-01 2.11E-01 0. 0. 0. 4.393E-01 3.952E-01 3.471E-01 3.185E-01 2.960E-01 2.776E-01 0. 0. 0. 0. 4.424E-01 3.952E-01 3.471E-01 3.185E-01 2.960E-01 2.776E-01 0. 0. 0. 0. 0. 4.369E-01 3.952E-01 3.746E-01 3.776E-01 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0			DEL			ALPHA = C	09.60	PSI	04.0 = 1			
0.0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 0. 5.495E-01 4.067E-01 3.375E-01 2.948E-01 2.650E-01 2.427E-01 2.253E-01 2.111E-01 0. 0. 4.393E-01 3.352E-01 3.471E-01 3.185E-01 2.776E-01 0. 0. 0. 4.424E-01 3.992E-01 3.667E-01 3.410E-01 3.200E-01 0. 0. 0. 4.369E-01 3.667E-01 3.716E-01 3.507E-01 0. 0. 0. 0. 4.369E-01 4.369E-01 3.744E-01 0. 0. 0. 0. 0. 0. 3.937E-01 0. 0. 0. 0. 0. 0. 0.						OMEGA						
0. 5.495E-01 4.067E-01 3.375E-01 2.948E-01 2.650E-01 2.427E-01 2.253E-01 2.111E-01 0. 0. 4.393E-01 3.852E-01 3.471E-01 3.185E-01 2.960E-01 2.776E-01 0. 0. 0. 4.424E-01 3.992E-01 3.667E-01 3.410E-01 3.200E-01 0. 0. 0. 0. 4.369E-01 4.615E-01 3.746E-01 3.744E-01 0. 0. 0. 0. 0. 0. 3.987E-01 3.935E-01	ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5°0
0.	0.25	.0	5.495E-01	4.067E-01	3.375E-01	2.948E-01	2.650E-01	2.427E-01	2.253E-01	2.111E-01	1.993E-01	1.893E-01
0.	0.50	•0	• 0	• 0	4.393E-01	3.852E-01	3.471E-01	3.185E-01	2.960E-01	2.776E-01	2.623E-01	2.493E-01
0.	0.75	•0	• 0	• 0	• 0	4.4245-01	3.992E-01	3.667E-01	3.410E-01	3.200E-01	3.025E-01	2.876E-01
0. C. O. O. O. O. O. 3.987E-01 3.744E-01 0. O. O. O. O. O. O. 3.935E-01	1.00	•0	• 0	• 0	• 0	• 0	4.3695-01	4.C15E-01	3.735E-01	3.5076-01	3.316E-01	3.153E-01
0. 0. 0. 0. 0. 3.935E-01	1.25	•0	°°	0.	• 0	.0	• 0	• 0	3.987E-01	3.744E-01	3.5418-01	3.368E-01
.00 .00 .00 .00	1.50	•0	0	• 0	•0	• 0	.0	•0	• 0	3.935E-01	3.722E-01	3.540E-01
• • • • • • • • • • • • • • • • • • • •	1.75	•0		.0	• 0	.0	• 0	• 0	• 0	• 0	3.872E-01	3.684E-01

i			NU VERSUS ETA	JS ETA					
DEL	DELIA = 0.		ALPHA = 0.80	0.80	PSI	04°0 = I			
			OMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
5.472E-01	4.270E-01	3.620E-01	3.198E-01	2.896E-01	2.666E-01	2.483E-01	2.333E-01	2.208E-01	2.101E-01
•0	•0	4.709E-01	4.162E-01	3.770E-01	3.472E-01	3.234E-01	3.040E-01	2.877E-01	2.737E-01
• 0	•0	•0	•0	4.3116-01	3.970E-01	3.6996-01	3.477E-01	3.291E-01	3.131E-01
• 0	•0	•0	• 0	•0	• 0	4.028E-01	3.787E-01	3.584E-01	3.410E-01
• 0	•0	•0	•0	• 0	•0	•0	•0	3.806E-01	3.622E-01
٥	·	• 0	• 0	•0	•0	• 0	• 0	• 0	3.791E-01
			NU VERSUS ETA	JS ETA					
DEL	DELTA = 0.25		ALPHA = 0.80	0.80	PS	PSI = 0.40			
			OMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
• 0	4.3306-01	3.656E-01	3.2235-01	2.914E-01	2.680E-01	2.495E-01	2.343E-01	2.216E-01	2.108E-01
•0	•0	4.737E-01	4.182E-01	3.785E-01	3.483E-01	3.243E-01	3.047E-01	2.883E-01	2.7435-01
• 0	•0	•0	• 0	4.322E-01	3.979E-01	3.706E-01	3.483E-01	3.295E-01	3.135E-01
· 0	• 0	•0	•0	•0	•0	4.033E-01	3.791E-01	3.587E-01	3.413E-01
•	•0	•0	•0	• 0	•0	• 0	• 0	3.809E-01	3.625E-01
•0	•0	• 0	•0	• 0	• 0	• 0	•0	•0	3.792E-01
			NU VERSUS ETA	IS ETA					
DEL	DELFA = 0.50		ALPHA =	0.80	PS	04.0 = ISA			
			OMEGA						
0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
•0	4.394E-01	3.6946-01	3.24 3E-01	2.9346-01	2.695E-01	2.507E-01	2.3536-01	2.225E-01	2.115E-01
•	• 0	4.766E-01	4.201E-01	3.799E-01	3.494E-01	3.253E-01	3.055E-01	2.889E-01	2.748E-01
ċ		• 0	• 0	4.332E-01	3.987E-01	3.7136-01	3.4885-01	3.300E-01	3.139E-01
· 0	• 0	• 0	• 0	.0	.0	4.038E-01	3.7956-01	3.591E-01	3.416E-01
0	•	• 0	• 0	• 0	• 0	• 0	• 0	3.811E-01	3.627E-01
ċ	• 0	• 0	• 0	.0	•0	• 0	• 0	• 0	3.794E-01

					NU VERSUS	S ETA					
			DELTA = 0.75		ALPHA = (0.80	PSI	04.0 = 1			
					DMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	•	4.460E-01	3.7336-01	3.2755-01	2.953E-01	2.7106-01	2.5196-01	2.363E-01	2.233E-01	2.122E-01
0.50	• 0	•	• 0	4.795E-01	4.221E-01	3.8146-01	3.5066-01	3.262E-01	3.063E-01	2.896E-01	2.754E-01
0.75	• 0	•	• 0	• 0	• 0	4.343E-01	3.995E-01	3.7196-01	3.4946-01	3.3056-01	3.144E-01
1.00	• 0	• 0	• 0	•0	• 0	•0	• 0	4.043E-01	3.799E-01	3.594E-01	3.419E-01
1.25	• 0	•	•0	•0	.0	.0	• 0	• 0	• 0	3.8146-01	3.6296-01
1.50	• 0	•	•	• 0	• 0	• 0	• 0	• 0	• 0	• 0	3.796E-01
					NU VERSUS ETA	JS ETA					
			DELTA = 1.00		ALPHA =	0.80	I S d	0 + 0 = 1			
					DMEGA						
ETA	0.0	0.5	5 1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	• 0	4.529E-01	3.774E-01	3.3036-01	2.973E-01	2.726E-01	2.531E-01	2.373E-01	2.242E-01	2.130E-01
0.50	• 0	• 0	• 0	4.825E-01	4.242E-01	3.829E-01	3.517E-01	3.271E-01	3.070E-01	2.902E-01	2.759E-01
0.75	• 0	• 0	• 0	•0	• 0	4.354E-01	4.004E-01	3.726E-01	3.499E-01	3.310E-01	3.148E-01
1.00	•0	•	• 0	•0	• 0	• 0	• 0	4.048E-01	3.803E-01	3.598E-01	3.422E-01
1.25	•0	• 0	• 0	•0	0.	0.	• 0	.0	•0	3.817E-01	3.631E-01
1.50	•0	• 0	•0	•0	• 0	.0	• 0	• 0	0	• 0	3.798E-01
					NU VERSUS ETA	JS ETA					
			DELTA = 0.		ALPHA =	= 1.00	150	07.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	•	4.572E-01	3.839E-01	3.4566-01	3.136E-01	2.891E-01	2.696E-01	2.536E-01	2.401E-01	2.286E-01
0.50	• 0	• 0	• 0	• 0	4.4476-01	4.035E-01	3.720E-01	3.469E-01	3.263E-01	3.090E-01	2.941E-01
0.75	•0	•0	٥	• 0	• 0	• 0	4.220E-01	3.935E-01	3.701E-01	3.505E-01	3.336E-01
1.00	•0	•	• 0	•0	• 0	• 0	• 0	.0	• 0	3.793E-01	3.6116-01

					NU VERSUS ETA	S ETA					
			DELTA = 0.25		ALPHA = 1.00	1.00	Sd	05.0 = 129			
					UMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	•0	4.647E-01	3.945E-01	3.488E-01	3.160E-01	2.910E-01	2.711E-01	2.5496-01	2.412E-01	2.295E-01
0.50	• 0	•	٠	• 0	4.470E-01	4.053E-01	3.734E-01	3.480E-01	3.272E-01	3.097E-01	2.948E-01
0.75	•0	•0	٥	• 0	• 0	•0	4.230E-01	3.943E-01	3.7086-01	3.5106-01	3.341E-01
1.00	•0	• 0	•	•0	• 0	•0	• 0	٥.	• 0	3.797E-01	3.614E-01
					NU VERSUS ETA	S ETA					
			DELTA = 0.50		ALPHA = 1.00	1.00	PS	PSI = 0.40			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0		4.726E-01	3.993E-01	3.521E-01	3.185E-01	2.929E-01	2.727E-01	2.561E-01	2.423E-01	2.304E-01
0.50	•0	•	• 0	• 0	4.494E-01	4.071E-01	3.748E-01	3.492E-01	3.282E-01	3.105E-01	2.955E-01
0.75	•0	• 0	•0	• 0	• 0	• 0	4.240E-01	3.951E-01	3.715E-01	3.516E-01	3.346E-01
1.00	•0	.0	ċ	•0	• 0	• 0	• 0	• 0	•0	3.801E-01	3.618E-01
					NU VERSUS ETA	IS ETA					
			DELTA = 0.75		ALPHA = 1.00	1.00	PS	PSI = 0.40			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0.25	•0	•	4.808E-01	4.043E-01	3.555E-01	3.210E-01	2.949E-01	2.742E-01	2.574E-01	2.434E-01	2.3146-01
0.50	•0	• 0	• 0	.0	4.519E-01	4.089E-01	3.762E-01	3.503E-01	3.291E-01	3.114E-01	2.962E-01
0.75	•0	•0	•0	• 0	.0	• 0	4.250E-01	3.959E-01	3.721E-01	3.522E-01	3.351E-01
1.00	•0	•	• 0	•0	• 0	• 0	• 0	.0	•0	3.805E-01	3.622E-01

					NU VERSUS	JS ETA					
DELTA = 1.00	**	**			ALPHA =	1.00	PSI	I = 0.40			
					OMEGA						
0.0 0.5 1.0	-	1.0		1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
96E-01	4.896E-01	96E-01	4	4.094E-01	3.5905-01	3.235E-01	2.968E-01	2.758E-01	2.587E-01	2.445E-01	2.323E-01
• 0	ů		C		4.5445-01	4.107E-01	3.777E-01	3.515E-01	3.301E-01	3.122E-01	2.9696-01
•0	٠		0		.0	• 0	4.260E-01	3.967E-01	3.7286-01	3.527E-01	3.356E-01
•0	• 0		0		• 0	0.	• 0	• 0	• 0	3.810E-01	3.625E-01
· 0	• 0		ò		.0	• 0	•0	• 0	• 0	• 0	•0
	• 0		• 0		• 0	• 0	•0	• 0	•0	•0	•0
•	• 0		0.		• 0	• 0	• 0	• 0	•0	• 0	.0
•	• 0		• 0		• 0	• 0	•0	• 0	• 0	•0	•0
•	• 0		•		• 0		•0	• 0		• 0	•0
.0 .0	• 0		•0		• 0	.0	•0	• 0	•0	•0	•0
.0	• 0		٥.		• 0	• 0	• 0	• 0	•0	• 0	•0
٠	• 0		• 0		• 0	• 0	•0	• 0	• 0	•0	•0
• 0	• 0		•0		• 0	• 0	• 0	• 0	• 0	• 0	•0
• 0	•0		•0		• 0	•0	•0	• 0	•0	• 0	• 0
• 0	ů		• 0		• 0	.0	• 0	• 0	• 0	• 0	•0
•	٠.		•0		• 0	• 0	• 0	• 0	•0	•0	•0
٠٠ • ٠٥	č		•0		• 0	• 0	• 0	• 0	• 0	• 0	٥.
٠	•		• 0		• 0	• 0	• 0	• 0	.0	• 0	.0
.0 .0 .0	• 0		•0		٠	• 0	• 0	.0	• 0	٥.	.0
٠.	ċ		0		•	• 0	.0	.0	.0	• 0	•0

					SILO GIA						
					NO VERSION	A LI A					
		DELTA	.TA = 0.		ALPHA =	0.20	ISd	09.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•	3.369E-01	2.468E-01	2.040E-01	1.778E-01	1.5976-01	1.461E-01	1.355E-01	1.269E-01	1.198E-01	1.138E-01
0.50	• 0	4.544E-01	3.344E-01	2.769E-01	2.415E-01	2.1705-01	1.9876-01	1.843E-01	1.727E-01	1.630E-01	1.548E-01
0.75	• 0	5.330E-01	3.939E-01	3.266E-01	2.851E-01	2.563E-01	2.347E-01	2.178E-01	2.041E-01	1.927E-01	1.830E-01
1.00	•0	· 0	4.387E-01	3.644E-01	3.183E-01	2.862E-01	2.622E-01	2.434E-01	2.281E-01	2.154E-01	2.046€-01
1.25	••	• 0	4.745E-01	3.945E-01	3.449E-01	3.1C2E-01	2.843E-01	2.639E-01	2.474E-01	2.336E-01	2.219E-01
1.50	.0	• 0	5.0396-01	4.195E-01	3.669E-01	3.302E-01	3.026E-01	2.810E-01	2.634E-01	2.488E-01	2.364E-01
1.75	•0	•	• 0	4.406E-01	3.8565-01	3.471E-01	3.183E-01	2.956E-01	2.771E-01	2.617E-01	2.487E-01
2.00	.0	•0	•	4.589E-01	4.018E-01	3.618E-01	3.3185-01	3.082E-01	2.890E-01	2.7306-01	2.5936-01
2.25	• 0	•	• 0	٥.	4.1595-01	3.746E-01	3.436E-01	3.192E-01	2.994E-01	2.828E-01	2.687E-01
2.50	•0	•	• 0	•0	4.2855-01	3.860E-01	3.541E-01	3.290E-01	3.086E-01	2.916E-01	2.771E-01
2.75	• 0	•	• 0	•0	0.	3.962E-01	3.636E-01	3.378E-01	3.169E-01	2.994E-01	2.845E-01
3.00	• 0	•	•0	.0	• 0	4.054E-01	3.721E-01	3.4586-01	3.244E-01	3.065E-01	2.913E-01
3.25	• 0	• 0	• 0	•0	• 0	• 0	3. 798E-01	3.530E-01	3.3126-01	3.129E-01	2.974E-01
3.50	• 0	•	·	•0	.0	• 0	3.8696-01	3.596E-01	3.3746-01	3.188E-01	3.031E-01
3.75	•0	• 0	•0	• 0	.0	• 0	•0	3.657E-01	3.431E-01	3.2436-01	3. 082E-01
4.00	•0	•	• 0	•0	•0	• 0	•0	3.7136-01	3.484E-01	3.293E-01	3.130E-01
4.25	•0	•	•0	•0	.0	0.	• 0	• 0	3.533E-01	3.339E-01	3.1746-01
4.50	•	• 0	0.	0.	• 0	• 0	.0	• 0	3.579E-01	3.383E-01	3.216E-01
4.75	•0	• 0	°.	• 0	0.	•0	•0	• 0	•0	3.4236-01	3.254E-01
2.00	• 0	• 0	• 0	• 0	.0	• 0	.0	.0	•0	3.461E-01	3.291E-01

				NU VERSUS	S ETA					
	DEL	DELTA = 0.25		ALPHA = (0.20	154	09.0 = 1			
				DIMEGA						
0.0	6.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
3.	3.399E-01	2.480E-01	2.047E-01	1.7326-01	1.6005-01	1.464E-01	1.3575-01	1.2716-01	1.200E-01	1.139E-01
4	4.570E-01	3.3548-01	2.775E-01	2.4196-01	2.1736-01	1.9896-01	1.845E-01	1.728E-01	1.6316-01	1.5496-01
S	5.351E-01	3.947E-01	3.271E-01	2.8555-01	7.565E-01	2.3496-01	2.180E-01	2.042E-01	1.928E-01	1.8316-01
0	.0	4.394E-01	3.6476-01	3.1862-01	2.864E-01	2.623E-01	2.435E-01	2.282E-01	2.155E-01	2.046E-01
0	0.	4.7505-01	3.948E-01	3.451E-01	3.104E-01	2.844E-01	2.640E-01	2.475E-01	2.337E-01	2.220E-01
0	0.	5.0445-01	4,198E-01	3.6715-01	3.303E-01	3.0276-01	2.811E-01	2.635E-01	2.489E-01	2.3646-01
0	.0	•0	4.4096-01	3.858E-01	3.472E-01	3.183E-01	2.956E-01	2.772E-01	2.618E-01	2.487E-01
C	٥	• 0	4.591E-01	4.0195-01	3.619E-01	3.318E-01	3.082E-01	2.890E-01	2.730E-01	2.594E-01
	• 0	• 0	.0	4.160E-01	3.7475-01	3.437E-01	3.193E-01	2.994E-01	2.828E-01	2.688E-01
	.0	• 0	.0	4.286E-01	3.861E-01	3.542E-01	3.291E-01	3.086E-01	2.9165-01	2.771E-01
	.0	0.	.0	• 0	3.963E-01	3.636E-01	3.379E-01	3.169E-01	2.994E-01	2.845E-01
	• 0	• 0	.0	• 0	4.055E-01	3.721E-01	3.458E-01	3.244E-01	3.065E-01	2.913E-01
	0.	• 0	• 0	• 0	• 0	3.7986-01	3.530E-01	3.3126-01	3.130E-01	2.974E-01
	• 0	• 0	• 0	• 0	• 0	3.869E-01	3.5965-01	3.3746-01	3.189E-01	3.031E-01
	0.	•0	• 0	• 0	• 0	• 0	3.657E-01	3.431E-01	3.243E-01	3.082E-01
	.0	0.	• 0	• 0	0.	• 0	3.713E-01	3.484E-01	3.293E-01	3.130E-01
	.0	• 0	• 0	• 0	•0	• 0	• 0	3.533E-01	3.340E-01	3.175E-01
	.0	· ©	• 0	.0	• 0	• 0	• 0	3.579E-01	3.383E-01	3.216E-01
	.0	• 0	.0	.0	• 0	.0	• 0	• 0	3.4236-01	3.254E-01
	•	• 0	• 0	.0	• 0	.0	• 0	• 0	3.461E-01	3.291E-01

					NU VERSUS	JS ETA					
		DEL	DELTA = 0.50		ALPHA = 0.20	0.20	PSI	09.0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	3.4295-01	2.492E-01	2.054E-01	1.787E-01	1.603E-01	1.466E-01	1.359E-01	1.273E-01	1.201E-01	1.140E-01
0.50	•0	4.596E-01	3.365E-01	2.781E-01	2.423E-01	2.176E-01	1.9916-01	1.847E-01	1.730E-01	1.632E-01	1.550E-01
0.75	•0	5.372E-01	3.9566-01	3.2765-01	2.8583-01	2.567E-01	2.351E-01	2.181E-01	2.043E-01	1.929E-01	1.832E-01
1.00	•0	• 0	4.401E-01	3.651E-01	3.188E-01	2.866E-01	2.625E-01	2.436E-01	2.283E-01	2.155E-01	2.047E-01
1.25	•0	• 0	4.756E-01	3.952E-01	3.453E-01	3.105E-01	2.845E-01	2.641E-01	2.476E-01	2.338E-01	2.220E-01
1.50	•0	• 0	5.049E-01	4.200E-01	3.6735-01	3.304E-01	3.028E-01	2.812E-01	2.636E-01	2.489E-01	2.365E-01
1.75	•0	• 0	• 0	4.411E-01	3.859E-01	3.4735-01	3.184E-01	2.957E-01	2.7726-01	2.618E-01	2.488E-01
2.00	•0	• 0	•0	4.592E-01	4.020E-01	3.620E-01	3.3196-01	3.083E-01	2.891E-01	2.730E-01	2.594E-01
2.25	•0	• 0	• 0	•0	4.161E-01	3.748E-01	3.437E-01	3.193E-01	2.994E-01	2.829E-01	2.688E-01
2.50	•0	• 0	•0	•0	4.287E-01	3.862E-01	3.542E-01	3.291E-01	3.087E-01	2.916E-01	2.771E-01
2.75	•0	• 0	•0	•0	• 0	3.964E-01	3.636E-01	3.379E-01	3.169E-01	2.994E-01	2.846E-01
3.00	•0	•0	.0	0.	.0	4.055E-01	3.721E-01	3.458E-01	3.244E-01	3.065E-01	2.913E-01
3.25	•0	• 0	• 0	• 0	•0	• 0	3.799E-01	3.530E-01	3.312E-01	3.130E-01	2.975E-01
3.50	•0	•0	• 0	• 0	.0	• 0	3.869E-01	3.596E-01	3.374E-01	3.189E-01	3.031E-01
3.75	•0	•0	•0	• 0	• 0	•0	•0	3.657E-01	3.431E-01	3.243E-01	3.082E-01
00.4	•0	•0	• _C	.0	• 0	•0	• 0	3.713E-01	3.484E-01	3.293E-01	3.130E-01
4.25	••	•	•0	•0	.0	•0	•0	•0	3.533E-01	3.340E-01	3.175E-01
4.50	•0	• 0	•0	•0	•0	• 0	• 0	• 0	3.579E-01	3.383E-01	3.216E-01
4.75	.0	•0	• 0	•0	•0	• 0	•0	•0	.0	3.423E-01	3.255E-01
2.00	•0	0.	•0	•0	.0	.0	•0	•0	.0	3.461E-01	3.291E-01

					NU VERSUS	S ETA					
		DELTA	.TA = 0.75		ALPHA = (0.20	PSI	09°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	3.461E-01	2.504E-01	2.060E-01	1.7916-01	1.606E-01	1.468E-01	1.3616-01	1.2746-01	1.202E-01	1.141€-01
0.50	• 0	4.623E-01	3.375E-01	2.787E-01	2.427E-01	2.178E-01	1.993E-01	1.848E-01	1.7316-01	1.6346-01	1.551E-01
0.75	• 0	5.394E-01	3.964E-01	3.281E-01	2.861E-01	2.570E-01	2.353E-01	2.182E-01	2.045E-01	1.9306-01	1.8336-01
1.00	•0	• 0	4.408E-01	3.655E-01	3.1916-01	2.868E-01	2.626E-01	2.4376-01	2.284E-01	2.156E-01	2.048E-01
1.25	•0	• 0	4.762E-01	3.955E-01	3.455E-01	3.107E-01	2.846E-01	2.642E-01	2.476E-01	2.338E-01	2.221E-01
1.50	•0	• 0	5.0536-01	4.203E-01	3.6746-01	3.306E-01	3.C29E-01	2.813E-01	2.636E-01	2.490E-01	2.365E-01
1.75	• 0	•	• 0	4.413E-01	3.861E-01	3.474E-01	3.185E-01	2.958E-01	2.7735-01	2.619E-01	2.488E-01
2.00	•0	•	• 0	4.594E-01	4.022E-01	3.621E-01	3.320E-01	3.0835-01	2.891E-01	2.7316-01	2.594€-01
2.25	•0	• 0	• 0	•0	4.163E-01	3.749E-01	3.438E-01	3.194E-01	2.995E-01	2.829E-01	2.688E-01
2.50	•0	• 0	•	.0	4.287E-01	3.862E-01	3.543E-01	3.2916-01	3.087E-01	2.916E-01	2.7716-01
2.75	•0	٠.	• 0	• 0	• 0	3.964E-01	3.6376-01	3.379E-01	3.1706-01	2.9956-01	2.8465-01
3.00	•0	•	• 0	.0	• 0	4.056E-01	3.722E-01	3.459E-01	3.2446-01	3.066E-01	2.9135-01
3.25	•0	٠	• 0	• 0	• 0	• 0	3.799E-01	3.5316-01	3.312E-01	3.130E-01	2.975E-01
3.50	•0	• 0	• 0	• 0	• 0	• 0	3.870E-01	3.597E-01	3.374E-01	3.189E-01	3.031E-01
3.75	•0	• 0	•0	0.	.0	• 0	• 0	3.657E-01	3.432E-01	3.2436-01	3.083E-01
4.00	•0	٠,	•	• 0	• 0	0.	• 0	3.7136-01	3.484E-01	3.2936-01	3.130E-01
4.25	•0	• 0	• 0	•0	• 0	• 0	• 0	• 0	3.5338-01	3.340E-01	3.175E-01
4.50	•0	• 0	• 0	.0	• 0	· c	• 0	• 0	3.579E-01	3.383E-01	3.216€-01
4.75	•0	•	• 0	•0	.0	.0	• 0	• 0	• 0	3.424E-01	3.255E-01
2.00	•0	· 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	3.461E-01	3.291E-01

		5 5.0	4E-01 1.142E-01	5E-01 1.552E-01	1E-01 1.834E-01	7E-01 2.048E-01	PE-01 2.222E-01	0E-01 2.366E-01	PE-01 2.488E-01	.E-01 2.595E-01	PE-01 2.688E-01	F-01 2.772E-01	E-01 2.846E-01	E-01 2.914E-01	E-01 2.975E-01	E-01 3.031E-01	E-01 3.083E-01	E-01 3.131E-01	E-01 3.175E-01	E-01 3.216E-01	E-01 3.255E-01	E-01 3.291E-01
		4.5	01 1.204E-01	01 1.635E-01	01 1.931E-01	01 2.157E-01	01 2.339E-01	01 2.490E-01	01 2.619E-01	01 2.7316-01	01 2.829E-01	31 2.917E-01	71 2.995E-01	3.066E-01	3.130E-01	3.189E-01	3.243E-01	3.293E-01	1 3.340E-01	71 3.383E-01	3.424E-01	3.462E-01
		4.0	1.276E-01	1.7336-01	2.046E-01	2.285E-01	2.477E-01	2.637E-01	2.773E-01	2.891E-01	2.9956-01	3.0876-01	3.1706-01	3.245E-01	3.3126-01	3.3756-01	3.432E-01	3.485E-01	3.5346-01	3.579E-01	• 0	0.
PSI = 0.60		3.5	1.363E-01	1.850E-01	2.184E-01	2.438E-01	2.643E-01	2.813E-01	2.958E-01	3.084E-01	3.194E-01	3.292E-01	3.380E-01	3.459E-01	3.531E-01	3.597E-01	3.658E-01	3.714E-01	•0	• 0	•0	•0
۵		3.0	1.471E-01	1.995E-01	2.3546-01	2.628E-01	2.848E-01	3.030E-01	3.186E-01	3.320E-01	3.439E-01	3.543E-01	3.637E-01	3.722E-01	3.799E-01	3.870E-01	•0	•0	0.	•0	•0	• 0
0.20		2.5	1.609E-01	2.181E-01	2.5726-01	2.870E-01	3.1096-01	3.307E-01	3.476E-01	3.621E-01	3.749E-01	3.863E-01	3.965E-01	4.0566-01	0.	•0	• 0	•0	••	•0	• 0	.0
ALPHA = 0.20	OMEGA	2.0	1.7965-01	2.4315-01	2.864E-01	3.193E-01	3.4575-01	3.676E-01	3.862E-01	4.023E-01	4.164E-01	4.288E-01	•0	• 0	• 0	• 0	•0	• 0	•0	•0	•0	•0
		1.5	2.067E-01	2.793E-01	3.286E-01	3.659E-01	3.958E-01	4.206E-01	4.415E-01	4.596E-01	•0	• 0	• 0	•0	•	•0	•0	•0	0.	•0	•0	•0
TA = 1.00		1.0	2.516E-01	3.386E-01	3.973E-01	4.415E-01	4.767E-01	5.058E-01	•0	•0	•0	• 0	•0	٥.	.0	•0	•0	•0	٥.	•0	•0	•0
DELTA		0.5	3.493E-01	4.651E-01	5.416E-01	•0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	· 0	• 0	• 0	٥.	• • • • • • • • • • • • • • • • • • • •	• 0	•	• 0
		0.0	•0	•0	•0	•0	• 0	•0	• 0	•0	•0	•0	•0	•0	•0	•0	•0	• 0	•0	•0	•0	•0
		ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	00.4	4.25	4.50	4.75	2.00

					NU VERSUS	S ETA					
		DELTA	TA = 0.		ALPHA = (0.40	18d	09.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	4.327E-01	3.255E-01	2.7186-01	2.3816-01	2.145E-01	1.967E-01	1.8286-01	1.7146-01	1.619E-01	1.5396-01
0.50	•0	5.664E-01	4.282E-01	3.582E-01	3.1426-01	2.832E-01	2.599E-01	2.415E-01	2.266E-01	2.141E-01	2.035E-01
0.75	•0	•0	4.929E-01	4.130E-01	3.626E-01	3.2705-01	3.C02E-01	2.790E-01	2.618E-01	2.474E-01	2.352E-01
1.00	•0	•0	•0	4.524E-01	3.9746-01	3.586E-01	3.293E-01	3.062E-01	2.873E-01	2.716E-01	2.582E-01
1.25	•0	•	•0	•0	4.2415-01	3.828E-01	3.5176-01	3.270E-01	3.070E-01	2.902E-01	2.7596-01
1.50	• 0	•0	•0	••0	•0	4.023E-01	3.696E-01	3.438E-01	3.227E-01	3.051E-01	2.901E-01
1.75	• 0	•	•0	•0	•0	•0	3.845E-01	3.577E-01	3.358E-01	3.175E-01	3.019E-01
2.00	•0	•0	• 0	•0	•0	.0	.0	3.694E-01	3.46.9E-01	3.280E-01	3.1196-01
2.25	• 0	•0	• 0	•0	• 0	• 0	• 0	• 0	3.564E-01	3.370E-01	3.205E-01
2.50	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	3.449E-01	3.280E-01
2.75	• 0	•0	• 0	•0	• 0	•0	• 0	• 0	•0	• 0	3.346E-01
					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.25		ALPHA = 0.40	04.0	PSI	09°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	4.393E-01	3.283E-01	2.734E-01	2.392E-01	2,153E-01	1.9736-01	1.833E-01	1.718E-01	1.623E-01	1.542E-01
0.50	•0	5.717E-01	4.305E-01	3.596E-01	3.1516-01	2.839E-01	2.604E-01	2.419E-01	2.269E-01	2.144E-01	2.037E-01
0.75	•0	٠.	4.946E-01	4.141E-01	3.633E-01	3.275E-01	3.006E-01	2.794E-01	2.621E-01	2.4776-01	2.3546-01
1.00	•0	• 0	• 0	4.532E-01	3.979E-01	3.590E-01	3.296E-01	3.064E-01	2.875E-01	2.717E-01	2.5835-01
1.25	•0	• 0	• 0	•0	4.245E-01	3.832E-01	3.519E-01	3.272E-01	3.071E-01	2.903E-01	2.760E-01
1.50	•0	• 0	•.0	• 0	• 0	4.026E-01	3.698E-01	3.440E-01	3.229E-01	3.052E-01	2.902E-01
1.75	•0	٥.	• 0	•0	• 0	• 0	3.847E-01	3.578E-01	3.359E-01	3.176E-01	3.020E-01
2.00	•0	• 0	• 0	•0	.0	• 0	• 0	3.695E-01	3.470E-01	3.281E-01	3.120E-01
2.25	•0	• 0	• 0	•0	• 0	٠.	•0	• 0	3.565E-01	3.3716-01	3.205E-01
2.50	•0	• 0	•0	•0	• 0	•0	• 0	• 0	• 0	3.449E-01	3.281E-01
2.75	•0	.0	• 0	•0	.0	•0	• 0	.0	• 0	•0	3.347E-01

					NU VERSUS	S ETA					
		DELTA	TA = 0.50		ALPHA = (0.40	1 S d	09.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	2.0
0.25	•0	4.462E-01	3.311E-01	2.750E-01	2.403E-01	2.1616-01	1.9806-01	1.838E-01	1.722E-01	1.626E-01	1.545E-01
0.50	•0	5.772E-01	4.328E-01	3.609E-01	3.160E-01	2.845E-01	2.609E-01	2.423E-01	2.272E-01	2.147E-01	2.0396-01
0.75	•0	•0	4.964E-01	4.151E-01	3.6405-01	3.280E-01	3.C10E-01	2.7976-01	2.624E-01	2.479E-01	2.356E-01
1.00	•0	•0	.0	4.540E-01	3.985E-01	3.594E-01	3.299E-01	3.067E-01	2.877E-01	2.719E-01	2.585E-01
1.25	•0	•0	.0	• 0	4.2505-01	3.835E-01	3.521E-01	3.274E-01	3.073E-01	2.904E-01	2.761E-01
1.50	•0	• 0	• 0	•0	•0	4.028E-01	3.700E-01	3.441E-01	3.230E-01	3.053E-01	2.903E-01
1.75	•0	•	.0	•0	•0	• 0	3.848E-01	3.579E-01	3.360E-01	3.177E-01	3.021E-01
2.00	•0	•0	•0	•0	• 0	• 0	.0	3.696E-01	3.470E-01	3.281E-01	3.120E-01
2.25	•0		•0	•0	• 0	• 0	• 0	• 0	3.565E-01	3.371E-01	3.206E-01
2.50	•0	•	•0	•0	• 0	• 0	•0	•0	• 0	3.450E-01	3.281E-01
2.75	•	• 0	• 0	•0	•0	• 0	••	• 0	• 0	•0	3.347E-01
					NU VERSUS ETA	S ETA					
		DELTA	TA = 0.75		ALPHA = 0.40	0.40	ISd	09.0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	4.534E-01	3.340E-01	2.767E-01	2.414E-01	2.169E-01	1.986E-01	1.842E-01	1.726E-01	1.6306-01	1.548E-01
0.50	•0	5.828E-01	4.351E-01	3.623E-01	3.1695-01	2.852E-01	2.614E-01	2.427E-01	2.276E-01	2.1496-01	2.042E-01
0.75	•0	•	4.982E-01	4.162E-01	3.647E-01	3.285E-01	3.0146-01	2.800E-01	2.626E-01	2.481E-01	2.358E-01
1.00	•0	• 0	•0	4.548E-01	3.990E-01	3.598E-01	3.302E-01	3.069E-01	2.879E-01	2.721E-01	2.586E-01
1.25	•0	•	• 0	•0	4.254E-01	3.838E-01	3.5246-01	3.276E-01	3.074E-01	2.906E-01	2.762E-01
1.50	•0	• 0	•0	• 0	•0	4.031E-01	3.702E-01	3.443E-01	3.231E-01	3.055E-01	2.904E-01
1.75	•0	•	•0	•0	• 0	• 0	3.850E-01	3.581E-01	3.361E-01	3.178E-01	3.021E-01
2.00	•0	•0	•0	•0	•0	.0	•0	3.697E-01	3.471E-01	3.282E-01	3.121E-01
2.25	•0	• 0	•0	•0	• 0	•0	•0	• 0	3.566E-01	3.372E-01	3.206€-01
2.50	•0	• 0	•0	•0	•0	•0	•0	•0	• 0	3.450E-01	3.281E-01
2.75	•0	•0	• 0	• 0	• 0	• 0	•0	• 0	•0	• 0	3.348E-01

					NU VERSUS	S ETA					
		DEL	DELTA = 1.00		ALPHA = 0.40	0.40	PSI	09.0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	4.610E-01	3.370E-01	2.784E-01	2.4256-01	2.177E-01	1.9926-01	1.847E-01	1.730E-01	1.633E-01	1.551€⊷01
0.50	•0	•0	4.375E-01	3.637E-01	3.1786-01	2.359E-01	2.619E-01	2.432E-01	2.2795-01	2.152E-01	2.044E-01
0.75	•0	• 0	5.000E-01	4.172E-01	3.654E-01	3.291E-01	3.0186-01	2.803E-01	2.629E-01	2.483E-01	2.360E-01
1.00	•0	• 0	•0	4.556E-01	3.9965-01	3.602E-01	3.305E-01	3.0716-01	2.881E-01	2.723E-01	2.5886-01
1.25	•0	•0	• 0	•0	4.2585-01	3.841E-01	3.526E-01	3.278E-01	3.076E-01	2.907E-01	2.763E-01
1.50	•0	• 0	•0	•0	•0	4.033E-01	3.704E-01	3.444E-01	3.233E-01	3.056E-01	2.905E-01
1.75	•0	•0	•0	•0	•0	9.	3.851E-01	3.582E-01	3.362E-01	3.179E-01	3.022E-01
2.00	•0	•	0.	•0	• 0	٠,	•0	3.698E-01	3.472E-01	3.283E-01	3.121€-01
2.25	•0	• 0	.0	•0	• 0	• 0	• 0	• 0	3.567E-01	3.373E-01	3.207E-01
2.50	.0	• 0	•	•0	• 0	0.	•0	• 0	• 0	3.451E-01	3.282E-01
2.75	.0	ċ	•0	•0	•0	0.	• 0	• 0	• 0	• 0	3.348E-01.
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.		ALPHA = 0.60	09.60	ISd	09°0 = I			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	0.5
0.25	•0	4.880F-01	3.746E-01	3.1546-01	2.7766-01	2.5085-01	2.304E-01	2.144E-01	2.013E-01	1.903E-01	1.810E-01
0.50	•0	٠	4.825E-01	4.0696-01	3.5845-01	3.239E-01	2.9786-01	2.7716-01	2.602E-01	2.461E-01	2.340E-01
0.75	•0	• 0	0.	4.621E-01	4.073E-01	3.683E-01	3.387E-01	3.153E-01	2.961E-01	2.800E-01	2.664E-01
1.00	•0	٥.	. 0	•0	.0	3.993E-01	3.673E-01	3.419E-01	3.212E-01	3.038E-01	2.890E-01
1.25	•0	.0	• 0	•0	• 0	0.	3.887E-01	3.619E-01	3.400E-01	3.217E-01	3.060E-01
1.50	•0	.0	• 0	• 0	.0	0.	• 0	.0	3.5496-01	3.3588-01	3.194E-01
1.75	•0	٥.	.0	0.	.0	• 0	0.	.0	• 0	• 0	3.304E-01

	pSI = 0.60		3.0 3.5 4.0 4.5 5.0	314E-01 2.152E-01 2.019E-01 1.909E-01 1.814E-01	986E-01 2.778E-01 2.608E-01 2.465E-01 2.344E-01	393E-01 3.157E-01 2.965E-01 2.804E-01 2.666E-01	677E-01 3.423E-01 3.215E-01 3.040E-01 2.892E-01	891E-01 3.622E-01 3.403E-01 3.219E-01 3.061E-01	0. 3.551E-01 3.359E-01 3.196E-01	0. 0. 3.305E-01		PSI = 0.60		3.0 3.5 4.0 4.5 5.0	325E-01 2.160E-01 2.026E-01 1.914E-01 1.819E-01	994E-01 2.784E-01 2.613E-01 2.470E-01 2.348E-01	399E-01 3.162E-01 2.969E-01 2.807E-01 2.669E-01	681E-01 3.426E-01 3.218E-01 3.043E-01 2.894E-01	894E-01 3.625E-01 3.405E-01 3.220E-01 3.063E-01	0. 3.553E-01 3.361E-01 3.197E-01	
	Sd			E-01 2.314E-01	E-01 2.986E-01	E-01 3.393E-01	E-01 3.677E-01	3.891E-01	• 0	• 0		PS			E-01 2.325E-01	E-01 2.994E-01	E-01 3.399E-01	E-01 3.681E-01	3.894E-01	•0	
NU VERSUS ETA	ALPHA = 0.60	OMEGA	2.0 2.5	2.793E-01 2.520E-01	3.598E-01 3.249E-01	4.083E-01 3.691E-01	0. 3.998E-01	• • • • • • • • • • • • • • • • • • • •	.0	.0	NU VERSUS ETA	ALPHA = 0.60	DMEGA	2.0 2.5	2.8116-01 2.5346-01	3.612E-01 3.260E-01	4.094E-01 3.698E-01	0. 4.004E-01	.0	.0	
	0.25		1.5	E-01 3.180E-01	59E-01 4.089E-01	4.636E-01	•0	•0	•0	•0		0.50		1.5	E-01 3.207E-01	E-01 4.109E-01	0.	•0	• 0	•0	
	DELTA = 0		0.5 1.0	4.978E-01 3.790E-01	0. 4.859	•0	٥٠	•0	•0	· 0		DELTA = 0		0.5 1.0	5.081E-01 3.835E-01	G. 4.893E-01	•0	•0	•0	.0	
			0.0	.5 0.	•0	.5 0.	•0 00	.0 6	.0 05	.0 51				0.0	.0 6	•0	.5 0.	.0 00	.0 6	.0 05	
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	

DELTA = 0.75				ALPHA = 0.60	5 ETA	PSI	09*0 = 1			
0.5	1	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
5.192E-01 3.882E-01	3.8826	-01	3.234E-01	2.830E-01	2.547E-01	2.335E-01	2.168E-01	2.0336-01	1.920E-01	1.824E-01
G. 4.929E-01	4.929E-	.01	4.130E-01	3.6265-01	3.2706-01	3.C02E-01	2.7906-01	2.618E-01	2.474E-01	2.352E-01
•0	•0		0.	4.104E-01	3.7066-01	3.405E-01	3.167E-01	2.973E-01	2.811E-01	2.672E-01
.0	•0		• 0	• 0	4.010E-01	3.686E-01	3.430E-01	3.2216-01	3.045E-01	2.896E-01
٠	ċ		• 0	.0	0.	0.	3.628E-01	3.407E-01	3.222E-01	3.065E-01
٠٠ 0•	• 0		• 0	• 0	٥.	• 0	• 0	3.554E-01	3.362E-01	3.198E-01
.0	.0		•0	• 0	• 0	• 0	• 0	•0	• 0	3.307E-01
				NU VERSUS ETA	S ETA					
DELTA = 1.00				ALPHA = 0.60	09.0	ISd	09°0 = I			
				OMEGA						
0.5 1.0	1.0		1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
5.309E-01 3.930E-01	3.930E-01		3.262E-01	2.8486-01	2.561E-01	2.345E-01	2.177E-01	2.040E-01	1.926E-01	1.8296-01
0. 4.965E-01	4.965E-01		4.152E-01	3.640E-01	3.280E-01	3.010E-01	2.797E-01	2.624E-01	2.479E-01	2.356E-01
•0	•0		•0	4.115E-01	3.714E-01	3.411E-01	3.172E-01	2.977E-01	2.814E-01	2.675E-01
.0	•0		•0	• 0	4.015E-01	3.690E-01	3.433E-01	3.223E-01	3.048E-01	2.898E-01
.0	•0		•0	• 0	• 0	• 0	3.630E-01	3.409E-01	3.224E-01	3.066€-01
.0	•0		•0	• 0	• 0	• 0	• 0	3.556E-01	3.364E-01	3.199E-01
.0	- 0		.0	•0	• 0	.0	• 0	• 0	• 0	3.308E-01

	5.0	2.013E-01	2.558E-01	2.878E-01	3.097E-01	3.259E-01				5.0	2.020E-01	2.563E-01	2.882E-01	3.100E-01	3.261E-01				5.0	2.027E-01	2.569E-01	2.886E-01	3.102E-01	3.263E-01
	4.5	2.116E-01	2.689E-01	3.025E-01	3.254E-01	3.425E-01				4.5	2.124E-01	2.694E-01	3.029E-01	3.258E-01	3.427E-01				4.5	2.132E-01	2.700E-01	3.033E-01	3.261E-01	3.430E-01
	0.4	2.236E-01	2.841E-01	3.196E-01	3.439E-01	•				4.0	2.245E-01	2.848E-01	3.201E-01	3.442E-01	•0				4.0	2.255E-01	2.855E-01	3.206E-01	3.446E-01	•0
PSI = 0.60	3.5	2.379E-01	3.023E-01	3.400E-01	3.658E-01	• 0		PSI = 0.60		3.5	2.391E-01	3.031E-01	3.406E-01	3.663E-01	• 0		09.0 = I		3.5	2.402E-01	3.040E-01	3.412E-01	3.667E-01	• 0
Sd	3.0	2.554E-01	3.245E-01	3.649E-01	•0	• 0		PS		3.0	2.568E-01	3.255E-01	3.657E-01	• 0	• 0		PSI		3.0	2.583E-01	3.266E-01	3.664E-01	.0	.0
0.80	2.5	2.7756-01	3.524E-01	3.963E-01	•0	• 0	S ETA	0.80		2.5	2.793E-01	3.537E-01	3.972E-01	•0	•0	S ETA	0.80		2.5	2.8116-01	3.5518-01	3.982E-01	•0	• 0
NU VERSUS ETA ALPHA = 0.80 OMEGA	2.0	3.064E-01	3.890E-01	•0	• 0	• 0	NU VERSUS ETA	ALPHA = 0.80	OMEGA	2.0	3.088E-01	3.908E-01	•0	•0	• 0	NU VERSUS ETA	ALPHA = 0.80	OMEGA	2.0	3.1136-01	3.927E-01	• 0	•0	•0
	1.5	3.469E-01	4.401E-01	.0	•0	•0				1.5	3.504E-01	4.428E-01	•0	•0	•0				1.5	3.540E-01	4.454E-01	•0	0.	•0
DELTA = 0.	1.0	4.091E-01	•0	0.	0.	• 0		DELTA = 0.25		1.0	4.149E-01	• 0	•0	• 0	• 0		DELTA = 0.50		1.0	4.210E-01	•0	•0	•0	•0
DEL	0.5	5.244E-01	•0	0.	•0	• 0		DEL		0.5	5.368E-01	• 0	• 0	•0	•0		DEL		0.5	5.501E-01	•0	••	•0	• 0
	0.0	•0	•0	.0	•0	•0				0.0	•0	•0	•0	•0	•0				0.0	• 0	•0	•0	.0	•0
	ETA	0.25	0.50	0.75	1.00	1.25				ETA	0.25	0.50	0.75	1.00	1.25				ETA	0.25	0.50	0.75	1.00	1.25

					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.75		ALPHA = 0.80	08.0	PSI	09*0 = 1			
					OMEGA						
ETA	0:0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	0	5.645E-01	4.2746-01	3.578E-01	3.139E-01	2.8305-01	2.5976-01	2.414E-01	2.264E-01	2.140E-01	2.034E-01
0.50	•0	•0	•0	4.482E-01	3.9456-01	3.565E-01	3.276E-01	3.048E-01	2.862E-01	2.707E-01	2.574E-01
0.75	•0	•0	.0	•0	•0	3.992E-01	3.6726-01	3.419E-01	3.2116-01	3.038E-01	2.889E-01
1.00	•0	•0	• 0	•0	• 0	• 0	•0	3.6726-01	3.450E-01	3.264E-01	3.105E-01
1.25	•0	•	•0	•0	• 0	• 0	•0	•0	• 0	3.432E-01	3.265E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 1.00		ALPHA = 0.80	0.80	PSI	PSI = 0.60			
					UMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	5.801E-01	4.340E-01	3.616E-01	3.165E-01	2.849E-01	2.612E-01	2.425E-01	2.274E-01	2.148E-01	2.041E-01
0.50	•0	• 0	.0	4.509E-01	3.964E-01	3.579E-01	3.287E-01	3.057E-01	2.870E-01	2.713E-01	2.579E-01
0.75	•0	• 0	• 0	•0	• 0	4.002E-01	3.680E-01	3.425E-01	3.216E-01	3.042E-01	2.893E-01
1.00	•0	0.	• 0	• 0	• 0	0.	•0	3.676E-01	3.454E-01	3.267E-01	3.108E-01
1.25	•0	• 0	•0	•0	• 0	•0	•0	0.	• 0	3.434E-01	3.268E-01
					NU VERSUS ETA	S ETA					
		DEL	DELTA = 0.		ALPHA = 1.00	1.00	PSI	09*0 = 1			
					OMEGA						
ETA	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	3.	5.5016-01	4.349E-01	3.709E-01	3.2875-01	2.9835-01	2.750E-01	2.565E-01	2.412E-01	2.284E-01	2.174E-01
0.50	0.	•	.0	• 0	4.118E-01	3.7375-01	3.446E-01	3.213E-01	3.022E-01	2.861E-01	2.724E-01
0.75	0.	.0	• 0	٠	• 0	.0	3.843E-01	3.583E-01	3.370E-01	3.1915-01	3.038E-01
1.00	•0	٥	• 0	.0	• 0	.0	•0	• 0	• 0	3.4136-01	3.249E-01

			5.0	2.183E-01	2.730E-01	3.042E-01	3.252€-01				5.0	2.192E-01	2.7376-01	3.047E-01	3.256E-01				5.0	2.2016-01	2.743E-01	3.051E-01	3.259E-01
			4.5	2.294E-01	2.869E-01	3.196E-01	3.417E-01				4.5	2.305E-01	2.876E-01	3.201E-01	3.421E-01				4.5	2.315E-01	2.884E-01	3.207E-01	3.4245-01
			0.4	2.424E-01	3.031E-01	3.376E-01	•0				4.0	2.436E-01	3.039E-01	3.382E-01	•0				4.0	2.4496-01	3.048E-01	3.389E-01	•0
	DSI = 0.60		3.5	2.579E-01	3.223E-01	3.5916-01	•0		PSI = 0.60		3.5	2.594E-01	3.234E-01	3.598E-01	• 0		PSI = 0.60		3.5	2.609E-01	3.245E-01	3.605E-01	•0
	PSI		3.0	2.768E-01	3.458E-01	3.852E-01	•0		PS		3.0	2.786E-01	3.471E-01	3.861E-01	• 0		PS		3.0	2.805E-01	3.4855-01	3.870E-01	•0
S ETA	1.00		2.5	3.006E-01	3.754E-01	.0	• 0	S ETA	1.00		2.5	3.029E-01	3.770E-01	• 0	•0	IS ETA	1.00		2.5	3.0536-01	4.1855-01 3.787E-01	•0	•0
NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.318E-01	4.140E-01	•0	•0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.349E-01	4.163E-01	•0	• 0	NU VERSUS ETA	ALPHA = 1.00	OMEGA	2.0	3.3815-01	4.1855-01	•0	•0
			1.5	3.753E-01	•0	•0	•0				1.5	3.798E-01	•0	•0	•0				1.5	3.845E-01	•0	•0	•0
	DELTA = 0.25		1.0	4.420E-01	•0	•0	•0)ELTA = 0.50		1.0	4.495E-01	.0	• 0	•0		JELTA = 0.75		1.0	4.574E-01	•	•0	• 0
	0		0.5	•0	•0	.0	• 0		a		0.5	• 0	• 0	• 0	• 0		J		0.5	•0	•0	•	0
			0.0	•	•	•0	•0				0.0	•0	•0	•0	•0				0.0	•0	•0	•0	•0
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00

			5.0	2.210E-01	2.750E-01	3.056E-01	3.262E-01	•0	•0	•0	•0	•0	.0	•0	0.	•0	•0	•0	•0	.0	•0	•0	•0
			4.5	2.326E-01	2.891E-01	3.212E-01	3.428E-01	.0	.0	• 0	.0	•0	.0	• 0	• 0	• 0	• 0	• 0	٠,	• 0	• 0	• 0	• 0
			0.4	2.461E-01	3.057E-01	3.395E-01	• 0	• 0	• 0	.0	• 0	• 0	.0	.0	•0	• 0	.0	• 0	• 0	•0	•0	•0	• 0
	09.0 = 1		3.5	2.624E-01	3.255E-01	3.613E-01	• 0	•0	.0	•0	• 0	• 0	٥.	.0	0.	• 0	• 0	• 0	•0	•0	•0	• 0	• 0
	ISd		3.0	2.8246-01	3.498E-01	3.8796-01	.0	• 0	.0	•0	.0	• 0	•0	•0	•0	•0	•0	• 0	•0	•0	•0	•0	••0
S ETA	1.00		2.5	3.0775-01	3.8046-01	• 0	• 0	• 0	• 0	•0	٥.	• 0	.0	•0		0.	٠,	• 0	•0	.0	• 0	• 0	•0
NU VERSUS	ALPHA =	OMEGA	2.0	3.415E-01	4.208E-01	•0	•0	•0	•0	•0	•0	•0	•0			•0	•0	•0	•0	•0	•0	• 0	•0
			1.5	3.894E-01	•0	•0	• 0	•0	•0	• 0	•0	•0	• 0	•0	•0	• 0	•0	•0	• 0	•0	• 0	•0	•0
	rA = 1.00		1.0	4.657E-01	• 0	• 0		•0	•0	• 0	0.	.0	•0	• 0	•0	•0		• 0		•0	•0	•0	• 0
	DELTA		0.5			• 0																	
			0.0	•0		•0																	•0
			ETA			0.75																	

APPENDIX III

Time Versus Eta -

"Piston Travel Time/Piston Travel Distance" A Dimensionless Quantity

				00	00	00	00	00	00	1	1	01	01	01	01	01	01	01	01	01	01	01	01
			0							3E 01)E 01												
			5.0	4.236E	5.635E	6.834E	7.907E	8.892E	9.811E	1.068E	1.1506	1.230E	1.306E	1.380E	1.451E	1.521E	1.589E	1.655E	1.721E	1.785E	1.847E	1.909E	1.970E
				00	00	00	00	00	00	10	01	01	01	01	01	01	01	01	10	01	01	01	01
			4.5	4.022E	5.351E	6.489E	7.508E	8.444E	9.317E	1.014E	1.093E	1.1685	1.240E	1.310E	1.378E	1.445E	1.509E	1.573E	1.635E	1.695E	1.755E	1.814E	1.872E
			4	4.0	5.3	4.9	7.5	8.4	9.3	1.0	1.0	1.1	1.2	1.3	1.3	1.4	1.5	1.5	1.6	1.6	1.7	1.8	1.8
				00	00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01		
	• 0		4.0	3.796E	5.050E	6.125E	7.087E	7.971E	8.796E	9.574E	1.032E	1.103E	1.1716	1.237E	1.302E	1.364E	1.425E	1.485E	1.544E	1.601E	1.658E	• 0	.0
	= ISd			00	00	00	00	00	00	00	00	01	01	01 1	01 1	01	01 1	01 1	-	_		0	U
	α.		10																				
			3.5	3,555	4.730E	5.738E	6.640E	7.468E	8.241E	8.971E	9.667E	1.033E	1.098E	1.1606	1.220E	1.279E	1.336E	1.392E	.0	• 0	• 0	• 0	• 0
				00	00	00	00	00	00	00	00	00	01	01	01	01							
			3.0	3.297E	4.387E	5.322E	6.160E	6.929E	7.647E	8.325E	8.970E	9.590E	1.019E	1.076E	1.132E	1.187E							
TIME VERSUS ETA	0.20		3	3.2	4.3	5.3	6.1	6.9	7.6	8.3	8.9	9.5	1.0	1.0	1.1	1:1	0	0	0	0	0	0	0
RSUS	0	GA		00	00	00	00	00	00	00	00	00	00										
VE	ALPHA =	OMEGA	2.5	3.017E 00	4.015E	4.871E	5.639E	6.343E 00	7.002E	7.623E	8.216E	8.784E	9.331E 00										
TIME	AL		2	3.0	4.0	4.8	5.6	6.3	7.0	7.6	8.2	8.7	9.3	0	0	0	0	0	0	0	0	0	0
				00	00	00	00	00	00	00	00												
			2.0	2.707E	3.604E	4.374E	5.064E	5.699E	6.291E	6.851E	7.384E												
			,,	2.	3.6	4	5.0	5.6	6.9	9.9	7	0	ċ	ċ	0	0	ċ	0	0	ċ	0	0	ં
				00	00	00	00	00	00														
	•		1.5	2.358E	3.141E	3.813E	4.416E	4.971E	5.489E														
			-	2.3	3.1	3.8	4.4	4.9	5.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DELTA			00	00	00	00																
	_		1.0	1.947E	2.596E	24E	3.655E																
			1	1.9	2.5	3.1	3.6	0	0	0	0	0	0	0	0	0	0	0	0	.0	0	0	0
				00	00																		
			0.5	1.422E	1.900E																		
			0	1.4	1.9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			4	25	20	52	00	25	20	15	00	25	20	51	00	52	20	51	00	52	20	52	00
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00

				0	0	0	0	0	0	_					_	32.00					10/16/	121	
				E 00	00	00	00	00	00	10	10	01	01	01	01	01	01	01	01	01	01	01	01
			5.0	4.231E	5.628E	6.827E	7.900E	8.884E	9.803E	1.067E	1.150E	1.229E	1.305E	1.379E	1.450E	1.520E	1.588E	1.655E	1.720E	1.784E	1.847E	1.908E	1.969E
				00	00	00	00	00	00	10	01	01	10	10	10	10	10	10	01	10	01	10	01
			4.5	16E	43E	82E	01E	36E	36C														1E
			4	4.016E	5.343E	6.482E	7.501E	8.436E	9.309E	1.013E	1.092E	1.167E	1.239E	1.310E	1.378	1.444E	1.508E	1.572E	1.634E	1.694E	1.754E	1.8135	1.8716
				00	00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01		
	• 0 =		4.0	3.789E	5.042E	6.117E	7.079E	7.962E	8.787E	9.565E	1.031E	1.102E	1.170E	1.236E	1.301E	1.363E	1.424E	1.484E	1.543E	1.600E	1.657E	. 0	• 0
	PSI			00	00	00	00	00	00	00	00	01							1	1	1	0	0
	a .		5										7E 01)E 01	E 01	3E 01	E 01	E 01					
			3.5	3.548E	4.722E	5.729E	6.631E	7.459E	8.232E	8.962E	9.657E	1.032E	1.097E	1.159E	1.219E	1.278E	1.335E	1.391E	.0	• 0	• 0	• 0	.0
				00	00	00	00	00	00	00	00	00	01	10	01	01							
_			3.0	3.289E	4.378E	5.313E	6.150E	6.919E	7.636E	8.314E	8.960E	9.579E	1.018E	1.075E	1.131E	1.186E							
ETA	0.20		(1)	3.2	4.3	5.3	6.1	6.9	7.6	8.3	8.9	9.5	1.0	1.0	1.1	1.1	0	0	0	0	• 0	0	ċ
SUS	0 =	AS		00	00	00	00	00	00	00	00	00	00										
VE	ALPHA =	OMEGA	2.5	3.008E	4.005E	4.861E	5.628E	6.333E	6.991E		8.204E												
TIME VERSUS	AL		2							7.612E	8.2	8.772E	9.319E	0	0	0	0	0	0	0	•0	0	0
				00	00	00	00	00	00	00	00												
			2.0	2.698E	3.594E	4.363E	5.053E	5.686E	6.279E	6.838E	7.371E												
				2.	3.	4	5.	5.	•	.9	7.	0	0.	0	0	c.	0	c	ċ	0	0	ċ	0
	2			00	00	00	00	00	00				*										
	0.5		1.5	2.347E	3.129E	3.800E	4.403E	4.957E	5.475E														
	# V			2.	3.	3.	4.	4	5.4	0	0	0	0	0	•	•	•	0	0	0	0	0	0
	DELTA = 0.25			00	00	00	00																
			1.0	1.934E	2.581E	3.138E	38E																
			-	1.9	2.5	3.1	3.6	0	0	0	0	0	0	0	0	0	0	0	0	.0	0	.0	0
				00	00																		
			0.5	1.404E	1.880E																		
			0	1.4	1.8	0	0	0	0	0	•	•	•	0	•	0	•		•	•	.0	.0	0
			_	52	0.0	2	0	2	0	2	0	2	0	2	0	5	0	2	0	2	0	2	
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00

								TIME VERSUS		ETA									
		DEI	DELTA =	0.50				ALPHA =	= 0.20	0			PSI	• 0 =					
								OMEGA	A										
ETA	0.5	1.0		1.5		2.0		2.5		3.0		3.5		4.0		4.5		2.0	
0.25	1.386E 00	1.921E 00		2.337E	00	2.689E	00	3.000E	00 3	3.282E	00	3.541E	00	ш	00	4.010F	00	4.225E	
0.50	1.860E 00	2.566E 00		3.117E	00	3.583E	00	3.996E	90 4	4.370E	00	4.714E	00			5.336F	0	5. 622E	3 6
0.75	• 0	3.122E 00		3.787E (00	4.352E	00	4.851E	00 5	5.304E	00	5.720E	00			6.474F	200	A. RODE	3 6
1.00	•0	3.622E 00		4.389E (00	5.041E	00	5.618E	9 00	6.14CE	00		00			7.493F	200	7.8925	3 6
1.25	•0	• 0	4.9	4.943E	00	5.674E	00	6.322E C	9 00	9606°9	00		00			8.428E	00	8-877F	
1.50	•0	.0	5.4	5.461E (00	6.266E	00	9446 e	00 7.	7.626E	00	8.222E	00			9.301E	00	9.795	2 0
1.75	• 0	• 0	0		-	6.826E	00	7.601E 0	00 8.	8.304E	00	8.952E	00			1.012E	01		01
2.00	•0	• 0	0		8	7.359E	00	8.193E 0	00 8.	8.950E	00	9.647E	00	1.030E	01		10		
2.25	• 0	• 0	0			.0		8.761E 0	.6 00	9.569E	00	1.031E	01						
2.50	•0	• 0	0		9	• 0		9.308E 0	00 1.	1.017E (01	1.096E	01	1.169E	01				
2.75	•0	• 0	0		_	0.		.0	1.	1.074E (01	1.158E 0	01						
3.00	• 0	• 0	0			0.		•0	1.	1.130E (01 1	1.218E 0	01						
3,25	• 0	• 0	0			0.		• 0	1.	1.185E C	01 1	1.277E 0	01						
3.50	• 0	• 0	• 0			0.		•0	0		-	1.334E 0	01						; ;
3.75	•0	• 0	0			0.		0	0	1 500	-	1.390E 0	01						
00 • 4	• 0	٥.	0		0	0.		•0	0		0	0							
4.25	• 0	.0	0		C	0.		•0	0		0	0	-						7 6
4.50	.0	• 0	0		C	.0		0.	0										10
4.75	.0	• 0	0		0	0.		0	c		, ,		1 (10
00.0	0.	0	0		c	c		c			•		>	•	1		010	1.907E	01
			,		2	•		• 0	0		0	• 0	0	• 0	-	1.870E (01 1	1.968E (01

						-	TIME VERSUS		ETA						
		DELTA	IA = 0.75				ALPHA =		0.20		ISd	• 0 =			
							OMEGA	A							
TA	6.0	1.0	1.5		2.0		2.5		3.0		3.5	4.0		4.5	2.0
.25	1.368E 00	1.908E 00	2.326E 00		2.679E	00	2.991E	00	3.274E	00	3.534E 00	3.776E 00		4.003E 00	4.219E 00
. 50	1.839E 00	2.551E 00	3.104E 00		3.573E (00	3.987E	00	4.361E	00	4.706E 00	5.027E 00		5.329E 00	5.615E 00
.75	.0	3.106E 00	3.774E 00		4.341E (00	4.841E	00	5.294E	00	5.712E 00	6.101E 00		6.466E 00	6.812E 00
.00	• 0	3.605E 00	4.376E 00		5.029E	00	5.607E	00	6.131E	00	6.613E 00	7.062E 00		7.485E 00	7.885E 00
.25	• 0	• 0	4.929E 00		5.662E	00	6.311E	00	9668.9	00	7.440E 00	7.945E 00		8.420E 00	8.869E 00
.50	•0	• 0	5.446E 00	9 00	6.254E	00	6.968E	00	7.616E	00	8.213E 00	8.769E 00		9.292E 00	9.787E 00
.75	•0	• 0	• 0	9	6.813E	00	7.590E	00	8.294E	00	8.943E 00	9.547E 00		1.012E 01	1.065E 01
00.	•0	•0	•	7	7.346E	00	8.181E	00	8.939E	00	9.637E 00	1.029E 01		1.090E 01	1.148E 01
.25	•0	•0	• 0	0	.0		8.749E	00	9.558E	00	1.030E 01	1.100E 01		1.165E 01	1.227E 01
. 50	•0	•0	• 0	0	0.		9.296E	00	1.015E	01	1.095E 01	1.168E 01		1.238E 01	1.303E 01
.75	•0	•0	• 0	C	0.		•0		1.073E	01	1.157E 01	1.235E 01		1.308E 01	1.377E 01
00	•0	•0	• 0	0	• 0		• 0		1.129E	01	1.217E 01	1.299E 01		1.376E 01	1.449E 01
1.25	•0	•0	•0		•0		•0		1.184E	01	1.276E 01	1.361E 01		1.442E 01	1.518E 01
. 50	•0	•0	•0		·		•		• 0		1.333E 01	1.423E 01		1.507E 01	1.586E 01
1.75	.0	•0	•0		.0		•		•0		1.389E 01	1.482E 01		1.570E 01	1.653E 01
00	•0	•0	•0		0.		•		•0		• 0	1.541E 01		1.632E 01	1.718E 01
+.25	0.	•0	•0		.0		•0		•0		•0	1.598E 01		1.693E 01	1.782E 01
. 50	•0	•	•0		٥.		•		•0		• 0	1.655E 01		1.752E 01	1.845E 01
4.75	•0	•0	•0		0.		•0		• 0		• 0	• 0	1	1.811E 01	1.907E 01
00.9	•0	•0	•0		·		•0		•		•0	•0	1	1.869E 01	1.967E 01

				00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	10	01
			5.0	4.213E	5.608E	6.805E	7.877E	8.861E	9.779E	1.065E	1.147E	1.226E	1.303E	1.376E	1.448E	1.518E	1.586E	1.652E	1.717E	1.781E	1.844E	1.906E	1.967E 01
				00	00	00	00	00	00	01	10	01	01	01	01	01	01	01	01	01	10	10	01
			4.5	3.997E	5.322E	6.459E	7.477E	8.411E	9.284E	1.0116	1.089	1.164E	1.237E	1.307E	1.375E	1.441E	1.506E	1.569E	1.631E	1.692E	1.7516	1.810E	1.868E
				00	00	00	00	00	00	00	10	10	01	10	01	10	01	01	01	01	01		
	• 0 =		4.0	3.769E	5.020E	6.093E	7.054E	7.936E	8.760E	9.538E	1.028E	1.099E	1.167E	1.234E	1.298E	1.360E	1.422E	1.481E	1.540E	1.597E	1.654E	• 0	.0
	PSI			00	00	00	00	00	00	00	00	01	01	01	10	01	01	01					
			3.5	3.527E	4.698E	5.703E	6.604E	7.431E	8.203E	8.933E	9.628E	1.029E	1.094E	1.156E	1.216E	1.275E	1.332E	1.388E	• 0	• 0	.0	• 0	0.
				00	00	00	00	00	00	00	00	00	01	01	01	01							
ETA	0.20		3.0	3.266E	4.352E	5.285E	6.121E	6.889E	7.606E	8.283E	8.929E	9.547E	1.014E	1.072E	1.128E	1.183E	• 0	• 0	• 0	• 0	• 0	• 0	.0
SUS	0	A		00	00	00	00	00	00	00	00	00	00										
TIME VERSUS	ALPHA	OMEGA	2.5	2.983E	3.977E	4.831E	5.596E	6.300E	6.957E	7.578E	8.170E	8.738E	9.285E	• 0	• 0	•0	• 0	• 0	• 0	• 0	•0	• 0	.0
				00	00	00	00	00	00	00	00												
			2.0	2.670E	3.562E	4.329E	5.017E	5.650E	6.241E	6.800E	7.333E	.0	٥.	• 0	.0	0.	• 0	0.	0.	0.	0.	ċ	٥.
				00	00	00	00	00	00														
	1.00		1.5	2.315E	3.092E	3.761E	4.362E	4.915E	5.432E	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0
	DELTA			00	00	00	00																
	Q		1.0	1.895€	2.537E	3.090€	3.589E	• 0	•	• 0	• 0	• 0	·	• 0	• 0	• 0	.0	• 0	• 0	.0	• 6	.0	0.
				00	00														0		0		0
			0.5	1.349E	1.818E (• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	٠.	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	00.4	4.25	4.50	4.75	2.00

			5.0	3.033E 00							8.562E 00	9.188E 00	9.794E 00																		
			41	3.0	4.0	4.9	5.7	6.5	7.2	7.9	8.5	9.1	9.7	1.0						00	00	00	00	00						00	01
				00	00	00	00	00	00	00	00	00	00						5.0	3.025E	4.058E	4.955E	5.767E	6.520E	7.229F	7.9045	1 1 1	3166.0	9.176E	9. 782E	1.037E
			4.5	2.882E	3.865E	4.718E	5.490E	6.206E	6.881E	7.523E	8.139E	8.733E	9.309E	.0						00 3	00 4.	.4 00	00 5.	.9 00	00 7.					6 00	1.0
				00	00	00	00	00	00	00	00	00	0.	O					4.5	2.873E	3.855E	4.708E	5.479E							38E	
	•		4.0	2.722E (3.651E	4.457E (5.864E	6.502E C	7.109E C	7.691E 0	8.253E 0								00 2.8				0 6.195E	0 6.869E					9.298E	0
	=										7.	8	0	0							1E 00	5E 0	00 B	3E 00	00 J	E 00			00		
	PSI			E 00	E 00						0 =			4.0	2. 713E	3.641E	4.446E 00	5.176E	5.853E	9064°9	7.097E	7.679E	27.15								
			3.5	2.552E	3.424E	4.181E	4.866E	5.501E	6.100E	6.670E						PSI				00	00	00	00	00		00	7	a		0	0
										9	0	0	0	0											7E 0	7E 0					
_			3.0	2.37CE 00	3.181E 00	3.884E 00	4.521E 00	5.112E 00	5.669E 00									•		2.542E	3.413E	4.169E	4.853E	5.489E	6.087E 0.0	6.657E	•	0	0	•	•
ETI	0.40		m	2.3	3.1	3.8	4.5	5.1	5.6	0	0	0	0	0							00	00	00	00	00						
TIME VERSUS ETA		GA		00	00	00	00	00							TA	0				2 • 30 UE	3.169E	3.871E	4.508E	5.099E	5.655E 00						
te ve	ALPHA =	UMEGA	2.5	2.174E	2.917E	3.563E	4.148E 00	4.691E 00							US E	0.4									5	0	0	0	0		·
11	4							4	0	0	0	0	0	0	VERS	ALPHA = 0.40	OMEGA	2	2 3 6		4E 0	9E 00	00 3+)E 00							
			0	7E 00	7E 00)E 00	3E 00								TIME VERSUS ETA	ALP	0	2.5	2.1625 00		2.904E 00	3.549E	4.134E	4.676E 00	.0	.0	.0	0	.0		•
			2.0	1.957E	2.627E	3.210E	3.738E	0.	0.	.0	9.	c.	.0	0.					00		00	00	00						0	,	,
				00	00	00												2.0	1.944E		2.613E	3.195E	3.722E								
	•		2															2	1.9	,	0.7	3.1	3.7	0	.0	0	0.	0	0.		•
	11		1.5	1.7135	2.301E	2.813E	.0	.0	.0	.0	.0	.0	.0	.0		2			00			00									
	DELTA			00	00											. 0.25		1.5	1.698E	2 285	203	Z. 795E									
			1.0	428E	1.921E											LTA =			1.	0	,	,	·	•	0	0	0	0	0	d	•
			1	1.4	1.9	0	0	0	0	0	0	0		0		DEL			00	00											
				E 00														1.0	1.411E	1.901		•	•	• 0	•	.0	.0	• 0			
			0.5	1.070E 00	.0	.0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0					00			,			0	0	0	0	0	0	
			٨	0.25	0.50	0.75												0.5	1.046E		8 - 3										
			ETA	0	0	0	1.00	1.25	1,50	1.75	2.00	2.25	2.50	2.75						0				• •	0	0	0	0	0	0	
																		ETA	0.25	0.50	0.75		200	79.1	1.50	1.75	2.00	2.25	2.50	2.75	

					-	TIME VERSUS	ETA					
		DELTA	A = 0.50			ALPHA = 0	0.40	PSI	•0 = 1			
						OMEGA						
ETA	0.5	1.0	1.5	2.0		2.5	3.0	3.5	0.4		4.5	5.0
0.25	1.022E 00	1.393E 00	1.684E 00	1.931E C	00	2.150E 00	2.349E 00	2.533E 00	2.703E 0	00 2	2.864E 00	3.016E 00
0.50	• 0	1.981E 00	2.268E 00	2.598E C	00	2.891F 00	3.157E 00	3.402E 00	3.630E 00		3.845E 00	4.049E 00
0.75	• 0	.0	2.7785 00	3.179E 0	00	3.535E 00	3.859E 00	4.157E 00	4.435E 00		4.697E 00	4.945E 00
1.00	• 0	٠٠	.0	3.706E 0	00	4.119E 00	4.495E 00	4.841E 00	5.164E 00		5.469E 00	5.757E 00
1.25	• 0	• 0	• 0	ċ		4.662E 00	5.085E 00	5.476E 00	5.841E 00		6.184E 00	6.509E 00
1.50	• 0	• 0	• 0	0.		• 0	5.641E 00	6.074E 00	6.478E 00		6.858E 00	7.218E 00
1.75	• 0	• 0	• 0	٥.		.0	٠	6.644E 00	7.085E 00		7.500E 00	7.893E 00
2.00	•0	• 0	• 0	ċ		.0	• 0	.0	7.667E 00		8.115E 00	8.540E 00
2.25	• 0	.0	• 0	•0		.0	• 0	.0	8.229E 00		8.710E 00	9.165E 00
2.50	• 0	• 0	• 0	c.		•0	• 0	.0	•0	6	9.286E 00	9.771E 00
2.75	• 0	• 0	• 0	·		• 0	• 0	• 0	•0	0		1.036E 01
					-	TIME VERSUS	ETA					
		DELTA	A = 0.75			ALPHA = 0.40	04.	I S d	*0 = 1			
						OMEGA						
ETA	0.5	1.0	1.5	2.0		2.5	3.0	3.5	4.0		4.5	5.0
0.25	9.973E-01	1.375E 00	1.6695 00	1.918E 0	00	2.139E 00	2.339E 00	2.523E 00	2.694E 00		2.855E 00	3.008E 00
0.50	• 0	1.861E 00	2.251E 00	2.584E	00	2.878E 00	3.145E 00	3.391E 00	3.620E 00		3.835E 00	4.039E 00
0.75	• 0	• 0	2.760E 00	3.164E 0	00	3.521E 00	3.846E 00	4.145E 00	4.424E 0	4 00	4.687E 00	4.935E 00
1.00	• 0	• 0	• 0	3.690E	00	4.105E 00	4.481E 00	4.829E 00	5.153E 00		5.458E 00	5.746E 00
1.25	• 0	• 0	• 0	.0		4.647E 00	5.071E 00	5.463E 00	5.829E 00		6.173E 00	00 3667°9
1.50	• 0	• 0	• 0	ċ.		•0	5.627E 00	6.061E 00	6.466E 00		6.847E 00	7.207E 00
1.75	• 0	• 0	• 0	ċ		.0	• 0	6.631E 00	7.072E 00		7.488E 00	7.882E 00
2.00	• 0	• 0	• 0	.0		•0	• 0	.0	7.654E 00		8.104E 00	8.529E 00
2.25	• 0	• 0	• 0	· c		•0	• 0	• 0	8.216E 00		8.698E 00	9.154E 00
2.50	• 0	.0	• 0			•0	• 0	.0	• 0	6	9.274E 00	9.760E 00
2.75	• 0	• 0	• 0	0.		• 0	• 0	• 0	• 0	0		1.035E 01

					00	00	00	00	00	00	00	00	00	00	01												
																					00	00	00	00	00	3	00
				n 6	3.000E	4.030E	4.925E	5.736E	6.488E	1.196E	7.871E	8.518E	9.143E	9.749E	1.034E					2.0	2.506E	3.385E	4.156E	4.859E	5.515F	6.137E	6.733E
				6	3	00	00	00	00	3	00	00	00	00										4	5	4	9
			u	20,75	1 1	3.825E	4.0 /0E															00	00	00	00		
			,	,		0 .	•	5.4	1.0	•	1.477E	8.092E	8.686E	9.262E	• 0				4		4.383E	3.219E	3.952E	4.620E	5.245E	5.837E	6.403E
				0					8 8			00	00														
	0		4.0	2.685F	3,4005	4 4135	1135	5.141E	7. 00 LE	7.07		7.642E	8.204E								0 1	E 00					
				2	, ,	, 4		, ,	,	,	•	7.6	8.2	0	0		0 =		4.0	2 2535		3.043E	3.736E	4.369E	4.960E	5.520E	
	PSI			00													PSI =			00						2	0
			3.5	2.513E	3.379F	4.1336	7000	2010-1	6.048F	4. 6175	4						۵		2				3E 00	SE 00	VE 00		
												0	0	0	0				3.5	2.115E	2 9675	60.	3.508E	4.102E	4.657E	.0	• 0
				E 00																00				00	4	0	0
ETA	0		3.0	2.328E	3.133E	3.833E	4.4685	5.058F	5.614E			_							3.0								
SUS E	ALPHA = 0.40									c		•	0	0	0	TIME VERSUS ETA	09.0		3	1.967E	2.65RF		3.204E	3.817E	0.	.0	• 0
VERS	HAH	OMEGA	2	7E 00	5E 00											SUS	0	AS		00	00		8				
TIME VERSUS	ALP	0	2.5	2.127E	2.865E	3.507E	4.090E	4.632E	•0	0	c		•	• 0		: VE	ALPHA =	OMEGA	2.5	1.807E	2.442E	3000	3				
-				00	00	00	00		0	0)	0	0	0	LIME	AL		2	1.8	2.4			•	0	0	•0
			2.0																	00	00						
			2	1.905E	2.569E	3.148E	3.674E	0.	0	0	0		•	٥.	.0				2.0	1.631E	2.206E						
				00	00	00														-:	2.	0	c	•	•	0	c
	= 1.00		1.5	1.654E	2.235E	2.742E														00	00						
			1	1.6	2.2	2.1	0	0	0	0	0	c	•	•	0		0 =		1.5	1.435E	1.9415						
	DELTA			00	00												DELTA				1,	0	0		•	0	0
			1.0	1.356E	840E												DEI			E 00							
				1.	1.84	0	ċ	0	ċ	ċ	0	c		0	0				1.0	1.206E	0						
				-01																1	C	0	C			0	0
			0.5	9.718E-01															2								
				6	0	0	0	0	0	0	0	0		•	•				0.5	.0	0	.0	0	0		• 0	•
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	. 75	2.00	2.25	C	00.3	2.75												
			_	J	0	0	1	1	1	1	N	2	C	7	7				ETA	0.25	0.50	0.75	1.00	1.25	9	06.1	75

					TIME VERSUS	S ETA					
		DELT	DELTA = 0.25		ALPHA = (09.0	ISd	•0 = 1			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	
0.25	•0	1.185E 00	1.417E 00	1.616E 00	1.793E 00	1.954E 00	2.103E 00	2.242E 00	2.372E 00	2.496E 00	
0.50		• 0	1.921E 00	2.189E 00	2.427E 00	2.644E 00	2.844E 00	3.031E 00	3.207E 00	3.374E 00	
0.75		٥.	• 0	•0	2.983E 00	3.249E 00	3.494E 00	3.723E 00	3.939E 00	4.144E 00	
1.00	• 0	• 0	• 0	• 0	•0	3.801E 00	4.088E 00	4.355E 00	4.607E 00	4.846E 00	
1.25	• 0	• 0	• 0	•0	•0	•0	4.643E 00	4.946E 00	5.232E 00	5.503E 00	
1.50	• 0	• 0	•0	•0	.0	• 0	• 0	5.506E 00	5.823E 00	6.125E 00	
1.75	•0	• 0	• 0	ċ	•0	•0	.0	• 0	6.390E 00	6.720E 00	
					TIME VERSUS	ETA.					
		DELTA =	A = 0.50		ALPHA = 0.60	09.0	PSI	• 0 =			
					OMEGA						
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0	
0.25	• 0	1.164E 00	1.400E 00	1.601E 00	1.779E 00	1.941E 00	2.091E 00	2.230E 00	2.362E 00	2.486E 00	
0.50	.0	• 0	1.902E 00	2.171E 00	2.411E 00	2.629E 00	2.831E 00	3.018E 00	3.195E 00	3.363E 00	
0.75	• 0	• 0	• 0	•0	2.967E 00	3.234E 00	3.480E 00	3.710E 00	3.927E 00	4.132E 00	
1.00	• 0	.0	• 0	• 0	• 0	3.786E 00	4.073E 00	4.342E 00	4.594E 00	4.834E 00	
1.25	.0	• 0	•0	ċ	•0	• 0	4.628E 00	4.932E 00	5.218E 00	5.490E 00	
1.50	• 0	٠,	•0	·°	• 0	• 0	• 0	5.491E 00	5.810E 00	6.112E 00	
1.75	• 0	• 0	• 0	• 0	.0	•0	• 0	• 0	6.376E 00	6.707E 00	

			00	00	00	00	00	00	8					00	00	00	00	00	00	00
		5.0	2.476E	3.352E	4.120E	4.822E	5.477E	9660°9	6.694E				5.0	2.466E	3.340E	4.108E	4.809E	5.465E	6.086E	6.681E
			00	00	00	00	00	00	00					00	00	00	00	00	00	00
		4.5			.914E	.581E	.205E						4.5	.341E		.901E	.568E	.192E		6.348E
									9											9
					E 00	E 00	E 00	E 00						E 00		E 00	E 00	E 00	E 00	
•0 =		4.0	2.219	3.006	3.697	4.328	4.918	5.477	•		• 0 =		4.0	2.208	2.993	3.683	4.314	4.904	5.463	0.
PSI			00	00	00	00	00				PSI			00	00	00	00	00		
		3.5	2.079E	2.817E	3.466E	4.058E	4.612E	.0	• 0				3.5	2.067E	2.804E	3.452E	4.044E	4.597E	• 0	.0
			00	00	00	00								00	00	00	00			
0		3.0				.770E				T A	0		3.0	.915E			.754E			
0.6						3	0	0	0	JS E	9.0						3	0	0	0
	EGA		E 00		E 00					ERSL	# V	EGA		E 00		E 00				
ALPH	WO	2.5	1.765	2.396	2.950	•0	• 0	•0	• 0	IME V	ALPH	O	2.5	1.751	2.380	2.933	• 0	• 0	• 0	0.
			00	00						_				00	00					
		2.0					•						2.0	.569E	.136E	•		•		0.
					0	0	0	0	0							0	0	0	C	C
15		Name of the last o									00									
		1.5	1.382	1.882	• 0	• 0	• 0	• 0	• 0		A = 1.		1.5	1.363	1.861	• 0	•0	•0	•0	0
ELT			00)ELT			00						
٥		0									3		0.	20E						
		1	1.1	ċ	0	0	0	ċ	0				1	1.1	0	ċ	0	0.	0	0
		0	.0	• 0	.0	• 0	• 0	0	• 0				0	• 0	.0	• 0	• 0	• 0	• 0	0
		DELTA = 0.75 ALPHA = 0.60 PSI = OMEGA	DELTA = 0.75 ALPHA = 0.60 PSI = 0. OMEGA 1.0 1.5 2.0 2.5 3.C 3.5 4.0 4.5	DELTA = 0.75 ALPHA = 0.60 PSI = 0. OMEGA 1.0 1.5 2.0 2.5 3.C 3.5 4.0 4.5 5.0 1.143E 00 1.382E 00 1.765E 00 1.928E 00 2.079E 00 2.219E 00 2.351E 00 2.476E	DELTA = 0.75 OMEGA 1.143E 00 1.382E 00 2.154E 00 2.396E 00 2.615E 00 2.817E 00 3.006E 00 3.184E 00 3.352E	DELTA = 0.75 OMEGA 1.0 1.143E 00 1.382E 00 2.154E 00 2.95E 00 2.015E 00 3.06E 00 3.097E 00 3.917E 00 3.914E 00 3.	DELTA = 0.75	DELTA = 0.75	DELTA = 0.75	1.0 1.5 2.0 2.5 3.0 3.5 4.0 5.1 5.0 5.0 3.5 4.0 4.5 5.0 3.5 4.0 4.5 5.0 3.5 4.0 4.5 5.0 3.5 4.0 4.5 5.0 3.5 4.0 4.0	1.143E 0.75 1.50 1.55 0.00 1.55 0.00 0.25 0.25 0.00 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25	1.0 1.0 1.5 2.0 2.5 3.0 3.0 2.0 2.0 3.0 2.0	1.0	1.0 1.0 1.5 2.0 2.5 3.0 3.5 4.0 3.5 4.0 4.5 5.0 1.10 1.5 2.0 2.5 3.0 2	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1.1 1.2 1.5	1.10 1.50	1.10 1.5	1.10 1.50	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

					TIME VERSUS	IS ETA				
		DELTA	TA = 0.		ALPHA =	0.80	ISd	•0 = 1		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	1.078E 00	1.273E 00	1.441E 00	0 1.592E 00	1.73CE 00	1.857E 00	1.976E 00	2.089E 00	2.196E 00
0.50		• 0	• 0	1.961E 00	0 2.165E 00	2.352E 00	2.525E 00	2.687E 00	2.840E 00	2.985E 00
0.75		• 0	• 0	.0	• 0	2.902E 00	3.116E 00	3.315E 00	3.504E 00	3.683E 00
1.00	• 0	٥	• 0	• 0	• 0	• 0	3.658E 00	3.892E 00	4.113E 00	4.323E 00
1.25		• 0	•0	• 0	• 0	•0	•0	• 0	4.686E 00	
1.50	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	5.497E 00
					TIME VERSUS	S ETA				
		DELTA	A = 0.25		ALPHA = 0	0.80	PSI	• 0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	1.055E 00	1.253E 00	1.424E 00	1.576E 00	1.715E 00	1.844E 00	1.964E 00	2.077E 00	2.184E 00
0.50	• 0	·	• 0	1.941E 00	2.148E 00	2.336E 00	2.510E 00	2.673E 00	2.827E 00	2.973E 00
0.75	• 0	• 0	• 0	ċ	•0	2.885E 00	3.100E 00	3.301E 00	3.490E 00	3.669E 00
1.00	• 0	• 0	• 0	•0	•0	• 0	3.642E 00	3.877E 00	4.099E 00	4.309E 00
1.25	• 0	• 0	• 0	ċ	•0	• 0	• 0	• 0	4.671E 00	4.910E 00
1.50	• 0	•	• 0	٥.	• 0	• 0	• 0	• 0	•0	5.483E 00
					TIME VERSUS ETA	ETA				
		DELTA	09.0 = 4		ALPHA = 0	0.80	ISd	• 0		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	00	1.233E 00	1.406E 00	1.560E 00	1.701E 00	1.830E 00	1.951E 00	2.065E 00	2.173E 00
0.50	• 0	• 0	.0	1.922E 00	2.130E 00	2.320E 00	2.495E 00	2.659E 00	2.814E 00	2.960E 00
0.75	• 0	٠٠	• 0	• 0	•0	2.868E 00	3.084E 00	3.286E 00	3.476E 00	3.656E 00
1.00	• 0		.0	0.	•0	.0	.0	3.862E 00	4.084E 00	4.295E 00
1.25	• 0	• 0	• 0	ċ	• 0	• 0	.0	• 0	4.656E 00	4.896E 00

					TIME VERSUS ETA	ETA				
		DELTA	A = 0.75		ALPHA = 0.	0.80	PSI	°0 		
					OMEGA					
	0.5	1.0	1.5	2.0	2.5	3.€	3.5	0.4	4.5	2.0
		1.006E 00	1.213E 00	1.388E 00	1.544E 00	1.686E 00	1.817E 00	1.938E 00	2.053E 00	2.161E 00
		• 0	•0	1.902E 00	2.112E 00	2.304E 00	2.480E 00	2.645E 00	2.800E 00	2.947E 00
0.75		•0	•0	.0	•0	2.851E 00	3.068E 00	3.271E 00	3.461E 00	3.642E 00
1.00	• 0	• 0	•0	•	•0	• 0	•0	3.846E 00	4.070E 00	4.281E 00
1.25		• 0	• 0	•0	• 0	• 0	• 0	•0	4.641E 00	4.882E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 1.00		ALPHA = 0.	0.80	ISd	• 0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	.0	9.814E-01	1.1926 00	1.370E 00	1.528E 00	1.671E 00	1.803E 00	1.925E 00	2.041E 00	2.150E 00
0.50	.0	• 0	• 0	1.882E 00	2.094E 00	2.287E 00	2.465E 00	2.631E 00	2.787E 00	2.934E 00
0.75	0.	•0	.0	.0	•0	2.834E 00	3.052E 00	3.255E 00	3.447E 00	3.629E 00
1.00	• 0	•0	•0	.0	•0	•0	•0	3.830E 00	4.055E 00	4.267E 00
1.25	• 0	• 0	•0	• 0	•0	• 0	• 0	• 0	4.626E 00	4.868E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.		ALPHA = 1.00	00,	PSI	• 0 =		
					OMEGA					
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25		• 0	1.164E 00	1.314E 00	1.448E 00	1.570E 00	1.684E 00	1.790E 00	1.891E 00	1.986E 00
0.50		•0	• 0	• 0	1.980E 00	2.147E 00	2.303E 00	2.448E 00	2.586E 00	2.716E 00
0.75	• 0	• 0	• 0	• 0	•0	• 0	2.853E 00	3.033E 30	3.204E 00	3.365E 00
1.00		• 0	• 0	٥.	• 0	•0	•0	•0	3.774E 00	3.965E 00

					TIME VERSUS ETA	S ETA						
		DEL	DELTA = 0.25		ALPHA = 1.00	1.00	a .	PSI = 0	• 0			
					OMEGA							
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4	4.0	4.5	5.0	
0.25	•0	• 0	1.143E 00	1.295E 00	1.430E 00	1.554E 00	1.669E	00 1.7	1.776E 00	1.877E 00	1.974E	00
0.50	• 0	•0	• 0	•0	1.961E 00	2.130E 00	2.286E	00 2.4	2.433E 00	2.571E 00	2.702E	00
0.75	• 0	• 0	•0	• 0	• 0	• 0	2.836E 0	00 3.0	3.017E 00	3.188E 00	3.351E	00
1.00	• 0	•0	•0	c*	• 0	•0	• 0	0		3.758E 00	3.949E	00
					TIME VERSUS	S ETA						
		DELT	DELTA = 0.50		ALPHA = 1.00	00 • 1	۵	PSI = 0.				
					OMEGA							
ETA	5	1.0	1.5	2.0	2.5	3.0	3.5	4	4.0	4.5	5.0	
0.25		• 0	1.121E 00	1.275E 00	1.413E 00	1.538E 00	1.654E 00		1.762E 00	1.864E 00	1.961E	00
0.50	•0	•0	•0	•0	1.941E 00	2.112E 00	2.270E 00		2.417E 00	2.556E 00	2.688E	00
0.75		• 0	•0	0.	•0	•0	2.818E 00		3.001E 00	3.173E 00	3.336E	00
1.00		• 0	•0	•0	• 0	•0	•0	0		3.742E 00	3.934E	00
					TIME VERSUS ETA	S ETA						
		DELI	DELTA = 0.75		ALPHA = 1.00	00 • 1	۵	PSI = 0.				
					OMESA							
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4	4.0	4.5	5.0	
0.25		• 0	1.099E 00	1.256E 00	1.395E 00	1.522E 00	1.639E 00		1.748E 00	1.851E 00	1.948E	00
0.50		• 0	•0	.0	1.922E 00	2.094E 00	2.253E 00		2.402E 00	2.542E 00	2.674E	00
0.75	• 0	• 0	•0	0.	•0	•0	2.801E 00		2.984E 00	3.157E 00	3.321E 00	00
1.00		• 0	•0	0.	•0	•0	• 0	0		3.726E 00	3.919E 00	00

0 0 0 0	
4.5 1.837E 2.527E 3.141E 3.710E 0. 0.	
8 8 8	
= 0. 4.0 1.734E 2.968E 0. 0. 0.	
00 00 00	
3.5 1.624E 2.236E 2.783E 0. 0. 0.	
0 00	
76E	
= 1.	
LPHA OMEG 2.5 377E 902E	
00	
2.0 1.236E 0. 0. 0. 0.	
0	
1.5 1.076E 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	
DELT!	
•	
in	
ETA 0.25 0.50 0.75 1.00 1.25 1.50 2.00 2.25	25 25 25 25 25 25 25 25 25 25 25 25 25 2

								TIME	TIME VERSUS	SUS	ETA										
			_	DELTA	FA = 0.			AL	ALPHA :	0 =	0.20		ISd	**	0.02						
									OMEGA	A											
ETA	0.5		1.0		1.5		2.0	. 4	2.5		3.0		3.5	4	0.4		4.5		5.0		
0.25	1.422E	00	1.947E 00	00	2.358E 00		2.708E 00		3.017E	00	3.297E	00	3.555E 00	3.796E	96E 00		4.023E	00	4.237E	00	
0.50	1.901E	00	2.596E	00	3.142E 00		3.605E 00		4.016E	00	4.388E	00	4.731E 00	5.051E	51E 00		5.352E	00	5.637E	00	
0.75	.0		3.155E	00	3.815E 00		4.376E 00		4.873E	00	5.324E	00	5.740E 00	6.128E	28E 00		6.492E	00	6.837E	00	
1.00	• 0		3.657E	00	4.419E 00		5.067E 00		5.642E	00	6.163E	00	6.643E 00	7.091E	91E 00		7.513E	00	7.911E	00	
1.25	.0		• 0		4.974E 00		5.702E 00		6.348E	00	6.933E	00	7.473E 00	7.976E	76E 00		8.450E	00	8.898E	00	
1.50	• 0		• 0		5.493E 00		6.296E 00		7.007E	00	7.652E	00	8.247E 00	8.802E	02E 00		9.324E	00	9.819E	00	
1.75	• 0		• 0		• 0	9	6.857E 00		7.630E	00	8.332E	00	8.979E 00	9.583E	83E 00		1.015E	10	1.069E	01	
5.00	• 0		• 0		• 0	7	7.391E 00		8.224E	00	8.979E	00	9.676E 00	1.033E	33E 01		1.094E	01	1.152E	01	
2.25	• 0		• 0		• 0	0	٥.	8	8.793E	00	9.600E	00	1.034E 01	1.1046	04E 01		1.169E	10	1.231E	01	
2.50	• 0		• 0		•0	0	0.	6	9.342E	00	1.020E	01	1.099E 01	1.1726	72E 01		1.242E	01	1.307E	01	
2.75	• 0		• 0		• 0	0	.0	0			1.078E	01	1.161E 01	1.239E	39E 01		1.312E	10	1.381E	10	
3.00	• 0		• 0		• 0	C	٥.	0			1.134E	01	1.222E 01	1.303E	03E 01		1.380E	10	1.453E	10	
3.25	• 0		• 0		• 0	0	•0	0			1.189E	01	1.280E 01	1.366E	66E 01		1.447E	01	1.523E	01	
3.50	• 0		• 0		• 0	2	٥.	0			.0		1.338E 01	1.427E	27E 01		1.512E	01	1.591E	10	
3.75	• 0		• 0		• 0	C	·c	0			• 0		1.394E 01	1.487E	87E 01		1.575E	01	1.658E	10	
4.00	• 0		• 0		• 0	0	.0	0			• 0		.0	1.546E	46E 01		1.637E	01	1.723E	01	
4.25	• 0		• 0		• 0	0	0.	0			• 0		.0	1.604E	04E 01		1.698E	01	1.788E	01	
4.50	• 0		• 0		• 0		·°	0			• 0		• 0	1.660E	60E 01		1.758E	01	1.851E	01	
4.75	• 0		• 0		• 0	0	•0	0			• 0		.0	0		1.	1.817E	01	1.913E	01	
2.00	• 0		.0		• 0	0	0.	0			.0		• 0	0		1.	1.875E 01	01	1.974E	01	

								_	TIME VERSUS ETA	SUS	ETA										
				DELTA	TA = 0.25				ALPHA	11	0.20			PSI	= 0.02						
									OMEGA	A											
ETA	0.5		1.0		1.5		2.0		2.5		3.0		3.5		4.0		4.5		5.0		
0.25	1.404E	00	1.934E	00	2.348E 00		2.698E (00	3.009E	00	3.290E	00	3.548E	00	3.790E	00	4.016E	00	4.231E	E 00	_
0.50	1.880E	00	2.582E	00	3.130E 00		3.595E (00	4.007E	00	4.380E	00	4.723E	00	5.044E	00	5.345E	00	5.630E	E 00	
0.75	• 0		3.139€	00	3.802E 00		4.365E (00	4.863E	00	5.315E	00	5.731E (00	6.119E	00	6.484E	00	6.830E	E 00	
1.00	• 0		3.640E	00	4.405E 00		5.055E (00	5.631E	00	6.153E	00	6.634E	00	7.083E	00	7.505E	00	7.904E	E 00	
1.25	• 0		•0		4.960E 00		5.690E	00	6.337E	00	6.923E	00	7.464E	00	7.968E	00	8.442E	00	8.890E	E 00	
1.50	.0		•0		5.479E 00		6.283E (00	9966·9	00	7.642E	00	8.238E (00	8.794E	00	9.316E	00	9.811E	E 00	
1.75	• 0		• 0		• 0	9	6.844E	00	7.619E	00	8.322E	00	8.969E	00	9.574E	00	1.014E	01	1.068E	E 01	
2.00	• 0		• 0		•0	7	7.379E 0	00	8.212E	00	8.969E	00	9.666E 00		1.032E	01	1.093E	01	1.151E	E 01	
2.25	• 0		• 0		• 0	0			8.781E	00	9.589E	00	1.033E 0	01	1.103E	01	1.168E	01	1.230E	E 01	
2.50	• 0		• 0		•0	0			9.330E	00	1.0196	10	1.098E 0	01	1.172E	01	1.241E	01	1.307E	E 01	
2.75	۰.		.0		•0	0			•0		1.077E	10	1.160E 0	01	1.238E	01	1.311E 01	01	1.381E	10 3	
3.00	• 0		• 0		•0	0			•0		1.133E	10	1.221E 0	01	1.302E	01	1.379E	01	1.452E	01	
3.25	• 0		• 0		•0	0			• 0		1.188E	10	1.279E 0	01	1.365E	01	1.446E	01	1.522E	01	
3.50	• 0		٠.		• 0	c			•0		•0		1.337E 0	01	1.426E	01	1.511E	01	1.590E	01	
3.75	• 0		• 0		•0	0	100		•0		•0		1.393E 01		1.486E	01	1.574E	01	1.657E	01	
4.00	• 0		• 0		•0	0	1001		• 0		•0		• 0		1.545E (01	1.636E	01	1.723E	10	
4.25	• 0		.0		•0	c.	1501		•0		•0		• 0	_	1.603E (01	1.697E	01	1.787E	10	
4.50	•0		.0		•0	0			•0		•0		.0	-	1.659E (01	1.757E	01	1.850E	01	
4.75	• 0		.0		•0	0			•0		•0		• 0	O	•0		1.816E	01	1.912E	01	
2.00	• 0		0.		•0	6			•0		0.		.0	0	•0		1.874E 01	01	1.973E	01	

				00	00			00		01	01	01	01	10	01	01	01	01	01	01	01	01	
			5.0	4.225E	5.623E	6.823E	7.896E	8.882E	9.803E	1.067E 01	1.150E 01	1.229E	1.306E	1.380E	1.451E	1.521E	1.590E	1.656E					
			10	00 JC	3E 00	7E 00		3E 00	3E 00	16 01	E 01	,E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	
			4.5	4.010E	5.338E	6.477E	7.497E	8.433E	9.308E	1.013E	1.092E	1.167E	1.240E	1.310E	1.379E	1.445E	1.510E	1.573E	1.635E	1.696E	1.756E	1.815E	
				00	00	00	00	00	00	00	01	01	01	10	01	10	01	01	01	01	01		
	= 0.02		4.0	3.783E	5.036E	6.111E	7.074E	7.959E	8. 785E	9.565E	1.031E	1.102E	1.171E	1.237E	1.301E	1.364E	1.426E	1.485E	1.544E	1.602E	1.659E		
	PSI			00	00	00	00	00	00	00	00								1	1	1	0	•
			2						9E 0		0 39	2E.0	7E 0	9E 01	DE 01	3E 01	SE 01	0 3					
			3.5	3.5416	4.715E	5.723E	6.625E	7.454E	8.229E	8.960E	9.656E	1.032E.01	1.0976 01	1.159E	1.220E	1.278	1.336E	1.392E 01	•	•	.0	.0	
				00	00	00	00	00	00	00	00	00	10	01	10	01							
ETA	20		3.0	3.282E	4.371E	5.306E	6.144E	6.913E	7.632E	8.311E	8.958E	9.579E	1.018E	1.076E	1.132E	1.187E	•0	0.	•0	.0	.0	• 0	
SUS	0	A		00	00	00	00	00	00	00	00	00									0	0	
TIME VERSUS ETA	ALPHA = 0.20	OMEGA	2.5	3.000E 00	3.997E 00	4.853E 00	5.621E 00	6.326E 00	6.985E 00	7.607E 00	8.201E 00	8.770E 00	9.319E 00										
-				00	00	00	00	9 00	9 00	00	8 00	80	6	0	0	0	0	0	0	0	0	o	•
			2.0																				
			2	2.689E	3.584E	4.354E	5.044E	5.678E	6.271E	6.832E	7.366E	.0	ċ	•	0.	•	• 0	•	0.	•	0.	ċ	ď
	0			00	00	00	00	00	00														
	DELTA = 0.50		1.5	2.337E	3.118E	3.789E	4.392E	4.946E 00	5.465E	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	.0	•0	• 0	• 0	.0	
	EL TA			00	00	00	00							Ŭ	Ü	Ü	Ü	0	0	0	0	0	0
	0		1.0	921E	7E (4E (4E (
			1.	1.92	2.567E 00	3.124E 00	3.62	• 0	•0	•0	.0	•	• 0	.0	.0	•0	• 0	•	•	• 0	• 0	• 0	0
				00	00																		
			0.5	1.386E	1.860E	•	•0	• 0	• 0	• 0	0.	•	• 0	• 0	•	• 0	• 0	.0	• 0	• 0	• 0	• • •	.0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25				3.25				4.25	4.50	4.75	5.00

			5.0	4.219E 00	5.617E 00	6.815E 00	7.889E 00	8.875E 00	9.795E 00	1.066E 01	1.149E 01	1.228E 01	1.305E 01	1.379E 01	1.451E 01	1.521E 01	1.589E 01	1.655E 01	1.721E 01	1.785E 01	1.848E 01	1.910E 01	1.971E 01
			4.5	4.004E 00	5.331E 00	6.469E 00	7.489E 00	8.425E 00	9.299E 00	1.012E 01	1.091E 01	1.166E 01	1.239E 01	1.309E 01. 1	1.378E 01 1	1.444E 01 1	1.509E 01 1	1.572E 01 1	1.634E 01 1	1.695E 01 1	1.755E 01 1	1.814E 01 1	1.872E 01 1
	= 0.02		4.0	3.776E 00	5.029E 00	6.103E 00	7.066E 00	7.950E 00	8.776E 00	9.556E 00	1.030E 01	1.101E 01	1.170E 01	1.236E 01	1.301E 01	1.363E 01	1.425E 01	1.485E 01	1.543E 01	1.601E 01	1.658E 01	•0	•0
	PSI		3.5	3.534E 00	4.707E 00	5.714E 00	6.616E 00	7.445E 00	8.219E 00	8.950E 00	9.647E 00	1.031E 01	1.096E 01	1.158E 01	1.219E 01	1.277E 01	1.335E 01	1.391E 01	• 0	• 0	•0	•0	• 0
S ETA	0.20		3.0	3.274E 00	4.362E QO	5.297E 00	6.134E 00	6.903E 00	7.622E 00	8.301E 00	8.948E 00	9.568E 00	1.017E 01	1.074E 01	1.131E 01	1.185E 01	•0	• 0	•0	•0	•0	•0	•0
TIME VERSUS ETA	ALPHA = 0	OMEGA	2.5	2.992E 00	3.988E 00	4.843E 00	5.610E 00	6.315E 00	6.974E 00	7.596E 00	8.189E 00	8.758E 00	9.307E 00	•	•0	•	•0	•0	•0	•0	•0	•0	••
			2.0	2.680E 00	3.574E 00	4.342E 00	5.032E 00	5.666E 00	6.259E 00	6.819E 00	7.353E 00	•0	•0	٥.	•0	٥.	0.	٥.	.0	0.	٥.	•0	••
	DELTA = 0.75		1.5	2.326E 00	3.105E 00	3.776E 00	4.378E 00	4.932E 00	5.451E 00	•0	•0	•0	• 0	•0	.0	.0	.0	.0	.0	•0	•0	•0	••
	DELT		1.0	1.908E 00	2.552E 00	3.108E 00	3.607E 00	•0	.0	.0	• 0	••	• 0	•	• 0	0.0	•0	•0	.0	.0	0.	•0	•0
			0.5	1.368E 00	1.840E 00	.0						•0											••
			ETA	0.25	0.50	0.75										1.25	05.1	1.75	00	• 52	• 50		00.

					TIME VERSUS	S ETA				
		DEL	DELTA = 1.00		ALPHA = 0	0.20	PSI	= 0.02		
					OMEGA					
TA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
. 25	1.349E 00	1.895E 00	0 2.315E 00	2.670E 00	2.983E 00	3.267E 00	3.527E 00	3.770E 00	3.998E 00	4.213E 00
05.0	1.819E 00	2.537E 00	0 3.093E 00	3.563E 00	3.978E 00	4.354E 00	4.699E 00	5.021E 00	5.324E 00	5.610E 00
3.75	•0	3.092E 00	0 3.763E 00	4.331E 00	4.833E 00	5.287E 00	5.706E 00	6.095E 00	6.462E 00	6.808E 00
00-1	•0	3.591E 00	0 4.364E 00	5.020E 00	5.599E 00	6.124E 00	6.607E 00	7.058E 00	7.481E 00	7.881E 00
1.25	• 0	• 0	4.918E 00	5.654E 00	6.304E 00	6.893E 00	7.436E 00	7.942E 00	8.417E 00	8.867E 00
1.50	•0	• 0	5.436E 00	6.246E 00	6.963E 00	7.612E 00	8.210E 00	8.767E 00	9.291E 00	9.787E 00
1.75	•0	• 0	.0	6.806E 00	7.585E 00	8.291E 00	8.941E 00	9.547E 00	1.012E 01	1.066E 01
5.00	•0	•0	•0	7.340E 00	8.178E 00	8.937E 00	9.637E 00	1.029E 01	1.090E 01	1.148E 01
2.25	•0	• 0	• 0	•0	8.747E 00	9.558E 00	1.030E 01	1.100E 01	1.166E 01	1.228E 01
2.50	•0	• 0	• 0	.0	9.295E 00	1.016E 01	1.095E 01	1.169E 01	1.238E 01	1.304E 01
2.75	.0	• 0	• 0	.0	•0	1.073E 01	1.157E 01	1.235E 01	1.309E 01	1.378E 01
3.00	•0	• 0	•0	.0	• 0	1.130E 01	1.218E 01	1.300E 01	1.377E 01	1.450E 01
3.25	•0	• 0	•0	•0	•0	1.184E 01	1.276E 01	1.362E 01	1.443E 01	1.520E 01
3.50	•0	•0	•0	0.	•0	•0	1.334E 01	1.424E 01	1.508E 01	1.588E 01
3.75	•0	• 0	•0	.0	•0	• 0	1.390E 01	1.484E 01	1.571E 01	1.655E 01
00.4	• 0	• 0	•0	0.	•0	• 0	• 0	1.542E 01	1.634E 01	1.720E 01
4.25	•0	• 0	• 0	9.	•0	• 0	• 0	1.600E 01	1.695E 01	1.784E 01
4.50	• 0	• 0	• 0	.0	•0	• 0	•0	1.657E 01	1.754E 01	1.847E 01
4.75	• 0	• 0	•0	٥.	•0	• 0	• 0	.0	1.813E 01	1.909E 01
2.00	•0	.0	• 0	٠	•0	• 0	•0	•0	1.871E 01	1.970E 01

					TIME VERSUS	ETA				
		DELTA =	A = 0.		ALPHA = 0	0.40	PSI	= 0.02		
					OMEGA					
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	1.070E 00	1.429E 00	1.713E 00	1.957E 00	2.174E 00	2.371E 00	2.553E 00	2.723E 00	2.882E 00	3.034E 00
0.50		1.922E 00	2.303E 00	2.629E 00	2.919E 00	3.182E 00	3.426E 00	3.653E 00	3.867E 00	4.069E 00
0.75	•0	•0	2.815E 00	3.212E 00	3.566E 00	3.887E 00	4.184E 00	4.461E 00	4.722E 00	4.969E 00
1.00		.0	.0	3.742E 00	4.152E 00	4.526E 00	4.871E 00	5.193E 00	5.496E 00	5.783E 00
1.25		•0	.0	.0	4.697E 00	5.118E 00	5.508E 00	5.871E 00	6.214E 00	6.538E 00
1.50		• 0	• 0	.0	•0	5.677E 00	6.108E 00	6.511E 00	6.890E 00	7.250E 00
1.75	• 0	•0	•0	0.	• 0	•0	6.680E 00	7.120E 00	7.534E 00	7.927E 00
2.00		•0	•0	.0	•0	• 0	• 0	7.704E 00	8.152E 00	8.577E 00
2.25		•0	•0	0.	•0	•0	.0	8.268E 00	8.749E 00	9.204E 00
2.50		•0	•0		•0	0	.0	.0	9.327E 00	9.812E 00
2.75		• 0	• 0	•0	•0	•0	•0	•0	•0	1.040E 01
						į				
					TIME VERSUS ELA	EIA				
		DELT	DELTA = 0.25		ALPHA = 0.40	04.	PSI	= 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	1.047E 00	1.411E 00	1.699E 00	1.945E 00	2.162E 00	2.360E 00	2.543E 00	2.713E 00	2.874E 00	3.025E 00
0.50	•0	1.902E 00	2.286E 00	2.614E 00	2.906E 00	3.170E 00	3.415E 00	3.643E 00	3.857E 00	4.060E 00
0.75		0.	2.798E 00	3.197E 00	3.552E 00	3.874E 00	4.172E 00	4.450E 00	4.711E 00	4.959E 00
1.00		.0	•0	3.726E 00	4.138E 00	4.512E 00	4.858E 00	5.181E 00	5.485E 00	5.773E 00
1.25	•0	•	•0	•0	4.682E 00	5.105E 00	5.495E 00	5.860E 00	6.203E 00	6.528E 00
1.50		0.	.0	٥.	• 0	5.663E 00	6.095E 00	6.499E 00	6.879E 00	7.239E 00
1.75		•0	•0	•	•	• 0	6.667E 00	7.108E 00	7.523E 00	7.916E 00
2.00		•0	•0	•0	•0	.0	.0	7.692E 00	8.140E 00	8.566E 00
2.25		.0	•0	•	•0	•0	•0	8.256E 00	8.737E 00	9.193E 00
2.50	•0	•0	•0	.0	•0	•0	0.	•0	9.316E 00	9.801E 00
2.75	•0	•0	•0	.0	•0	•0	.0	•0	•0	1.039E 01

					TIME VERSUS ETA	ETA				
		DELTA	TA = 0.50		ALPHA = 0.40	.40	PSI	I = 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.022E 00	1.393E 00	1.684E 00	1.932E 00	2.151E 00	2.350E 00	2.533E 00	2.704E 00	2.865E 00	3.017E 00
0.50	•0	1.882E 00	2.269E 00	2.600E 00	2.893E 00	3.158E 00	3.404E 00	3.632E 00	3.847E 00	4.051E 00
0.75	• 0	• 0	2.780E 00	3.182E 00	3.538E 00	3.862E 00	4.160E 00	4.439E 00	4.701E 00	4.949E 00
1.00	•0	•0	•0	3.710E 00	4.123E 00	4.499E 00	4.846E 00	5.170E 00	5.474E 00	5.762E 00
1.25	•0	•0	•0	•0	4.667E 00	5.091E 00	5.482E 00	5.848E 00	6.191E 00	6.517E 00
1.50	•0	•0	•0	0.0	•0	5.649E 00	6.082E 00	6.487E 00	6.867E 00	7.228E 00
1.75	•0	• 0	•0	0.	•	•0	6.654E 00	7.095E 00	7.511E 00	7.905E 00
2.00	•0	•0	•0	٥.	•0	•0	.0	7.679E 00	8.129E 00	8.555E 00
2.25	•0	•0	•0	¢.	•0	•0	• 0	8.243E 00	8.725E 00	9.182E 00
2.50	.0	•0	•0	•0	•	•0	•0	• 0	9.304E 00	9.790E 00
2.75	•0	•0	•0	0.	•0	•0	• 0	•0	•	1.038E 01
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.75		ALPHA = 0.40	40	PSI	= 0.02		
					DMEGA					
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	9.975E-01	1.375E 00	1.669E 00	1.919E 00	2.139E 00	2.339E 00	2.523E 00	2.695E 00	2.856E 00	3.009E 00
0.50	•0	1.862E 00	2.253E 00	2.585E 00	2.880E 00	3.146E 00	3.392E 00	3.622E 00	3.837E 00	4.042E 00
0.75	•0	• 0	2.762E 00	3.166E 00	3.524E 00	3.849E 00	4.148E 00	4.428E 00	4.690E 00	4.939E 00
1.00	• 0	•0	.0	3.694E 00	4.109E 00	4.486E 00	4.834E 00	5.158E 00	5.463E 00	5.752E 00
1.25	• 0	•0	•0	.0	4.652E 00	5.077E 00	5.470E 00	5.836E 00	6.180E 00	6.506E 00
1.50	• 0	•0	• 0	0.	•0	5.635E 00	6.069E 00	6.475E 00	6.856E 00	7.217E 00
1.75	• 0	• 0	.0	•0	•0	•0	6.641E 00	7.083E 00	7.499E 00	7.894E 00
2.00	•0	•0	•0	•0	•0	•0	• 0	7.667E 00	8.117E 00	8.544E 00
2.25	•0	• 0	•0	0.	•0	•0	• 0	8.231E 00	8.713E 00	9.171E 00
2.50	• 0	• 0	•0	0.	•0	•0	.0	•0	9.292E 00	9.779E 00
2.75	•0	• 0	• 0	0.	•0	•0	• 0	• 0	• 0	1.037E 01

			-								
						TIME VERSUS ETA	ETA .				
ì			DELT	DELTA = 1.00		ALPHA = 0	0.40	PSI	= 0.02		
						OMEGA					
	ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
	0.25	9.720E-01	1.357E 00	1.654E 00	1.906E 00	2.127E 00	2.328E 00	2.513E 00	2.686E 00	2.847E 00	3.000E 00
	0.50	•0	1.841E 00	2.236E 00	2.571E 00	2.866E 00	3.134E 00	3.381E 00	3.611E 00	3.828E 00	4.032E 00
	0.75	•0	•0	2.744E 00	3.150E 00	3.510E 00	3.836E 00	4.137E 00	4.417E 00	4.680E 00	4.929E 00
	1.00	.0	•	•0	3.677E 00	4.094E 00	4.473E 00	4.821E 00	5.146E 00	5.452E 00	5.742E 00
	1.25	•0	• 0	•0	•	4.637E 00	5.064E 00	5.457E 00	5.824E 00	6.169E 00	6.496E 00
	1.50	•0	•0	•0	•	•0	5.621E 00	6.056E 00	6.463E 00	6.845E 00	7.206E 00
	1.75	•	•0	•0	•	•0	•	6.628E 00	7.071E 00	7.488E 00	7.883E 00
	2.00	•	•0	•0	•0	•0	•	• 0	7.655E 00	8.105E 00	8.532E 00
	2.25	•0	•0	•0	٥.	•0	•	•0	8.219E 00	8.702E 00	9.159E 00
	2.50	•0	•0	•0	•0	•0	• 0	• 0	•	9.280E 00	9.767E 00
	2.75	•0	•0	•0	•0	•	•0	•0	•0	•0	1.036E 01
						TIME VERSUS ETA	ETA				
			DELTA	A = 0.		ALPHA = 0.60	09.	ISd	= 0.02		
						OMEGA					
	ETA	0.5	1.0	1.5	2.0	2.5	3.6	3.5	0.4	4.5	5.0
	0.25	•0	1.207E 00	1.435E 00	1.632E 00	1.807E 00	1.967E 00	2.115E 00	2.253E 00	2.384E 00	2.507E 00
	0.50	•0	• 0	1.942E 00	2.208E 00	2.444E 00	2.660E 00	2.859E 00	3.046E 00	3.221E 00	3.388E 00
	0.75	•0	•0	•0	0.	3.003E 00	3.267E 00	3.512E 00	3.741E 00	3.956E 00	4.160E 00
-	1.00	•0	•0	•0	0.	•0	3.822E 00	4.108E 00	4.375E 00	4.627E 00	4.865E 00
	1.25	•0	•0	•0	•0	•	•0	4.665E 00	4.968E 00	5.253E 00	5.524E 00
	1.50	•0	•0	•0	.0	•0	•0	•0	5.530E 00	5.848E 00	6.149E 00
130	1.75	•0	• 0	•0		•0	•0	•0	•0	6.416E 00	6.747E 00

					TIME VERSUS ETA	ETA				
		DELT	DELTA = 0.25		ALPHA = 0.60	09	ISd	= 0.02		
					OMEGA					
ETA		1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	2.0
0.25		1.186E 00	1.418E 00	1.617E 00	1.794E 00	1.955E 00	2.103E 00	2.242E 00	2.373E 00	2.497E 00
0.50		• 0	1.923E 00	2.190E 00	2.429E 00	2.646E 00	2.846E 00	3.033E 00	3.210E 00	3.377E 00
0.75		• 0	•0	.0	2.987E 00	3.252E 00	3.498E 00	3.727E 00	3.943E 00	4.148E 00
1.00	• 0	0.	.0	•0	.0	3.807E 00	4.093E 00	4.361E 00	4.614E 00	4.853E 00
1.25		• 0	•0	.0	•0	•0	4.650E 00	4.954E 00	5.240E 00	5.512E 00
1.50		• 0	•0	•	•0	•0	• 0	5.516E 00	5.834E 00	6.136E 00
1.75		•0	0.0	•0	•0	•0	•0	•0	6.403E 00	6.734E 00
					TIME VERSUS ETA	ETA				
		DELT	DELTA = 0.50		ALPHA = 0.60	09.	PSI	= 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25		1.165E 00	1.400E 00	1.601E 00	1.780E 00	1.942E 00	2.092E 00	2.231E 00	2.363E 00	2.487E 00
0.50		•0	1.903E 00	2.173E 00	2.413E 00	2.631E 00	2.833E 00	3.021E 00	3.198E 00	3.365E 00
0.75		•0	• 0	0.	2.970E 00	3.237E 00	3.484E 00	3.714E 00	3.931E 00	4.136E 00
1.00		•0	• 0	•0	•0	3.791E 00	4.079E 00	4.348E 00	4.601E 00	4.841E 00
1.25	0.0	•0	•0	0.	•0	•0	4.635E 00	4.940E 00	5.227E 00	5.499E 00
1.50		•0	•0	.0	•0	•0	.0	5.501E 00	5.820E 00	6.123E 00
1.75		•0	•0	0.	•0	•0	•0	•0	6.389E 00	6.721E 00

				•	•	•	_	_	0	C					0	0	0	0	0	00	c	,
				E 00	E 00	E 00	E 00	E 00	E 00	E 00				_	7E 0	SE 00	3E 00	SE 0	•E 00	7E 0	AF 00	,
			5.0	2.477E 00	3.354E	4.125E	4.828E	5.486E	6.110E	6.707E				5.0	2.467	3.343E	4.113E	4.816E 00	5.474E	6.097E	4.6945	• • • • • • • • • • • • • • • • • • • •
				00	00	00	00	00	00	00					00	00	00	00	00	00	6	3
			4.5	2.352E	3.186E	3.918E	4.588E	5.214E 00	5.807E	6.375E				4.5	2.341E 00 · 2.467E 00	3.174E 00	3.906E	4.575E	5.200E	5.793E	00 3116 7	9.3015
				00	00	00	00	00	00						00	00	00	00	00	. 00		
	= 0.02		4.0	2.220E	3.008E	3.701E	4.334E	4.926E	5.487E	•0		= 0.02		4.0	2.209E	2.996E	3.687E	4.320E	4.911E 00	5.473E 00		•
	= ISd			00	00							PSI			00	00	00	00	00			
	Δ.		3.5	2.080E	2.819E	3.470E 00	4.064E 00	4.620E 00	.0	• 0				3.5	2.068E	2.806E 00	3.455E	4.049E	4.605E 00	•0		• 0
				00	00	00	00	-								00	00	00				
ETA	09		3.0	1.929E 0	2.617E 0	3.222E 0	3.775E 0	•0	• 0	•0	ETA	09		3.0	1.916E 00	2.602E 00	3.206E	3.759E	•0	0		• 0
TIME VERSUS	ALPHA = 0.60	OMEGA	2.5	1.766E 00	2.397E 00	2.953E 00					TIME VERSUS ETA	ALPHA = 0.60	OMEGA	2.5	1.751E 00	2.382E 00	2.936E 00	•0	•0	•0		•0
II			2.0	1.585E 00 1	2.156E 00 2	0. 2	.0	.0	٥.	٥.	II			2.0	1.570E 00 1	2.138E 00 2	0.		0.			.0
	DELTA = 0.75		1.5	1.382E 00	1.883E 00	•0	•0	•0	•0	•0		DELTA = 1.00		1.5	•	1.863E 00	•	•0	•		•	•0
	DELTA		1.0	1.143E 00	• 0	•0	•0	•0	•0	•0		DELT		1.0	1,1216 00	•	•	0	·		•0	•0
			0.5							•0				c	0					;	•	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75				FIA	0.25	0.50	0.75	00	1 25		1.50	1.75

					TIME VERSUS ETA	ETA					
		DELTA	A = 0.		ALPHA = 0	0.80	PSI	= 0.02			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0	
0.25		1.079E 00	1.273E 00	1.442E 00	1.593E 00	1.730E 00	1.858E 00	1.977E 00	2.090E 00	2.197E 00	
05.0		• 0	• 0	1.962E 00	2.167E 00	2.354E 00	2.528E 00	2.690E 00	2.843E 00	2.988E 00	
57.0		• 0	• 0	• 0	•0	2.906E 00	3.120E 00	3.320E 00	3.509E 00	3.688E 00	
00.1		• 0	• 0		•0	•0	3.664E 00	3.899E 00	4.120E 00	4.330E 00	
1.25	•	• 0	• 0	.0	•0	•0	• 0	•0	4.695E 00	4.934E 00	
1.50		• 0	• 0	c*	• 0	• 0	• 0	• 0	• 0	5.510E 00	
					TIME VERSUS ETA	ETA .					
		DELTA	A = 0.25		ALPHA = 0	0.80	ISd	= 0.02			
					OMEGA						
		1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0	
		1.055E 00	1.254E 00	1.424E 00	1.577E 00	1.716E 00	1.845E 00	1.965E 00	2.078E 00	2.185E 00	
		•0	.0	1.943E 00	2.150E 00	2.338E 00	2.513E 00	2.676E 00	2.830E 00	2.975E 00	
		•0	•0	0.0	•0	2.889E 00	3.104E 00	3.305E 00	3.495E 00	3.674E 00	
		•0	•0	•0	•0	• 0	3.648E 00	3.884E 00	4.106E 00	4.317E 00	
		•0	.0	•0	•0	•0	.0	• 0	4.680E 00	4.920E 00	
1.50	• 0	• 0	•	0.	•	•0	• 0	• 0	•0	5.495E 00	
					TIME VERSUS ETA	S ETA					
		DELT	DELTA = 0.50		ALPHA = 0.80	0.80	ISd	20*0 = 1			
					OMEGA						
		1.0	.1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0	
		1.031E 00	1.233E 00	1.407E 00	1.561E 00	1.701E 00	1.831E 00	1.952E 00	2.066E 00	2.174E 00	
	•	•0	•	1.924E 00	2.132E 00	2.322E 00	2.498E 00	2.662E 00	2.816E 00	2.963E 00	
		•0	•0	.0	•0	2.872E 00	3.088E 00	3.290E 00	3.480E 00	3.661E 00	
		0	•0	•	•0	•0	3.631E 00	3.868E 00	4.091E 00	4.303E 00	
		•0	•0	9.	•0	•0	• 0	•0	4.665E 00	4.906E 00	
1.50		•0	•	•	•0	•0	• 0	•0	•0	5.481E 00	

					TIME VERSUS	ETA				
		DELT	DELTA = 0.75		ALPHA = 0.80	. 80	. PSI	PSI = 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	1.007E 00	1.213E 00	1.389E 00	1.545E 00	1.687E 00	1.817E 00	1.939E 00	2.054E 00	2.162E 00
0.50		• 0	• 0	1.904E 00	2.114E 00	2.306E 00	2.483E 00	2.648E 00	2.803E 00	2.950E 00
0.75		•0	•0	0.	•0	2.855E 00	3.072E 00	3.275E 00	3.466E 00	3.647E 00
1.00		•0	•0	•	•0	•0	3.615E 00	3.853E 00	4.076E 00	4.289E 00
1.25	•0	• 0	•0	0.	• 0	•0	•0	•0	4.650E 00	4.892E 00
1.50		•0	•0	.0	•0	•0	• 0	• 0	.0	5.466E 00
					TIME VERSUS ETA	ETA				
		DELT	DELTA = 1.00		ALPHA = 0.80	.80	PSI	= 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	9.818E-01	1.192E 00	1.371E 00	1.529E 00	1.672E 00	1.804E 00	1.926E 00	2.042E 00	2.151E 00
0.50		•0	•0	I.884E 00	2.096E 00	2.289E 00	2.467E 00	2.633E 00	2.789E 00	2.937E 00
0.75		•0	•0	•0	•0	2.837E 00	3.056E 00	3.260E 00	3.452E 00	3.634E 00
1.00	•0	•0	•0	•0	•0	•0	• 0	3.837E 00	4.062E 00	4.275E 00
1.25		• 0	• 0	•0	•0	•0	• 0	•0	4.635E 00	4.877E 00
					TIME VERSUS	ETA				
		DELTA	A = 0.		ALPHA = 1.00	00	PSI	PSI = 0.02		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	9.935E-01	1.165E 00	1.314E 00	1.448E 00	1.571E 00	1.685E 00	1.791E 00	1.892E 00	1.987E 00
0.50	• 0	• 0	•0	•0	1.982E 00	2.150E 00	2.305E 00	2.451E 00	2.589E 00	2.719E 00
0.75	• 0	.0	•0	•0	•0	•0	2.858E 00	3.038E 00	3.209E 00	3.371E 00
1.00	• 0	• 0	•0	•0	•0	• 0	• 0	•0	3.782E 00	3.972E 00

					TIME VERSUS ETA	IS ETA								
		DELTA	TA = 0.25		ALPHA = 1.00	1.00		PSI	= 0.02					
					OMEGA									
ETA		1.0	1.5	2.0	2.5	3.0	3.5		4.0		4.5		5.0	
0.25		• 0	1.144E 00	1.295E 00	1.431E 00	1.555E 00	1.670E	00	1.777E (00	1.878E	00	1.975E	00
0.50	• 0	• 0	• 0	•0	1.963E 00	2.132E 00	2.289E	00	2.436E (00	2.574E	00	2.705E	00
0.75		• 0	•0	•0	•0	•0	2.840E	00	3.022E 00		3.193E	00	3.356E	00
1.00		• 0	• 0	•0	•0	•0	• 0		•0		3.766E	00	3.957E	00
					TIME VERSUS ETA	IS ETA								
		DELT	DELTA = 0.50		ALPHA = 1.00	1.00		ISd	PSI = 0.02					
					OMEGA									
ETA		1.0	1.5	2.0	2.5	3.0	3.5		4.0		4.5		5.0	
0.25		• 0	1.122E 00	1.276E 00	1.414E 00	1.539E 00	1.655E	00	1.763E 00		1.865E	00	1.962E	00
0.50		• 0	•0	.0	1.944E 00	2.114E 00	2.272E	00	2.420E 00		2.559E	00	2.691E	00
0.75	• 0	• 0	•0	0.	•0	•0	2.823E	00	3.006E	00	3.178E	00	3.341E	00
1.00		• 0	•0	•0	•0	• 0	• 0		•0		3.750E	00	3.942E	00
					TIME VERSUS ETA	S ETA								
		DELT	DELTA = 0.75		ALPHA = 1.00	1.00	_	150	PSI = 0.02					
					OMEGA									
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5		4.0		4.5		5.0	
0.25		• 0	1.099E 00	1.256E 00	1.396E 00	1.523E 00	1.640E 00		1.749E 0	00	1.852E (00	1.949E 00	00
0.50		• 0	•0	٥.	1.924E 00	2.096E 00	2.256E	00	2.404E 0	00	2.545E (00	2.677E 00	00
0.75	• 0	• 0	• 0	• 0	• 0	• 0	2.805E 00		2.989E 00		3.162E (00	3.326E (00
1.00		• 0	•0	.0	•0	•0	•0		• 0	2000	3.734E (00	3.927E (00

				00	00	00	00																
			5.0	1.937E 00	2.663E	3.311E	3.911E	•	•	•	•	•	•0	•	•0	•0	•0	•	•0	•	•0	•0	•
				00	00	00	00																
			4.5	1.838E	2.530E	3.146E	3.717E																
				1.	2.5	3.1	3.	0	0	0	0	0	0	0	0	•	0	0	0		0	•	•
	2			00	00	00																	
	= 0.02		4.0	1.735E	2.389E	2.972E	• 0	•	• 0	•0	.0	• 0	•	• 0	.0	.0	•	• 0	• 0	.0	•0	•0	•0
	PSI			00	00	00																	
			3.5	1.625E	2.239E	2.787E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	•0	.0	.0	0.	• 0
				00	00										J	J	Ü	Ü	0	O	0	0	0
ETA	1.00		3.0	1.506E	2.078E	• 0	• 0	0.	• 0	•0	• 0	• 0	.0	•0	• 0	• 0	•0	•0	•0	• 0	• 0	0.	•0
SUS		A		00	00													Ü		O	Ü	0	0
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	1.378E	1.904E	0.	•0	.0	•0	•0	•0	•0	•	•0	• 0	• 0	.0	•0	• 0	•0	•0	•0	•
			2.0	1.236E 00	•0	0.	٥.	0.	٥.	•	•0	0.	٥.	0.	0.	0.	٥.	٥.	٥.	.0	٥.	0.	
				00							O	O	0	0	0	C	0	0	С	0	0	C	0
	DELTA = 1.00		1.5	1.076E	• 0	•0	• 0	• 0	•0	• 0	• 0	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0
	DELT		1.0																				
				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•0
			0.5	•0	•0	•0	• 0	•0	•0	•	• 0	• 0	•0	• 0	• 0	•0	••	•0	•0	•0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	01	01	01	01	01	01	01	10	01	01	01	01	01	01
			5.0	37E	38E	10E	99.	34E	99:	10E	3E	32E	36C	3E	SE.	5E	34E	1E	9	1E	34E	99.	18E
			5	4.237E	5.638E	6.840E	7.916E	8.904E	9.826E	1.070E	1.153E	1.232E	1.309E	1.383E	1.455E	1.525E	1.594E	1.661E	1.726E	1.791E	1.854E	1.916E	1.978E
			22	E 00	E 00	E 00	,E 00	E 00	E 00	1.016E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01	E 01
			4.5	4.023E	5.354E	6.495E	7.517E	8.455E	9.332E	016	1.095E	1.170E	1.243E	1.314E	1.382E	1.449E	1.514E	1.578E	1.640E	1.701E	1.761E	1.820E	1.879E
					5		7.					-	-	-	-	1	-	1.	-	-	-	-	1.
				00	00	00	00	00	00	9.591E 00	01	01	01	01	01	01	01	01	01	01	01		
	.04		4.0	3.797E	5.053E	6.130E	7.095E	7.982E	8.809E	91E	1.034E	1.105E	1.174E	1.240E	1.305E	1.368E	1.430E	1.490E	1.549E	1.607E	1.663E		
	"		4	3.7	5.0	6.1	7.0	7.9	8.8	9.5	1.0	1:1	1:	1.2	1.3	1.3	1.4	1.4	1.5	1.6	1.6	0	0
	PSI = 0.04			00	00	00	00	00	00	00	00	01	01	01	10	10	01	10					
			2					8E	46	17E	39	9E	30				OE						
			3.5	3.556E	4.733E	5.743E	6.647E	7.478E	8.254E	8.987E	9.686E	1.036E	1.100E	1.163E	1.223E	1.282E	1.340E	1.396E	.0	.0	.0	.0	•
																	-	-	0	0	0	0	0
				E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 01	E 01	E 01	E 01							
V			3.0	3.298E	4.390E	5.327E	6.166E	6.938E	7.659E	8.339E	8.988E	9.610E	1.021	1.079E	1.135E	1.190E							
ETA	0.20			3	4	5	•	•	7.	8	8	6	-	1.	1.	1.	0	0	0	0	0	0	0
SOS	"	SA		00	00	00	00	00	00	00	00	00	00										
VE	ALPHA =	OMEGA	2.5	3.017E	4.017E	4.876E 00	5.645E 00	6.352E 00	13E	37E	32E	8.803E	9.353E										
TIME VERSUS	AL		2	3.0	4.0	4.8	5.6	6.3	7.013E 00	7.637E	8.232E	8.8	9.3	.0	.0	.0	.0	.0	.0	.0	.0	0	0
-				00	00	00	00	00	00	00	00												
			0					6.E		3E													
			2.0	2.708E	3.607E	4.378E	5.070E	5.706E 00	6.301E	6.863E	7.399E	0.	.0	0.	0.	.0	.0	0.	.0	0.	0.	0.	
										v	1-	C	0	C	_	0	0	C	0	0	C	0	C
				E 00	E 00	E 00	E 00	E 00	E 00														
	.0 =		1.5	2.359E	3.143E	3.816E	4.421E	4.977E	5.498E														
	ΓA.			2.	3	6	4	4	5.	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DELTA			00	00	00	00																
			1.0	.947E	597E	.156E	9659e																
			1	1.9	2.5	3.1	3.6	0	ċ	0	0	.0	.0	.0	0	.0	0	0	0	0	0	0	0
				00	00																		
			2																				
			0.5	1.422E	1.901E	.0	.0																
				1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00
			w	0	0	0	-	-	-	-	2	2	2	2	3	3	3	m	4	4	4	4	5

	J	DELTA	A = 0.25				ALPHA = 0.20	0.20		PSI	40.0 = I		
							OMEGA						
0.5	1.0		1.5		2.0		2.5	3.0	0	3.5	4.0	4.5	5.0
1.404E 00	34E	00	2.348E 00		2.699E	00	3.009E 00	3.290E	0E 00	3.549E 00	3.790E 00	0 4.017E 00	4.232E 00
1.881E 00	2.583E	00	3.131E 00		3.596E	00	4.008E 00	4.381E	1E 00	4.725E 00	5.045E 00	0 5.347E 00	5.632E 00
	3.1416	00	3.804E 00		4.367E	00	4.865E 00	5.317E	7E 00	5.734E 00	6.122E 00	0 6.487E 00	6.833E 00
	3.642E	00	4.408E 00		5.058E	00	5.634E 00	6.157E	7E 00	6.638E 00	7.087E 00	7.509E 00	7.908E 00
	• 0		4.964E 00		5.694E	00	6.341E 00	6.928E	8E 00	7.469E 00	7.973E 00	0 8.447E 00	8.896E 00
	• 0		5.483E 00		6.288E	00	7.002E 00	7.648E	8E 00	8.245E 00	8.801E 00	9.323E 00	9.819E 00
	•0		•0	•	6.850E	00	7.626E 00	8.329E	9E 00	8.978E 00	9.582E 00	1.015E 01	1.069E 01
	• 0		• 0	7.	7.386E	00	8.220E 00	8.978E	8E 00	9.676E 00	1.033E 01	1.094E 01	1.152E 01
	• 0		•0	•	NS.		8.791E 00	9.600E	0E 00	1.035E 01	1.104E 01	1.170E 01	1.231E 01
	••		• 0	0	500		9.341E 00		1.020E 01	1.099E 01	1.173E 01	1.242E 01	1.308E 01
	• 0		•0	0			•0	1.078E	8E 01	1.162E 01	1.240E 01	1.313E 01	1.382E 01
	• 0		•0	c			•0	1.1346	4E 01	1.222E 01	1.304E 01	1.381E 01	1.454E 01
	•0		•0	0			•0	1.18	1.189E 01	1.281E 01	1.367E 01	1.448E 01	1.524E 01
	• 0		•0	0			•0	0		1.339E 01	1.429E 01	1.513E 01	1.593E 01
	• 0		• 0	0			•0	0		1.395E 01	1.489E 01	1.577E 01	1.660E 01
	• 0		• 0	0			•0	•0		• 0	1.548E 01	1.639E 01	1.725E 01
	• 0		• 0	0			•0	• 0		• 0	1.606E 01	1.700E 01	1.790E 01
	• 0		0.0	0			•0	•0		• 0	1.662E 01	1.760E 01	1.853E 01
	• 0		0.0	0			•0	0		.0	•0	1.820E 01	1.915E 01
	• 0		• 0	ċ			•0	0		.0	• 0	1.878E 01	1.977E 01

			5.0	4.226E 00	5.625E 00	6.826E 00	7.901E 00	8.889E 00	9.811E 00	1.068E 01	1.151E 01	1.231E 01	1.307E 01	1.381E 01	1.453E 01	1.524E 01	1.592E 01	1.659E 01	1.725E 01	1.789E 01	1.852E 01	1.914E 01	1.976E 01
			4.5	4.011E 00	5.340E 00	6.480E 00	7.501E 00	8.439E 00	9.315E 00	1.014E 01	1.093E 01	1.169E 01	1.241E 01	1.312E 01	1.380E 01	1.447E 01	1.512E 01	1.576E 01	1.638E 01	1.699E 01	1.759E 01	1.819E 01	1.877E 01
	+0.0 =		4.0	3.783E 00	5.038E 00	6.114E 00	7.079E 00	7.964E 00	8.792E 00	9.573E 00	1.032E 01	1.103E 01	1.172E 01	1.239E 01	1.303E 01	1.366E 01	1.428E 01	1.488E 01	1.547E 01	1.605E 01	1.662E 01	.0	•0
	PSI		3.5	3.542E 00	4.717E 00	5.725E 00	6.629E 00	7.460E 00	8.235E 00	8.968E 00	9.666E 00	1.034E 01	1.098E 01	1.161E 01	1.221E 01	1.280E 01	1.338E 01	1.394E 01	•0	0.0	• 0	.0	• 0
ETA	0.20		3.0	3.282E 00	4.372E 00	5.308E 00	6.147E 00	6.918E 00	7.638E 00	8.319E 00	8.967E 00	9.589E 00	1.0196 01	1.077E 01	1.133E 01	1.188E 01	•0	• 0	•0	• 0	•0	•0	•0
TIME VERSUS ETA	ALPHA = 0.	OMEGA	2.5	3.001E 00	3.998E 00	4.855E 00	5.624E 00	6.330E 00	00 3066°9	7.614E 00	8.209E 00	8.780E 00	9.330E 00	•0	•0	•0	•0	•0	•0	0.0	•0	•0	•0
-			2.0	2.689E 00	3.585E 00	4.356E 00	5.047E 00	5.682E 00	6.276E 00	6.838E 00	7.373E 00	•0	•0	.0	•0	.0	0.	.0	.0	0.	.0	0.	
	= 0.50	. `	1.5	2.337E 00	3.118E 00	3.791E 00	4.394E 00	4.950E 00	5.469E 00	.0	.0	• 0	•0	.0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	•0
	DELTA		1.0	1.921E 00	2.568E 00	3.125E 00	3.626E 00	• 0	.0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	.0	• 0	•0
			0.5	1.386E 00	1.861E 00	.0	• 0	0.	.0	.0	.0	.0	.0	• 0	.0	• 0	.0	0	.0	• 0	.0	• 0	• 0
7			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	10	01	
			2.0	4.220E	5.618E	6.818E	7.893E	8.881E	9.803E	1.067E	1.150E	1.230E	1.306E	1.381E	1.453E	1.523E	1.591E	1.658E	1.724E	1.788E	1.851E	1.914E	1.975E	
				00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	10	10	10	
			4.5	4.004E	5.332E (6.472E	7.493E	8.431E	9.307E	1.013E	1.092E	1.168E	1.241E	1.311E	1.380E	1.446E	1.511E	1.575E	1.637E	1.698E	1.759E	1.818E 01	1.876E 01	
			4	4.0	5.3	4.9	7.4	8.4	9.3	1.0	1.0	1.1	1.2	1.3	1.3	1.4	1.5	1.5	1.6	1:6	1.1	7	-1	
				00	00	00	00	00	00	00	01	01	10	01	01	01	01	01	10	01	01			
	+0.0 =		0.4	3.777E	5.030E	6.106E	7.070E	7.956E	8.783E	9.564E 00	1.031E	1.102E	1.1716	1.238E	1.302E	1.365E	1.427E	1.487E	1.546E	1.604E	1.661E			
	-																		1	1	1	0	•0	
	PSI			00 3	E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 01	E 01	E 01	E 01	E 01	E 01	E 01						
			3.5	3.535E	4.709E	5.717E	6.620E	7.450E 00	8.226E	8.958E 00	9.656E	1.033E	1.097E	1.160E	1.220E	1.279E	1.337E	1.393E	• 0	.0	• 0	.0	•0	
				00	00	00	00	00	00	00	00	00	10	01	01	01								
			3.€	3.275E	4.364E	5.299E	6.137E	9806°9	7.628E	8.308E	8.957E	9.579E	1.018E	1.076E	1.132E	1.187E								
ETA	0.20		m	3.2	4.3	5.2	6.1	6.9	7.6	8	8	6	1.0	1.0	1.	-	0	0	0	0	0	0	0	
RSUS	**	GA		00	00	00	00	00	00	00	00	00	00											
TIME VERSUS	ALPHA	OMEGA	2.5	2.992E 00	3.989E	4.845E	5.613E	6.319E	96.979E	7.603E	8.198E	8.768E	9.318E 00	•0	• 0	•0	.0	•0	•0	•0	•0	•0	• 0	
-				00	00	00	00	00	00	00	00													
			2.0	2.680E	3.575E	4.344E	5.035E	5.670E	6.264E	6.825E	7.360E									•0	0.	0.	•0	
										9	7	0	0	0	c	ò	0	·	C	0	0	0	0	
	22			E 00	E 00	E 00	E 00	E 00	E 00															
	1 = 0.75		1.5	2.326E 00	3.106E	3.778E	4.381E	4.936E	5.455E	•	.0	0.	• 0	•0	.0	• 0	•	•	•	0	•	•0	•0	
	DELTA			00	00	00	00																	
	O		1.0	. 908E 00	.553E	.109€	.610E																	
				1:	2.	3	3.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
				00	00																			
			0.5	1.368E	1.840E	.0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0	.0	.0	.0	.0	.0	.0	.0	• 0	
				10																		75		
			A -	0.2	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00	

				00	00	00	00	00	00	01	01	01	10	10	01	10	01	10	10	01	01	01	01
			5.0	4.214E	5.612E	6.811E	7.886E	8.873E	9.795E	1.067E	1.149E	1.229E	1.306E	1.380E	1.452E	1.522E	1.590E	1.657E	1.723E	1.787E	1.851E	1.913E	1.974E
				00	00	00	00	00	00	01	10	10	01	01	01	10	10	01	01	01	01	01	01
			4.5	3.998E	5.325E	6.464E	7.485E	8.423E	9.298E	1.013E	1.091E	1.167E	1.240E	1.310E	1.379E	1.445E	1.510E	1.574E	1.636E	1.698E	1.758E	1.817E	1.875
				00	00	00	00	00	00	00	10	01	01	10	01	01	01	10	01	01	10		
	+0.0		4.0	3.770E	5.023E	6.098E	7.062E	7.947E	8.774E	9.555E	1.030E	1.101E	1.170E	1.237E	1.301E	1.364E	1.426E	1.486	1.545E	1.603E	1.660E	.0	• 0
	PSI			00	00	00	00	00	00	00	00	01	01	01	10	01	01	01					
			3.5	3.528E	4.701E	5.708E	6.611E	7.441E	8.216E	8.949E	9.647E	1.032E	1.096E	1.159E	1.219E	1.278E	1.336E	1.392E	.0	.0	.0	• 0	•0
				00	00	00	00	00	00	00	00	00	01	01	01	01							
ETA	0.20		3.0	3.267E	4.355E	5.290E	6.128E	6.898E	7.618E	8.298E	8.946E	9.568E	1.017E	1.075E	1.1316	1.186E	•0	•0	•0	•0	•0	•0	•0
SUS		A		00	00	00	00	00	00	00	00	00	00										
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	2.984E	3.979E	4.835E	5.603E	6.308E	6.968E	7.592E	8.186E	8.756E	9.306E	•0	•	•0	•0	•	•0	•	•0	•	•0
				00	00	00	00	00	00	00	00												
			2.0	2.671E	3.564E	4.333E	5.023E	5.658E	6.251E	6.812E	7.348E	.0	•	•	0.	0.	0.	0.	0.	č	.0	0.	0.
	_			00	00	00	00	00	00														
	DELTA = 1.00		1.5	2.316E	3.094E	3.764E	4.367E	4.922E	5.441E	•0	•0	•	•	•0	•0	.0	• 0	•	.0	.0	.0	•	•0
	ELT			00	00	00	00																
	u		1.0	1.895E	2.538E	3.093E	3.593E	• 0	• 0	.0	•0	• 0	•0	0.0	•0	•0	•0	•0	•0	•0	•0	•0	• 0
				00	00																		
			0.5	1.349E	1.819E	•0	•0	•0	.0	•0	•0	• 0	•0	•	•0	•0	•0	•0	•0	•0	•0	•0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

					TIME	TIME VERSUS ETA	ETA							
		DELT	DELTA = 0.		ALP	ALPHA = 0.40	40		PSI	PSI = 0.04				
					0	DMEGA								
TA	0.5	1.0	1.5	2.0	2.5	2	3.0	3.5	10	0.4	4.5	5.0		
.25	1.070E 00	1.429E 00	1.714E 00	1.958E 00		2.175E 00	2.372E 00	0 2.553E	00	2.723E 00	2.883E 00	3.034E	E 00	
.50	•0	1.923E 00	2.304E 00	2.630E 00	0 2.920E	06 00	3.184E 00	3.428E	00	3.655E 00	3.869E 00	4.072E	E 00	
.75	•0	•0	2.817E 00	3.215E 00		3.569E 00	3.890E 00	0 4.187E	00	4.464E 00	4.725E 00	4.973E	E 00	
• 00		•0	•0	3.746E 00	0 4.157E	00	4.530E 00	0 4.876E	00	5.198E 00	5.501E 00	5.789E	E 00	
.25	•	•0	•0	0.	4.70	4.702E 00	5.125E 00	0 5.514E	00	5.879E 00	6.221E 00	6.546E	E 00	
.50	•	•0	•0	•0	0		5.685E 00		6.117E 00	6.520E 00	00 3006 °9	7.260E	E 00	
75		•0	•0	•0	0		• 0	9.99	6.690E 00	7.131E 00	7.546E 00	7.939E	E 00	
00 •	•0	•0	•0	•0	0		•0	•		7.717E 00	8.166E 00	8.592E	E 00	
.25	•0	•0	•0	•0	0		• 0	•		8.284E 00	8.765E 00	9.221E	E 00	
. 50	.0	•0	•0	•0	0		•0	•0	_	•0	9.346E 00	9.832E	è 00	
.75	•0	•0	•0	•	0		•0	•0	_	•0	•0	1.043E	E 01	
					T I ME	TIME VERSUS ETA	ETA							
						0 × 0 × 10 ×	54		ISO	40.0				
		DELI	DELIA = 0.25		A	1	•							
					J	OMEGA								
ETA	0.5	1.0	1.5	2.0	2.	2.5	3.0	3.5	5	0.4	4.5	5.0	•	
0.25	1.047E 00	1.411E 00	1.699E 00	1.945E 0	00 2.16	2.163E 00	2.361E 00	0 2.544E	4E 00	2.714E 00	2.874E 00	3.026E	SE 00	
0.50	•	1.903E 00	2.287E 00	2.616E 0	00 2.907E	00 JL	3.172E 0	00 3.417E	7E 00	3.645E 00	3.859E 00		4.062E 00	
0.75	•	•0	2.800E 00	3.200E 0	00 3.555E	55E 00	3.878E 0	00 4.175E	SE 00	4.453E 00	0 4.715E 00	4.963E	3E 00	
1.00	•	•0	•	3.730E 0	00 4.142E	42E 00	4.517E 0	00 4.863E	3E 00	5.186E 00	5.491E 00	5.779E	9E 00	
1.25	•	•0	•	•	4.6	4.688E 00	5.111E 0	00 5.502E	2E 00	5.867E 00	3 6.210E 00	6.536E	SE 00	
1.50	•	•	•	• 0	°		5.671E 0	00 6.10	6.104E 00	6.508E 00	0 6.888E 00	7.249E	9E 00	
1.75	•	•0	•0	٥.	°		•0	6.67	6.677E 00	7.119E 00	7.534E 00	7.928E	3E 00	
2.00	•0	0	•	.0	0		•0	•		7.705E 00	0 8.155E 00	8.580E	00 JC	
2.25	•0	•0	•0	•	0		•0	0		8.271E 00	0 8.753E 00		9.210E 00	
2.50	0	• 0	•0	.0	0		•0	0		.0	9.334E 00	9.821E	1E 00	
2.75	•	•	•0	¢.	0		•	0		•0	•	1.042E	2E 01	

					TIME VERSUS	RSUS	ETA				
		DELT	DELTA = 0.50		ALPHA	ALPHA = 0.40	40	PSI	+0.04		
					OMEGA	GA					
ETA	0.5	1.0	1.5	2.0	2.5		3.0	3.5	4.0	4.5	5.0
0.25	1.023E 00	1.393E 00	1.684E 00	1.932E 00	0 2.151E	00	2.350E 00	2.534E 00	2.705E 00	2.866E 00	3.018E 00
0.50	.0	1.883E 00	2.271E 00	2.601E 00	0 2.894E	00	3.160E 00	3.405E 00	3.634E 00	3.849E 00	4.053E 00
0.75	• 0	• 0	2.782E 00	3.184E 00	0 3.541E	00	3.865E 00	4.164E 00	4.442E 00	4.705E 00	4.953E 00
1.00	• 0	.0	• 0	3.714E 00	0 4.128E	00	4.504E 00	4.851E 00	5.175E 00	5.480E 00	5.768E 00
1.25	• 0	• 0	•0	.0	4.673E	00	5.097E 00	5.489E 00	5.855E 00	6.199E 00	6.525E 00
1.50	• 0	.0	.0	0.	•0		5.657E 00	6.091E 00	6.496E 00	6.877E 00	7.238E 00
1.75	• 0	.0	.0	٥.	.0		• 0	6.664E 00	7.107E 00	7.523E 00	7.917E 00
2.00	• 0	• 0	• 0	•0	•0		•0	• 0	7.693E 00	8.143E 00	8.569E 00
2.25	• 0	.0	•0	0.	•0		• 0	• 0	8.259E 00	8.742E 00	9.199E 00
2.50	.0	•0	•0	.0	• 0		• 0	• 0	•0	9.322E 00	9.810E 00
2.75	• 0	• 0	• 0	• 0	•0		• 0	• 0	•0	•0	1.040E 01
					TIME VERSUS ETA	RSUS	ETA				
		DELT	DELTA = 0.75		ALPHA =		0.40	ISd	+0.0 =		
					OMEGA	6A					
ETA	0.5	1.0	1.5	2.0	2.5		3.0	3.5	0.4	4.5	5.0
0.25	9.977E-01	1.375E 00	1.669E 00	1.919E 0	00 2.140E 00	00	2.340E 00	2.524E 00	2.695E 00	2.857E 00	3.009E 00
0.50	• 0	1.863E 00	2.254E 00	2.587E 0	00 2.881E	00	3.148E 00	3.394E 00	3.624E 00	3.840E 00	4.044E 00
0.75	• 0	• 0	2.764E 00	3.169E 0	00 3.527E	00	3.852E 00	4.152E 00	4.431E 00	4.694E 00	4.943E 00
1.00	• 0	• 0	• 0	3.697E 0	00 4.113E	00	4.491E 00	4.839E 00	5.163E 00	5.469E 00	5.758E 00
1.25	• 0	• 0	.0	0.	4.658E	00	5.084E 00	5.477E 00	5.843E 00	6.188E 00	6.514E 00
1.50	• 0	• 0	.0	0.	0		5.643E 00	00 8.078E 00	6.484E 00	6.866E 00	7.227E 00
1.75	• 0	• 0	• 0	• 0	• 0		• 0	6.651E 00	7.094E 00	7.511E 00	7.906E 00
2.00	• 0	• 0	• 0	.0	•0		•0	• 0	7.680E 00	8.131E 00	8.558E 00
2.25	• 0	• 0	• 0	ċ	0		• 0	•0	8.246E 00	8.730E 00	9.188E 00
2.50	• 0	• 0	• 0	.0	0		• 0	• 0	• 0	9.310E 00	9.798E 00
2.75	.0	• 0	• 0	٥.	0		• 0	• 0	•0	• 0	1.039E 01

					_	TIME VERSUS ETA	SUS	ETA					×	
		DELT	DELTA = 1.00			ALPHA = 0.40	0 =	40	PSI	40.0 = I				
						OMEGA	A							
ETA	0.5	1.0	1.5	2.0	0	2.5		3.0	3.5	4.0		4.5	0.5	
0.25	9.723E-01	1.357E 00	1.654E 00	1.906E	00 39	2.128E	00	2.329E 00	2.514E 00	2.686E	00	2.848E 00	3.001E 0	00
0.50	•0	1.842E 00	2.237E 00	2.572E	2E 00	2.868E	00	3.136E 00	3.383E 00	3.613E	00	3.830E 00	4.034E 0	00
0.75	•0	.0	2.746E 00	3.153E	3E 00	3.513E	00	3.839E 00	4.140E 00	4.420E	00	4.684E 00	4.933E 0	00
1.00	•0	• 0	•0	3.681E	1E 00	4.099E	00	4.477E 00	4.826E 00	5.152E	00	5.458E 00	5.748E 0	00
1.25	•0	•0	•0	0.		4.643E	00	5.070E 00	5.464E 00	5.8316	00	6.177E 00	6.504E 0	00
1.50	0.	•0	•0	•		•0		5.629E 00	6.065E 00	6.472E	00	6.854E 00	7.216E 00	00
1.75	•0	.0	• 0	0.		•0		•0	6.638E 00	7.082E 00		7.500E 00	7.895E 0	00
2.00	•0	•0	• 0	°c		•0		•0	• 0	7.668E 00		8.119E 00	8.547E 0	00
2.25	•0	• 0	• 0	0		•0		•0	• 0	8.234E C	00	8.718E 00	9.177E 0	00
2.50	•0	•0	.0	0.		•0		• 0	• 0	•0		9.299E 00	9.787E	00
2.75	•0	• 0	•0	ċ		• 0		•0	• 0	• 0		•0	1.038E 0	10
					_	TIME VERSUS ETA	SUS	ETA						
		DELT	DELTA = 0.			ALPHA = 0.60	• 0 =	90	PSI	1 = 0.04				
						OMEGA	A							
ETA	0.5	1.0	1.5	2.0	0	2.5		3.0	3.5	4.0		4.5	5.0	
0.25	•	1.207E 00	-	0 1.633E	3E 00	1.808E 00		1.968E 00	2.116E 00	2.254E 00		2.384E 00	2.508E 0	00
0.50	•0	•0	1.944E 00		2.209E 00	2.446E 00	00	2.662E 00	2.862E 00	3.048E	00	3.224E 00	3.391E (00
0.75	•0	•0	•0	0.		3.006E 00	00	3.271E 00	3.516E 00	3.745E	00	3.960E 00	4.165E	00
1.00	•0	•0	•0	0.		•0		3.828E 00	4.114E 00	4.381E	00	4.633E 00	4.872E 00	00
1.25	•0	.0	•0	0		•0		0.•	4.673E 00	4.976E	00	5.262E 00	5.533E (00
1.50	0.	•	•0	0		•0		• 0	•0	5.540E	00	5.859E 00	6.160E	00
1.75	•0	•0	•0	ċ		•0		•0	•0	.0		6.430E 00	6.761E	00

					TIME VERSUS ETA	S ETA						
		DEL1	DELTA = 0.25		ALPHA = 0.60	09.00	۵	PSI = 0.04				
					OMEGA							
ETA		1.0	1.5	2.0	2.5	3.0	3.5	4.0		4.5	5.0	
0.25		1.186E 00	1.418E 00	1.617E 00	1.794E 00	1.955E 00	2.104E 00	0 2.243E	00	2.374E 00	2.498E 00	_
0.50		•0	1.924E 00	2.192E 00	2.431E 00	2.648E 00	2.848E 00	0 3.036E	00	3.212E 00	3.379E 00	_
0.75		•0	• 0	• 0	2.990E 00	3.256E 00	3.502E 00	0 3.732E 00	00	3.948E 00	4.153E 00	_
1.00	•0	•0	• 0	•0	•0	3.812E 00	4.099E 00	0 4.368E	00	4.620E 00	4.860E 00	_
1.25		•0	•0	0.0	•0	•0	4.658E 00	0 4.962E	00	5.249E 00	5.521E 00	_
1.50		•0	•0	0.	•0	•0	•	5.526E	00	5.845E 00	6.147E 00	_
1.75		• 0	• 0	•0	•0	• 0	• 0	•		6.416E 00	6.748E 00	_
					TIME VERSUS ETA	ETA						
		DELT	DELTA = 0.50		ALPHA = 0.60	. 60	PS	PSI = 0.04				
					OMEGA							
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0		4.5	5.0	
0.25		1.165E 00	1.400E 00	1.602E 00	1.780E 00	1.943E 00	2.092E 00	2.232E	00	2.363E 00	2.488E 00	
0.50		• 0	1.905E 00	2.175E 00	2.415E 00	2.633E 00	2.835E 00	3.023E	00	3.200E 00	3.368E 00	
0.75	•0	•0	•0	•0	2.973E 00	3.241E 00	3.488E 00	3.718E 00	00	3.935E 00	4.141E 00	
1.00		• 0	•0	0.	•0	3.796E 00	4.085E 00	4.354E 00	00	4.607E 00	4.848E 00	
1.25		•0	•0	0.	•0	•0	4.643E 00	4.948E	00	5.236E 00	5.508E 00	
1.50		•0	0.	•0	•0	.0	• 0	5.512E	00	5.832E 00	6.135E 00	
1.75	• 0	• 0	•0	0.	•0	0.	•0	•0		6.402E 00	6.735E 00	

					TIME VERSUS	ERSUS	ETA									
		DELT	DELTA = 0.75		ALPHA	ALPHA = 0.60	09.		_	PSI	PSI = 0.04					
					OMEGA	EGA										
TA	6.0	1.0	1.5	2.0	2.5		3.0		3.5		4.0		4.5		5.0	
.25	•0	1.143E 00	1.383E 00	1.586E 0	00 1.766E 00	00	1.930E	00	2.080E	00	2.221E	00	2.353E (00	2.478E	00
.50	•0	•0	1.885E 00	2.157E 00	0 2.399E 00	00	2.619E 00	00	2.82E	00	3.011E	00	3.189E (00	3.357E	00
.75	•0	•0	• 0	ċ	2.957E 00	00	3.225E	00	3.474E 00		3.705E 00		3.923E	00	4.129E	00
00	•0	•0	• 0	•0	•0		3.780E	00	4.070E	00	4.340E	00	4.594E (00	4.835E 00	00
.25	•0	•0	•0	•0	•0		• 0		4.628E	00	4.934E	00	5.222E (00	5.495E 00	00
.50	•0	•0	•0	ċ	•0		• 0		• 0	100.1	5.497E 00		5.818E 0	00	6.122E 00	00
12	• 0	• 0	•0	•0	•0		•0		• 0		•		6.389E 0	00	6.722E 00	00
					TIME VERSUS ETA	RSUS	ETA									
		DELT	DELTA = 1.00		ALPHA	ALPHA = 0.60	09			150	PSI = 0.04					
					OMEGA	GA										
A	0.5	1.0	1.5	2.0	2.5		3.0		3.5		4.0		4.5		5.0	
.25		1.121E 00	1.364E 00	1.570E 00	0 1.752E 00		1.917E 00	00	2.068E 00		2.209E	00	2.342E 00		2.468E	00
.50		• 0	1.864E 00	2.140E 00	0 2.383E	00	2.605E	00	2.808E 0	00	2.998E	00	3.177E 0	00	3.346E	00
.75	• 0	•0	•0	•0	2.940E 00	00	3.210E 00	00	3.459E	00	3.692E	00	3.910E 0	00	4.117E 00	00
00		.0	•0	ċ	•		3.765E 00	00	4.055E	00	4.326E 00		4.581E 0	00	4.823E	00
52		• 0	•	ċ	•		•		4.613E 0	00	4.920E	00	5.209E 0	00	5.483E	00
20		•0	•0	•0	•		•0		• 0		5.483E 00		5.804E 0	00	6.109E 00	00
.75		•	•	·c	•		•		• 0		•		6.375E 00		6.708E 00	00

					TIME VERSUS ETA	ETA				
		DELTA	A = 0.		ALPHA = 0.80	.80	PSI	+0.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	1.079E 00	1.274E 00	1.442E 00	1.593E 00	1.731E 00	1.859E 00	1.978E 00	2.091E 00	2.198E 00
0.50	•0	• 0	• 0	1.964E 00	2.170E 00	2.357E 00	2.530E 00	2.693E 00	2.846E 00	2.991E 00
0.75	• 0	•	•0	٥.	•0	2.910E 00	3.124E 00	3.325E 00	3.514E 00	3.693E 00
1.00	• 0	• 0	• 0	0.	.0	•0	3.671E 00	3.906E 00	4.128E 00	4.338E 00
1.25	• 0	• 0	• 0	.0	•0	0.	• 0	•0	4.705E 00	4.944E 00
1.50	•0	•0	• 0	0.	•0	• 0	• 0	• 0	•0	5.522E 00
					TIME VERSUS	ETA				
×		DELTA	A = 0.25		ALPHA = 0.80	.80	PSI	+0.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	1.056E 00	1.254E 00	1.425E 00	1.578E 00	1.717E 00	1.845E 00	1.966E 00	2.079E 00	2.186E 00
0.50	• 0	• 0	.0	1.945E 00	2.152E 00	2.341E 00	2.515E 00	2.679E 00	2.833E 00	2.978E 00
0.75	• 0	• 0	• 0	0.	.0	2.893E 00	3.109E 00	3.310E 00	3.500E 00	3.679E 00
1.00	•0	• 0	•0	.0	•0	•0	3.654E 00	3.890E 00	4.113E 00	4.324E 00
1.25	• 0	•0	•0	ċ	.0	•0	• 0	•0	4.690E 00	4.930E 00
1.50	•0	•0	•0	·	•0	•0	• 0	•0	•0	5.508E 00
					TIME VERSUS ETA	ETA				
	ī	DELTA	A = 0.50		ALPHA = 0.80	• 80	1S4	*0°0 = 1		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	1.032E 00	1.234E 00	1.408E 00	1.562E 00	1.702E 00	1.832E 00	1.953E 00	2.067E 00	2.175E 00
0.50	• 0	• 0	• 0	1.926E 00	2.134E 00	2.325E 00	2.500E 00	2.665E 00	2.819E 00	2.966E 00
0.75	• 0	• 0	• 0	• 0	• 0	2.876E 00	3.093E 00	3.295E 00	3.485E 00	3.666E 00
1.00	• 0	• 0	•0	.0	•0	• 0	3.638E 00	3.875E 00	4.098E 00	4.310E 00
1.25	• 0	•0	• 0	c*	•0	•0	.0	•0	4.675E 00	4.916E 00
1.50	• 0	• 0	• 0	•0	•0	•0	• 0	.0	• 0	5.493E 00

					TIME VERSUS	ETA				
		DELT	DELTA = 0.75		ALPHA = 0.80	. 80	PSI	+0.0 =		
					OMEGA					
ETA	9.0	1.0	1.5	2.0	2.5	3°C	3.5	4.0	4.5	5.0
0.25	•0	1.007E 00	1.214E 00	1.390E 00	1.546E 00	1.687E 00	1.818E 00	1.940E 00	2.055E 00	2.163E 00
0.50	•0	• 0	• 0	1.906E 00	2.117E 00	2.308E 00	2.485E 00	2.650E 00	2.806E 00	2.953E 00
0.75	•0	• 0	•0	.0	•0	2.859E 00	3.077E 00	3.280E 00	3.471E 00	3.652E 00
1.00	•0	• 0	•0	0.	•0	• 0	3.621E 00	3.859E 00	4.084E 00	4.296E 00
1.25	• 0	•0	• 0	.0	•0	• 0	• 0	• 0	4.660E 00	4.902E 00
1.50	0	• 0	•0	0.	• 0	•0	• 0	• 0	•	5.479E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 1.00		ALPHA = 0.80	.80	ISd	+0.04		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	• 0	9.823E-01	1.193E 00	1.372E 00	1.530E 00	1.673E 00	1.804E 00	1.927E 00	2.043E 00	2.152E 00
0.50	• 0	• 0	• 0	1.886E 00	2.099E 00	2.292E 00	2.470E 00	2.636E 00	2.792E 00	2.940E 00
0.75	•0	• 0	• 0	0.	•0	2.842E 00	3.060E 00	3.265E 00	3.457E 00	3.639E 00
1.00	•0	•0	•0	•0	•0	•0	3.605E 00	3.844E 00	4.069E 00	4.282E 00
1.25	• 0	• 0	•0	0.	•0	•0	• 0	•0	4.645E 00	4.887E 00
1.50	•0	•0	•0	٥.	•0	•0	• 0	•0	•0	5.464E 00
					TIME VERSUS ETA	ETA				
		DELT	DELTA = 0.		ALPHA = 1.00	00	PSI	+0.04		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	9.941E-01	1.166E 00	1.315E 00	1.449E 00	1.572E 00	1.686E 00	1.792E 00	1.893E 00	1.988E 00
0.50	•0	•0	•0	•0	1.984E 00	2.152E 00	2.308E 00	2.454E 00	2.592E 00	2.722E 00
0.75	.0	•0	• 0	٥.	•0	•0	2.862E 00	3.043E 00	3.214E 00	3.376E 00
1.00	•0	•0	•0	•0	•0	•0	• 0	•0	3.789E 00	3.981E 00

				00	00	00	00																
			5.0	1.938E	2.666E	3.317E	3.919E	•	•	•	•	•0	•0	•	.0	•	•	•	•0	•	•0	•0	•
				00	00	00	00																
			4.5	1.839E	2.533E	3.152E	3.725E																
				00 1	00 2	00	6	0	0	•	·	0	0	0	0	0	0	0	0	0	°	0	0
	40		0																				
	= 0.04		4.0	1.736E	2.392E	2.977E	•	•0	•0	•	•	•	•	•	•	•	•	•	•0	•	•0	•	•
	PSI			00	00	00																	
			3.5	1.626E	2.242E	2.792E	• 0	• 0	• 0	• 0	.0	.0	•0	• 0	•	• 0	• 0	• 0	• 0	• 0	•	.0	.0
				00	00				_	U	J	U	Ü	Ü	Ü	O	0	0	0	0	0	0	0
ETA	-		3.0	1.507E (2.081E		121																
IS EI	1.00					0	0	0	0	0	0	0	0	o	0	0	0	0	0	0	0	0	0
ERSU		OMEGA		E 00	E 00																		
TIME VERSUS	ALPHA =	0	2.5	1.379E	1.907E	•	•	•	•0	•0	•0	•0	•0	•	•	•	•0	•0	•	•0	•0	•	•
				00																			
			2.0	1.237E	•0	•0	•	.0	•	• 0	•0	٥.	•0	.0	٠.		•0		ċ	•0	٦.	•	••
	•			00																			
	1.00		1.5	1.077E																			
	DELTA = 1.00		-	1.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	•	•	•	0
	DEL																						
			1.0	•	•	•	•								٠.,								
				J	J	J	0	O	O	0	0	0	0	0	0	0	0	0	0	0	0	0	O
			2																				
			0.5	0	0	0	0	•	•	•	•0	•0	•	• 0	•	•	•	0	•	•	•	•	•
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

										TIME VERSUS ETA	SUSS	ETA										
				DEL	DELTA = 0.	.0				ALPHA	11	0.20			PSI	90.0 =						
										OMEGA	AS											
ETA	0.5		1.0	-	-	1.5		2.0		2.5		3.0		3.5		4.0		4.5		5.0		
0.25	1.422E	00	1.948E	3E 00		2.359E	00	2.708E	00	3.018E	00	3.298E	00	3.556E	00	ш	00	4.024E	00	4.238E	00	
0.50	1.902E	00	2.598E	3E 00		3.144E	00	3.608E	00	4.018E	00	4.391E	00	4.734E	00	5.054E	00	5.355E	00	5.640F		
0.75	.0		3.158E	SE 00		3.818E	00	4.380E	00	4.878E	00	5.329E	00	5.745E	00			6.498E	00	6.8435		
1.00	• 0		3.661E	E 00		4.424E	00	5.073E	00	5.648E	00	6.170E	00	6.651E	00			7.521E	00	7.9215		
1.25	• 0		• 0		4.9	4.981E	00	5.710E	00	6.357E	00	6.943E	00					8.462E	00	8-910F		
1.50	•0		• 0		5.5	5.502E (00	6.306E	00	7.018E	00	7.665E	00	8.261E 0	00				00	9.835E		
1.75	• 0		• 0		0			9698°9	00	7.644E	00	8.347E	00	8.996E	00	9.600E	00		01	1.071E		
2.00	• 0		• 0		0			7.406E	00	8.240E	00	8.997E	00	9.696E 0	00	1.035E (01		01	1.154E	10	
2.25	• 0		• 0		0			•0		8.813E	00	9.621E	00	1.037E 0	01				01	1.234E		
2.50	• 0		• 0		0			• 0		9.364E	00	1.022E	01	1.101E 0	01		01		10	1.3116	: 5	
2.75	• 0		• 0		0		=/	٠.		•0		1.08CE	01	1.164E 0	01					1.385	5 5	
3.00	• 0		• 0		• 0			0.0		•0		1.137E	01	1.225E 0	01					1.457E	5 5	
3.25	• 0		• 0		• 0			• 0		•0		1.192E	01							1.528F		
3.50	• 0		• 0		0			0.		•0	_	•0		1.342E 01							5 6	
3.75	• 0		.0		0			·		•0		•0		1.399E 01		1.492E 0	01 1					
4.00	• 0		• 0		0		_	•0		•0		•0		•0	-						: :	
4.25	• 0		• 0		0			0.		•0		• 0		0.	-							
4.50	• 0		• 0		0			ċ		•0		0.		0.	-						5 6	
4.75	• 0		• 0		0			0.		0		0.		0							1 :	
2.00	• 0		.0		0		_	·		• 0		• 0		. 0	0		, ,			1.920E 01	10	
																				10000		

				00	00	00	00	00	00	10	01	10	01	01	10	10	01	01	01	01	0	01	10
			5.0	4.232E	5.634E	6.836E	7.913E	8.903E	9.827E	1.070E	1.153E	1.233E	1.310E	1.384E	1.456E	1.527E	1.595E 01	1.663E 01	1.728E 01	1.793E	1.857E	1.919E	1.981E 01
			4.5	4.017E 00	5.348E 00	6.490E 00	7.513E 00	8.453E 00	9.331E 00	1.016E 01	1.095E 01	1.1716 01	1.244E 01	1.315E 01	1.383E 01	1.450E 01	1.515E 01	1.579E 01	1.642E 01	1.703E 01	1.764E 01	1.823E 01	1.882E 01
				00	00	00	00	00	00	00	01	10	01	01	10	10	01	10	01	. 10			
	90.0 =		4.0	3.791E	5.047E	6.125E	7.091E	7.979E	8.808E	9.591E	1.034E	1.105E	1.174E	1.241E	1.306E	1.369E	1.431E	1.4916	1.550E	1.608E	1.666E 01	.0	0.
	PSI		3.5	49E 00	26E 00	37E 00	6.642E 00	74E 00	8.252E 00	8.986E 00	9.686E 00	1.036E 01	00E 01	53E 01	24E 01	1.283E 01	1.341E 01	1.398E 01					
			6	3.549E	4.726E	5.737E	9.9	7.474E	8.2	8.98	9.6	1.0	1.100E	1.163E	1.224E	1.28	1.34	1.3	0	.0	0.	.0	0
				00	00	00	00	00	00	00	00	00	01	10	01	01							
ETA	0.20		3.0	3.290E	4.382E	5.320E	6.160E	6.933E	7.655E	8.337E	8.987E	9.611E	1.021E	1.079E	1.136E	1.191E 01	•0	•0	•0	• 0	•0	•0	.0
SUS	11	AS		00	00	00	00	00	00	00	00	00	00										
TIME VERSUS ETA	ALPHA	OMEGA	2.5	3.009E	4.009E	4.868E	5.638E	6.346E	7.007E 00	7.633E 00	8.229E	8.801E 00	9.353E 00	•0	•0	•0	•0	• 0	•0	•0	.0	•0	0.
				00	00	00	00	00	00	00	00												
			2.0	2.699E	3.597E	4.369E	5.061E	5.698E	6.294E	6.857E	7.394E 00	.0	0.	.0	•0	0.	٥.	0.	.0	.0	.0	·c	.0
				00	00	00	00	00	00														
	1 = 0.25		1.5	2.348E	3.132E	3.805E	4.410E	4.967E	5.488E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	.0
	DELTA			00	00	00	00																
	0		1.0	1.935E	2.583E	3.142E	3.645E 00	• 0	.0	• 0	.0	• 0	.0	• 0	• 0	• 0	• 0	•0	•0	.0	.0	•0	0.
				00	00																		
			0.5	1.404E	1.882E	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	.0
			TA	.25	• 50	.75	00.	.25	• 50	•75	00.	.25	.50	.75	00.	.25	• 50	.75	00.	.25	• 50	• 75	00.

							-	TIME VERSUS	SUS ETA	A					
				DELT	DELTA = 0.50			ALPHA =	. 0.20		ISd	90.0 =			
								DMEGA	_						
ETA	0.5		1.0		1.5	2.0		2.5		3.0	3.5	4.0	4.5	5.0	
0.25	1.386E	00	1.922E	00	2.337E 00	2.690E	00	3.001E 00		3.283E 00	3.542E 00	3.784E 00	4.011E 00	4.226E 00	
0.50	1.861E	00	2.569E	00	3.119E 00	3.587E	00	4.000E 0	.4 00	4.374E 00	4.718E 00	5.039E 00	5.341E 00	5.627E 00	
0.75	• 0		3.126E	00	3.792E 00	4.358E	00	4.858E 0	00 5.	5.311E 00	5.728E 00	6.117E 00	6.483E 00	6.829E 00	
1.00	• 0		3.628E	00	4.397E 00	5.050E	00	5.627E 0	• 9 00	6.151E 00	6.633E 00	7.083E 00	7.505E 00	7.906E 00	
1.25	• 0		• 0		4.953E 00	5.686E	00	6.335E 0	•9 00	6.923E 00	7.465E 00	7.970E 00	8.445E 00	8.895E 00	
1.50	.0		• 0		5.474E 00	6.281E	00	00 3966.9		7.645E 00	8.242E 00	8.799E 00	9.323E 00	9.819E 00	
1.75	•0		.0		•0	6.844E	00	7.622E 0	00 8	8.327E 00	8.976E 00	9.582E 00	1.015E 01	1.069E 01	
2.00	.0		• 0		• 0	7.381E	00	8.218E 0	00 8.	8.977E 00	9.676E 00	1.033E 01	1.094E 01	1.152E 01	
2.25	• 0		• 0		•0	•0	_	8.790E 0	.6 00	9.600E 00	1.035E 01	1.104E 01	1.170E 01	1.232E 01	
2.50	.0		.0		•	• 0	•	9.341E 00		1.020E 01	1.099E 01	1.173E 01	1.243E 01	1.309E 01	
2.75	• 0		•0		.0	• 0	_	• 0	1.	1.078E 01	1.162E 01	1.240E 01	1.314E 01	1.383E 01	
3.00	• 0		.0		•0	•0	_	.0	1.	1.135E 01	1.223E 01	1.305E 01	1.382E 01	1.455E 01	
3.25	• 0		• 0		.0	.0	_	0.	1.	1.190E 01	1.282E 01	1.368E 01	1.449E 01	1.526E 01	
3.50	• 0		• 0		•0	.0	_	.0	0		1.340E 01	1.430E 01	1.514E 01	1.595E 01	
3.75	.0		• 0		.0	0.	_	.0	0		1.397E 01	1.490E 01	1.578E 01	1.662E 01	
4.00	• 0		.0		• 0	•0	_	•0	0		• 0	1.549E 01	1.641E 01	1.728E 01	
4.25	• 0		• 0		• 0	.0	_	.0	0		• 0	1.608E 01	1.702E 01	1.792E 01	
4.50	• 0		.0		•0	ė	_	•0	0		• 0	1.665E 01	1.763E 01	1.856E 01	
4.75	.0		• 0		•0	• 0	J	.0	0		• 0	•0	1.822E 01	1.918E 01	
5.00	•0		•0		•0	c°	J	•0	0		.0	•0	1.881E 01	1.980E 01	

									TIME VERSUS ETA	JS ET	4								
	,4		DE	LTA	DELTA = 0.75	10			ALPHA = 0.20	0.20			PSI	PSI = 0.06					
									OMEGA										
BTA	0.5		1.0		1.5		2.0		2.5		3.0	3.5		4.0		4.5		5.0	
0.25	1.368E	8	1.909E 0	00	2.327E	00	2.680E	00	2.993E 00		3.275E 00	3.535E	00	3.777E	00	4.005E	00	4.220E	8
0.50	1.841	00	2.554E 0	00	3.107E	00	3.576E	00	3.990E 00		4.365E 00	4.710E	00	5.032E	00	5.334E (00	5.620E	8
0.75	•		3.111E 00		3.779E	00	4.346E	00	4.847E 00		5.301E 00	5.719E	00	6.109E	00	6.475E (00	6.822E 00	8
1.00	•		3.612E 00		4.383E	00	5.038E	00	5.617E 00		6.141E 00	6.624E	00	7.074E	00	7.498E	00	7.898E	8
1.25	•		• 0	4	4.939E	00	5.674E	00	6.324E 00		6.913E 00	7.456E	00	7.962E 00	00	8.437E (00	8.887E	8
1.50	•		•0	-1	5.459E	00	6.269E	00	6.985E 00		7.634E 00	8.233E	00	8. 790E	00	9.315E (00	9.811E	8
1.75	•		•0	9	••		6.832E	00	7.610E 00		8.316E 00	8.967E	00	9.573E	00	1.014E	10	1.068E	0
2.00	•		•0	5	•0		7.368E	00	8.206E 00		8.966E 00	9.667E	00	1.032E 01	10	1.093E 01	10	1.151E	0
2.25	• 0		•0	9	• 0		٥.		8.778E 00		9.590E QQ	1.034E	10	1.104E 01	01	1.169E (10	1.231E	01
2.50	• 0		•	5	•		•0		9.330E 00		1.019E 01	1.098E 01	10	1.173E 01	01	1.242E 0	10	1.308E	01
2.75	• 0		•0	J	•		•0		•	1.	1.0776 01	1.161E	10	1.239E	10	1.313E 0	10	1.382E	0
3.00	• 0		•	J	••		•		•0	1.	1.134E 01	1.222E	01	1.304E	10	1.381E 0	10	1.455E	01
3.25	•0		•0	J	•0		••		•0	1.	1.189E 01	1.281E 01	01	1.367E 01	01	1.448E C	10	1.525E	0
3.50	• 0		• 0	J	• 0		٥.		•	0		1.339E	01	1.429E	01	1.514E 0	10	1.594E	9
3.75	• 0		.0	0	• 0		٥.		•0	0		1.396E 01	01	1.489E 01	10	1.577E 01		1.661E	01
00 * 4	•		• 0	J	•0		•0		• 0	0		•		1.549E	01	1.640E 0	10	1.727E 01	01
4.25	• 0		•	0	• 0		٥.		•0	0		•		1.607E	01	1.701E 0	01	1.791E	01
4.50	• 0		•0	0	•		· c		• 0	0		• 0		1.664E	01	1.762E 0	01	1.855E	01
4.75	• 0		• 0	0	• 0		•0		•	0		••		•		1.821E 0	10	1.9176	0
2.00	•0		.0	0	.0				•	0		•		.0		1.880E 01		1.979E 01	9

			5.0	4.214E 00	5.613E 00	6.814E 00	7.891E 00	8.879E 00	9.803E 00	1.068E 01	1.151E 01	1.230E 01	1.307E 01	1.382E 01	1.454E 01	1.524E 01	1.593E 01	1.660E 01	1.726E 01	1.790E 01	1.854E 01	1.916E 01	1.978E 01
			2	4.2	5.6	6.8	7.8	8.8	9.8	1.0	1.1	1.2	1.3	1.3	1.4	1.5	1.5	1.6	1.7	1.7	1.8	1.9	1.9
				00	00	00	00	00	00	10 3	10 =	10	10	10	10	10	10 3	01	10 3	10 3	10 =	10	10 3
			4.5	3.999E	5.327E	6.467E	7.490E	8.429E	9.306E	1.014E	1.092E	1.168E	1.241E	1.312E	1,3816	1.447E	1.513E	1.577E	1.639E	1.701E	1.761E	1.820E	1.879E
				00	00	00	00	00	00	00	01	01	10	10	01	10	01	01	01	10	01		
	= 0.06		4.0	3.771E	5.024E	6.101E	7.066E	7.953E	8.781E	9.564E	1.031E	1.103E	1.172E	1.238E	1.303E	1.366E	1.428E	1.488E	1.548E	1.606E	1.663E	• 0	• 0
	1Sd			00	00	00	00	00	00	00	00	01	01	01	01	01	01	01					
			3.5	3.528E	4.702E	5.711E	6.615E	7.446E	8.223E	8.957E	9.657E	1.033E	1.097E 01	1.160E	1.2216 01	1.280E	1.338E 01	1.395E	• 0	• 0	• 0	• 0	• 0
				00	00	00	00	00	00	00	00	00	01	01	10	01							
ETA	0.20		3.0	3.267E	4.356E	5.292E	6.131E	6.903E	7.624E	8.306E	8.956E	9.579E	1.018E	1.076E	1.133E	1.188E	• 0	• 0	• 0	• 0	• 0	•0	•0
₹SUS		3A		00	00	00	00	00	00	00	00	00	00										
TIME VERSUS	ALPHA =	OMEGA	2.5	2.984E	3.981E	4.837E	5.606E	6.313E	6.974E	7.599E	8.195E	8.766E	9.318E	•0	•0	•0	•0	.0	•0	•0	• 0	•0	•0
				00	00	00	00	00	00	00	00												
			2.0	2.671E	3.565E	4.335E	5.026E	5.662E	6.256E	6.819E	7.355E	.0	0.	.0	.0	ċ	c.	.0	.0	ċ	.0	0.	c*
	0			00	00	00	00	00	00														
	1 = 1.00		1.5	2.316E	3.095E	3.766E	4.369E	4.925E	5.445E	.0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	• 0
	DELTA			00	00	00	00																
	J		1.0	1.895E	2.539E	3.095E	3.595E	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
				0.0	00																		
			0.5	1.350E	1.820E																		
				1.		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

					TIME VERSUS	ETA .				
		DELTA	A = 0.		ALPHA = 0	0.40	ISA	90.0 =		
					OMEGA					
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.071E 00	1.429E 00	1.714E 00	1.958E 00	2.175E 00	2.372E 00	2.554E 00	2.724E 00	2.884E 00	3.035E 00
0.50	•0	1.924E 00	2.305E 00	2.632E 00	2.922E 00	3.186E 00	3.430E 00	3.657E 00	3.871E 00	4.074E 00
0.75	• 0	•0	2.820E 00	3.218E 00	3.572E 00	3.894E 00	4.191E 00	4.468E 00	4.729E 00	4.977E 00
1.00	•0	• 0	•0	3.750E 00	4.161E 00	4.535E 00	4.881E 00	5.204E 00	5.507E 00	5.795E 00
1.25	• 0	• 0	• 0	٥.	4.708E 00	5.131E 00	5.521E 00	5.886E 00	6.229E 00	6.535E 00
1.50	• 0	.0	•0	٥.	•0	5.693E 00	6.126E 00	6.529E 00	6.910E 00	7.270E 00
1.75	•0	• 0	• 0	ċ	•0	.0	6.701E 00	7.143E 00	7.558E 00	7.952E 00
2.00	• 0	•0	• 0	•0	•0	• 0	• 0	7.731E 00	8.181E 00	8.607E 00
2.25	• 0	•0	• 0	0.	•0	•0	•0	8.300E 00	8.782E 00	9.239E 00
2.50	• 0	•0	•0	ċ.	•0	•0	.0	•0	9.365E 00	9.852E 00
2.75	•0	• 0	• 0	••	•0	• 0	• 0	•0	•0	1.045E 01
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.25		ALPHA = 0.40	04.	PSI	90.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.047E 0.0	1.412E 00	1.700E 00	1.945E 00	2.164E 00	2.362E 00	2.544E 00	2.715E 00	2.875E 00	3.027E 00
0.50	•0	1.904E 00	2.289E 00	2.617E 00	2.909E 00	3.174E 00	3.419E 00	3.647E 00	3,861E 00	4.065E 00
0.75	•0	•0	2.802E 00	3.202E 00	3.558E 00	3.881E 00	4.179E 00	4.457E 00	4.719E 00	4.967E 00
1.00	• 0	•0	• 0	3.734E 00	4.147E 00	4.522E 00	4.869E 00	5.192E 00	5.496E 00	5.785E 00
1.25	• 0	•0	•0	•0	4.694E 00	5.118E 00	5.509E 00	5.874E 00	6.218E 00	6.544E 00
1.50	•0	.0	• 0	•	•0	5.679E 00	6.113E 00	6.517E 00	00 3668°9	7.260E 00
1.75	•0	•0	•0	•0	•0	• 0	6.688E 00	7.130E 00	7.547E 00	7.941E 00
2.00	•0	• 0	• 0	•0	• 0	• 0	•0	7.719E 00	8.169E 00	8.596E 00
2.25	•0	•0	•0	•0	•0	• 0	•0	8.287E 00	8.770E 00	9.228E 00
2.50	•0	• 0	• 0	•0	•0	• 0	• 0	• 0	9.354E 00	9.841E 00
2.75	• 0	•0	•0	•0	• 0	• 0	• 0	• 0	.0	1.044E 01

					TIME VERSUS	S ETA					
		DELT	DELTA = 0.50		ALPHA = 0.40	0.40	PSI	90.0			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0	
0.25	1.023E 00	1.394E 00	1.685E 00	1.933E 00	2.152E 00	2.351E 00	2.534E 00	2.705E 00	2.866E 00	3.019E 00	
0.50	•0	1.884E 00	2.272E 00	2.603E 00	2.896E 00	3.162E 00	3.407E 00	3.636E 00	3.852E 00	4.055E 00	
0.75	•0	.0	2.785E 00	3.187E 00	3.544E 00	3.868E QO	4.167E 00	4.446E 00	4.709E 00	4.957E 00	
1.00	•0	• 0	.0	3.718E 00	4.132E 00	4.509E 00	4.856E 00	5.180E 00	5.486E 00	5.775E 00	
1.25	•0	•0	• 0	0.	4.679E 00	5.104E 00	5.496E 00	5.862E 00	6.207E 00	6.533E 00	
1.50	•0	• 0	• 0	• 0	• 0	5.665E 00	6.100E 00	6.505E 00	6.887E 00	7.249E 00	
1.75	•0	•0	• 0	0.	•0	•0	6.675E 00	7.118E 00	7.535E 00	7.930E 00	
2.00	•0	• 0	• 0	.0	•0	• 0	•0	7.707E 00	8.157E 00	8.585E 00	
2.25	•0	.0	• 0	•0	•0	•0	• 0	8.275E 00	8.759E 00	9.217E 00	
2.50	•0	.0	•0	°c	•0	• 0	•0	• 0	9.342E 00	9.830E 00	
2.75	•0	• 0	• 0	0.	•0	•0	•0	•0	•0	1.043E 01	
					TIME VERSUS ETA	S ETA					
		DELT	DELTA = 0.75		ALPHA = 0.40	0.40	PSI	90.0 =			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	
0.25	9.980E-01	1.376E 00	1.670E 00	1.920E 00	2.140E 00	2.340E 00	2.524E 00	2.696E 00	2.857E 00	3.010E 00	
0.50	•0	1.864E 00	2.255E 00	2.588E 00	2.883E 00	3.150E 00	3.396E 00	3.626E 00	3.842E 00	4.046E 00	
0.75	•0	• 0	2.767E 00	3.171E 00	3.530E 00	3.855E 00	4.155E 00	4.435E 00	4.698E 00	4.947E 00	
1.00	• 0	• 0	• 0	3.701E 00	4.118E 00	4.495E 00	4.844E 00	5.169E 00	5.475E 00	5.764E 00	
1.25	• 0	.0	• 0	• 0	4.664E 00	5.090E 00	5.484E 00	5.851E 00	6.196E 00	6.523E 00	
1.50	• 0	.0	•0	• 0	•0	5.651E 00	6.087E 00	6.493E 00	6.876E 00	7.238E 00	
1.75	• 0	.0	.0	0.	.0	•0	6.662E 00	7.106E 00	7.524E 00	7.919E 00	
2.00	• 0	•0	•0	•0	•0	•0	• 0	7.694E 00	8.146E 00	8.574E 00	
2.25	•0	• 0	.0	0.	•0	•0	•0	8.262E 00	8.747E 00	9.206E 00	
2.50	•0	•0	•0	0.	•0	•0	•0	• 0	9.330E 00	9.819E 00	
2.75	• 0	• 0	•0	0.	•0	•0	.0	•0	•0	1.042E 01	

					TIME VERSUS	S ETA							
		DEL	DELTA = 1.00		ALPHA = 0.40	04.0	PS	PSI = 0.06					
					OMEGA								
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0		4.5		5.0	
0.25	9.725E-01	1.357E 00	1.655E 00	1.906E 00	0 2.129E 00	2.330E 00	2.515E 00	2.	00		00	ш	00
0.50	• 0	1.843E 00	2.238E 00	2.573E 00	0 2.870E 00	3.138E 00	3.385E 00	3.615E	00				00
0.75	• 0	• 0	2.749E 00	3.156E 00	3.516E 00	3.843E 00	4.143E 00	4.424E	00				00
1.00	•0	•0	• 0	3.685E 00	4.103E 00	4.482E 00	4.832E 00		00				00
1.25	• 0	•0	•0	•0	4.649E 00	5.077E 00	5.471E 00	5.839E	00				00
1.50	•0	• 0	• 0	•0	•0	5.637E 00	6.074E 00	6.481E	00				00
1.75	•0	• 0	•0	٤.	•0	•0	6.649E 00	7.094E	00	7.512E 00		7.908E	00
2.00	•0	• 0	•0	•0	• 0	•0	•0	7.682E	00	8.134E 00			00
2.25	•0	• 0	•0	•	•0	•0	•0	8.250E	00	8.735E 00			00
2.50	•0	• 0	•0		•0	•0	• 0	•		9.318E 00			00
2.75	•0	• 0	•0	•0	•0	•0	• 0	•0	J	•	-	1.040E 0	01
					TIME VERSUS	ETA							
		DELT	DELTA = 0.		ALPHA = 0.60	. 60	ISd	90.0 = 1					
					OMEGA								
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0		4.5		5.0	
0.25	•0	1.208E 00	1.436E 00	1.633E 00	1.809E 00	1.969E 00	2.117E 00	2.255E	00	2.385E 00		2.509E (00
0.50	• 0	• 0	1.946E 00	2.211E 00	2.448E 00	2.664E 00	2.864E 00	3.051E	00	3.227E 00		3.393E C	00
0.75	•0	•0	•0	2.719E 00	3.010E 00	3.275E 00	3.520E 00	3.749E 00		3.965E 00		4.170E 00	0
1.00	•0	• 0	•0	•0	•0	3.833E 00	4.120E 00	4.388E	00	4.640E 00		4.879E C	00
1.25	•0	• 0	•0	Ė	•0	• 0	4.681E 00	4.985E	00	5.271E 00		5.543E 0	00
1.50	•0	• 0	• 0	ċ.	• 0	•0	• 0	5.551E	00	5.870E 00		6.172E 0	00
1.75	•0	• 0	• 0	٥.	•0	•0	• 0	• 0	•	6.444E 00		6.775E 0	00
2.00	•0	• 0	•0	·	•0	•0	• 0	•	0	.0	7	7.357E 00	0

					TIME VERSUS ETA	S ETA				
		DELT	DELTA = 0.25		ALPHA = 0.60	09.0	ISd	90.0 =		
					OMEGA					
A		1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
25		1.187E 00	1.419E 00	1.618E 00	1.795E 00	1.956E 00	2.105E 00	2.244E 00	2.375E 00	2.499E 00
20		• 0	1.926E 00	2.194E 00	2.433E 00	2.650E 00	2.851E 00	3.038E 00	3.215E 00	3.382E 00
75		• 0	• 0	2.701E 00	2.993E 00	3.260E 00	3.506E 00	3.736E 00	3.953E 00	4.158E 00
00	•0	•0	•0	• 0	• 0	3.818E 00	4.105E 00	4.374E 00	4.627E 00	4.867E 00
.25		.0	• 0	• 0	• 0	.0	4.666E 00	4.971E 00	5.258E 00	5.530E 00
.50		• 0	• 0	.0	• 0	•0	• 0	5.537E 00	5.857E 00	6.160E 00
1.75		• 0	•0	· c	• 0	• 0	• 0	• 0	6.430E 00	6.762E 00
00		• 0	0.	ċ	•0	•0	.0	•0	•0	7.344E 00
					TIME VERSUS ETA	S ETA				
		DELTA	TA = 0.50		ALPHA =	09.0	ISA	90.0 =		
					OMEGA					
TA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	1.165E 00	1.401E 00	1.602E 00	1.781E 00	1.943E 00	2.093E 00	2.233E 00	2.364E 00	2.489E 00
.50	• 0	• 0	1.906E 00	2.177E 00	2.417E 00	2.636E 00	2.837E 00	3.026E 00	3.203E 00	3.371E 00
.75	• 0	• 0	• 0	9.	2.977E 00	3.245E 00	3.492E 00	3.723E 00	3.940E 00	4.146E 00
00.	• 0	• 0	•0	°C	• 0	3.802E 00	4.091E 00	4.360E 00	4.614E 00	4.855E 00
.25	• 0	• 0	• 0	.0	• 0	• 0	4.651E 00	4.957E 00	5.245E 00	5.518E 00
.50	• 0	• 0	• 0	· c	• 0	• 0	.0	5.523E 00	5.843E 00	6.147E 00
.75	•0	• 0	• 0	.0	• 0	• 0	.0	• 0	6.416E 00	6.749E 00
00.	• 0	• 0	.0	.0	• 0	.0	.0	• 0	• 0	7.331E 00

			5.0	2.479E 00	3.360E 00	4.134E 00	4.842E 00	5.505E 00	6.134E 00	6.736E 00					5.0	2.469E 00	3.348E 00	4.122E 00	4.830E 00	5.492E 00	6.121E 00	6.723E 00
			u ·		3,3	4.1	4.8	5.5	6.1	6.7					2	2.4	3.3	4.1	4.8	5.4	6.1	6.7
				00	00	00	00	00	00	00						00	00	00	00	00	00	00
			4.5	2.354E	3.191E	3.928E	4.601E	5.231E 00	5.829E	6.403E					4.5	2.343E	3.179E	3.915E	4.588E	5.218E	5.816E	6.389E
				00	00	00	00	00	00							00	00	00	00	00	00	
	* 0.06		4.0	2.222E	3.013E	3.709E 00	4.346E	4.943E 00	5.508E	• 0			90.0 = 124		4.0	2.210E	3.001E 00	3.696E 00	4.333E	4.928E 00	5.494E 00	•
	PSI			00	00	00	00	00					PSI			00	00	00	00	00		
			3.5	2.081E	2.824E 00	3.478E 00	4.076E	4.636E 00	• 0	• 0					3.5	2.069E	2.811E 00	3.463E	4.061E	4.621E 00	• 0	•0
				00	00	00	00									00		00	00			
ETA	09.0		3.0	1.93CE	2.621E 00	3.229E	3.786E	• 0	• 0	•0	FTA		09		3.0	1.917E	2.607E 00	3.214E	3.770E	.0	• 0	.0
SUS	0 =	A		00	00	00					SIIS		0 =	A		00	00	00				
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	1.767E 00	2.401E 00	2.960E 00	•0	•0	•0	•0	TIME VERSUS FTA	,	ALPHA = 0.60	OMEGA	2.5	1.753E 00	2.385E 00	2.943E 00	•0	•0	•0	•0
				00	00											00	00					
			2.0	1.587E	2.159E 00	•0	0.	.0	0.	•0					2.0	1.571E	2.142E 00	.0	0.	٥.	٠.	0.
	2			00	00								0			00	00					
	DELTA = 0.75		1.5	1.383£	1.886E	• 0	• 0	• 0	.0	• 0			1.00		1.5	1.365E	1.866E 00	• 0	• 0	.0	0.	.0
)ELT			00									DELTA			00						
	J		1.0	1.1446	• 0	• 0	•0	•0	•0	• 0			٥		1.0	1.122E	•0	•0	• 0	• 0	•0	0
			.5				• 0								0.5				• 0			
							1.00								ETA				1.00			

The Versus et al. Alpha = 0.80 Alpha = 0.80
1.05 1.0 1.5 2.0 2.5 3.0
0.5
0.5
0.5 1.0 1.5 0. 1.080E 00 1.274E 0.
0.5 1.080E 0. 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
ETA 0.25 0.50 0.75 1.00 1.25 1.00 1.25 1.00 1.25 1.00

					TIME VERSUS ET	ETA				
		DELT	DELTA = 0.75		ALPHA = 0.80	.80	ISd	90.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	2.0
0.25		1.008E 00	1.214E 00	1.390E 00	1.547E 00	1.688E 00	1.819E 00	1.941E 00	2.056E 00	2.164E 00
0.50	•	• 0	•0	1.908E 00	2.119E 00	2.311E 00	2.488E 00	2.653E 00	2.809E 00	2.956E 00
0.75		•0	•0	•0	•0	2.863E 00	3.081E 00	3.285E 00	3.476E 00	3.658E 00
1.00	•0	• 0	•0	ċ	•0	• 0	3.628E 00	3.866E 00	4.091E 00	4.304E 00
1.25		• 0	•0	•0	•0	•0	• 0	•0	4.670E 00	4.912E 00
1.50	.0	•0	• 0	.0	•0	•0	•0	• 0	•0	5.492E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 1.00		ALPHA = 0.80	.80	ISd	90.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	•0	9.827E-01	1.194E 00	1.372E 00	1.530E 00	1.673E 00	1.805E 00	1.928E 00	2.044E 00	2.153E 00
0.50	•0	• 0	.0	1.888E 00	2.101E 00	2.294E 00	2.472E 00	2.639E 00	2.795E 00	2.943E 00
0.75		•0	• 0	.0	•0	2.846E 00	3.065E 00	3.270E 00	3.462E 00	3.644E 00
1.00		•0	•0	ċ	•0	•0	3.611E 00	3.851E 00	4.076E 00	4.290E 00
1.25		•0	•0	•0	•0	•0	• 0	• 0	4.655E 00	4.898E 00
1.50	•0	•0	•0	٥.	•0	•0.	.0	•0	•0	5.477E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.		ALPHA = 1.00	00	= ISd	90.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	2.0
0.25	•0	9.947E-01	1.166E 00	1.316E 00	1.450E 00	1.573E 00	1.687E 00	1.793E 00	1.894E 00	1.989E 00
0.50	•0	.0	•0	·c	1.987E 00	2.155E 00	2.311E 00	2.457E 00	2.595E 00	2.726E 00
0.75		0.	•0	c°	•0	•0	2.867E 00	3.049E 00	3.220E 00	3.382E 00
1.00		• 0	•0	•0	•0	•0	• 0	• 0	3.797E 00	3.989E 00

		DELT	DELTA = 0.25		TIME VERSUS ETA ALPHA = 1.00	S ETA		ISd	90°0 = I			
					OMEGA	3		-				
0.5 1.0	1.0		1.5	2.0	2.5	3.0		3.5	4.0	4.5	5.0	
	9.694E-01		1.145E 00	1.297E 00	1.433E 00	1.557E 0	00	1.672E 00	1.779E 00	1.881E 00	1.977E 0	00
	• 0		• 0	•0	1.968E 00	2.137E	00 2	2.295E 00	2.442E 00	2.580E 00	2.712E 0	00
• 0	•0		•0	٥.	•0	• 0	2	2.850E 00	3.032E 00	3.204E 00	3.367E 0	00
	•0		•0	· c	•0	0	0	• 0	•0	3.782E 00	3.974E 0	00
					TIME VERSUS ETA	S ETA						
DELTA	DELTA	-	DELTA = 0.50		ALPHA = 1.00	00.1		PSI	90.0 = 1			
					OMEGA							
	1.0		1.5	2.0	2.5	3.0		3.5	4.0	4.5	5.0	
.0 0.0			1.123E 00	1.277E 00	1.415E 00	1.541E 00		1.657E 00	1.765E 00	1.867E 00	1.964E 0	00
• 0		0	.0	٥.	1.948E 00	2.120E 00		2.278E 00	2.426E 00	2.566E 00	2.698E 0	00
		0		0.	•0	• 0	2	2.832E 00	3.016E 00	3.189E 00	3.353E 0	00
		0		.0	• 0	•0	0	• 0	• 0	3.765E 00	3.959E 0	00
					TIME VERSUS ETA	S ETA						
DELTA	DELTA	V	DELTA = 0.75		ALPHA = 1.00	1.00		PSI	90°0 = I			
					OMEGA							
	1.0		1.5	2.0	2.5	3.0		3.5	4.0	4.5	5.0	
	•0		1.101E 00	1.258E 00	1.398E 00	1.525E 00		1.642E 00	1.751E 00	1.854E 00	1.952E 0	00
	•0		•0	0.	1.929E 00	2.102E	00	2.261E 00	2.410E 00	2.551E 00	2.684E 0	00
• 0 • 0	• 0		• 0	0.	•0	• 0	10	2.815E 00	2.999E 00	3.173E 00	3.338E 0	00
.0	• 0		• 0	0.	•0	•0	J	• 0	•0	3.749E 00	3.943E 0	00

				ETA	130	40		
DELTA = 1.00	00			1.00	ISd	90.0		
			OMEGA	19				
1.0		2.0	2.5	3.0	3.5	4.0		
1.078E	00	1.238E 00	1.380E 00	1.508E 00	1.627E 00	1.737E 00	1.841E 00	1.939E 00
• 0		0.	1.909E 00	2.083E 00	2.244E 00	2.395E 00	2.536E 00	2.670E 00
• 0		ċ	•0	• 0	2.797E 00	2.983E 00	3.157E 00	3.323E 00
•0		c.	•0	•0	• 0	• 0	3.733E 00	3.928E 00
•0		•0	•0	•0	•0	• 0	•0	•0
• 0		•0	•0	•0	•0	•0	• 0	•0
•0		۵.	•0	•0	•0	•0	• 0	•0
• 0		0.	•0	•0	•0	•0	•0	•0
•0		ċ	•0	° 0.	•0	•0	•0	•0
• 0			•0	•0	•0	•0	• 0	•0
• 0		0.	•0	•0	•0		•0	•0
• 0		ċ.	•0	•0	•0		• 0	. •
• 0		· c	•0	•0	•0	•0	• 0	•0
• 0		•0	•0	•0	• 0	•0	.0	•0
•0		ċ	•0	•0	• 0	•0	•0	•0
•0		0.	•0	•0	•0	.0	•0	•0
•0		٥.	•0	•0	•0	•0	•0	•0
•0		.0	•0	•0	•0	.0	•0	•0
•0		·c	•0	•0	• 0	.0	•0	•0
• 0		• 0	•0	•0	• 0	.0	•0	•0

				00	00	00	00	00	00	01	01	01	01	01	10	01	01	01	0.1	10	01	01	10
			5.0	4.239E	5.644E	6.850E	7.931E	8.924E	9.852E	1.073E	1.156E	1.237E	1.314E 01	1.389E	1.462E 01	1.532E	1.602E	1.669E	1.736E	1.801E	1.865E	1.928E	1.990E
				00	00	00	00	00	00	01	01	01	01	01	01	01	01	10	01	01	01	01	10
			4.5	4.025E	5.359E	6.504E	7.531E	8.474E	9.356E	1.019E	1.098E	1.175E	1.248E	1.319E	1.388E	1.456E	1.521E	1.586E	1.649E	1.711E	1.772E	1.831E (1.891E (
				00	00	00	00	00	00	00	01	10	10	01	10	01	01	10	01	01	01		
	1 = 0.10		4.0	3.798E	5.058E	6.139E	7.108E	8.000E	8.832E	9.619E	1.037E	1.109E	1.178E	1.246E	1.311E	1.374E	1.437E	1.497E	1.557E	1.616E	1.673E	.0	•0
	PSI			00	00	00	00	00	00	00	00	01	01	01	01	10	01	01					
			3.5	3.557E	4.737E	5.751E	6.659E	7.495E	8.275E	9.013E	9.717E 00	1.039E	1.104E	1.167E	1.229E	1.288E	1.347E	1.404E	.0	• 0	• 0	.0	• 0
				00	00	00	00	00	00	00	00	00	01	01	01	01							
S ETA	0.20		3.0	3.299E	4.394E	5.334E	6.178E	6.953E	7.678E	8.364E	9.017E	9.645E	1.025E	1.084E	1.140E 01	1.196E	• 0	• 0	•0	• 0	• 0	• 0	• 0
RSU		6A		00	00	00	00	00	00	00	00	00	00	00									
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	3.018E 00	4.021E	4.883E 00	5.655E	6.366E 00	7.031E	7.659E	8.259E	8.834E	9.389E	9.926E	•0	•0	•0	•0	•0	•0	•0	• 0	•0
				00	00	00	00	00	00	00	00												
			2.0	2.709E	3.610E	4.384E	5.080E	5.719E	6.317E	6.883E	7.423E	c°	.0	•0	.0	•0	.0	.0	•0	0.	٥.	.0	•0
				00	00	00	00	00	00														
	rA = 0.		1.5	2.359E	3.146E	3.822E	4.429E	4.989E	5.512E	•	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0
	DELTA			00	00	00	00																
			1.0	1.948E	2.600E	3.161E 00	3.666E 00	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0
				00	00																		
			0.5	1.422E	1.903E	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	•0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	10	10	10	01	10	01	01	01	10	01	01	10	01	01
			2.0	4.233E	5.637E	6.843E	7.923E	8.916E	9.844E	1.072E	1.156E	1.236E	1.313E	1.388E	1.461E	1.532E	1.601E	1.668E	1.735E	1.800E	1.864E	1.927E	1.989E
			un.	4.2	5.6	6.8	7.	8	9.6	1.	1:	1.	1.	1:	1.	1.	1.	1.	1	1.	1.	1.	1.
				00	00	00	00	00	00	01	01	01	01	10	10	10	10	10	10	01	10	10	10 =
			4.5	4.018E	5.352E	6.497E	7.523E	8.466E	9.348E	1.018E	1.097E	1.174E	1.247E	1.318E	1.387E	1.455E	1.520E	1.585E	1.648E	1.710E	1.771	1.831E	1.890E
																						-	1
	0			E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 01	E 01	E 0]	E 01)E 01	E 01	0 3c	0 3°	SE 01	SE 01	2E 01		
	= 0.10		4.0	3.792E	5.050E	6.131E	7.100E	7.991E	8.823E	9.610E	1.036E	1.108E	1.177E 01	1.245E	1.310E	1.374E	1.436E 01	1.496E 01	1.556E	1.615E	1.672E	• 0	• 0
	PSI :				00		00	00	00	00		10		01	01	01							
	•		2	30E		5.742E 00	30E	36E	399	34E	9.707E 00		1.103E 01			37E	1.346E 01	1.403E 01					
			3.5	3.550E 00	4.729E	5.74	6.650E	7.486E	8.266E	9.004E	9.10	1.038	1.10	1.166E	1.228E	1.287E	1.3	1.4	0	0	•	0	•
				00	00	00	00	00	00	00	00	00	01	01	01	01							
_			3.0	3.291E	4.385E	5.325E	6.168E	6.944E	7.668E	8.354E	9.007E	9.634E	1.024E	1.082E	1.139E	1.195E							
ET	0.20		(6)	3.6	4	5	6.1	9	7.6	8	9.6	9.6	1.	1.	1.	1.	0	0	0	0	0	0	0
RSUS		GA		00	00	00	00	00	00	00	00	00	00	00									
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	3.010E 00	4.012E	4.872E 00	5.645E	6.355E	7.020E	7.648E	8.247E	8.822E	9.377E	9.915E						1101			127
TIM	•											8	6	6	0	0	0	0	0	0	0	0	0
				E 00	E 00	E 00	E 00	E 00	E 00	E 00	E 00												
			2.0	2.700E	3.600E	4.373E	5.068E	5. 707E	6.305E	6.870E	7.410E 00	.0	• 0	0.	0.	.0	0.	· c	.0		•	0.	ċ.
				00	00	00	00	00	00														
	3.25		1.5	36 t		39E			38E														
	DELTA = 0.25		1	2.349E	3.134€	3.809E	4.416E	4.975E	5.498E	0	0	0	0	0	0	0	0	•	0	0	0	•	•
	ELT			00	00	00	00																
			1.0	935E	2.585E	145E	649E 00																
			-	1.9	2.5	3.1	3.6	0	0	0	0	0	ò	0	0	0	0	0	0	o	0	0	0
				00	00																		
			0.5	1.405E	1.883E																		
				1.	1:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00
					100																		

									_	TIME VERSUS	RSUS	ETA									
				DEL	DELTA = 0.50	.50				ALPHA		0.20			PSI	= 0.10					
										OMEGA	GA										
ETA	0.5		1.0		1.5	2		2.0		2.5		3.0		3.5		4.0		4.5		5.0	
0.25	1.387E	00	1.922E	00 =	2.338E	8E 00		2.690E	00	3.002E	00	3.284E	00	3.543E	00	ш	00	4.012E	00	4-227F	00
0.50	1.863E	00	2.570E	00	3.121E	1E 00		3.589E	00	4.002E	00	4.377E	00	4.721E	00			5.345E	00	5.631E	00
0.75	• 0		3.130E	00	3.796E	6E 00		4.362E	00	4.862E	00	5.316E	00	5.734E	00			6.489E	00	6-835F	00
1.00	• 0		3.633E	00	4.402E	2E 00		5.056E	00	5.634E	00	6.159E	00	6.641E	00				00		00
1.25	• 0		• 0		4.961E	1E 00		5.695E	00	6.344F	00	6.934E	00	7.476E	00				00		000
1.50	• 0		• 0		5.483E	3E 00		6.292E	00	7.009E	00	7.658E	00	8.257E	00	8.815E C			00		00
1.75	• 0		• 0		•0		9.9	6.858E	00	7.637E	00	8.343E	00	8.994E	00	9.601E 0	00	1.017E	01		01
2.00	• 0		• 0		• 0		7.3	7.397E	00	8.236E	00	8.996E	00	9.698E	00	1.035E 0	01		01		01
2.25	• 0		• 0		•0		0			8.811E	00	9.623E	00	1.037E	01	1.107E 0	01				01
2.50	• 0		• 0		•0		0			9.366E	00	1.023E	01	1.102E	01	1.176E 0	01 1	1.246E	01		01
2.75	• 0		• 0		•0		0			9.903E	00	1.081E	01	1.165E	01	1.244E 01		1.317E	01		01
3.00	• 0		• 0		• 0		0.			• 0		1.138E	01	1.227E	01	1.309E 01					01
3.25	.0		• 0		• 0		0		0	.0		1.194E	01	1.286E	01	1.373E 01		1.454E (01
3.50	• 0		• 0		• 0		c		0	.0		• 0		1.345E	01	1.435E 01					01
3.75	.0		• 0		• 0		0.		0	• 0		.0		1.402E 01	01	1.496E 01					
00.4	.0		.0		• 0		0			0.		0.		0.							: :
4.25	• 0		• 0		• 0		c		0	• 0		0.		.0							
. 50	.0		• 0		0		ċ		0	• 0		0.		0.							1 6
+.75	• 0		.0		0		c		0	•0		•0		0.							
00.9	• 0		• 0		.0		c*		0	•0		• 0		.0		.0					10

								TIME VERSUS	S ETA								
			0	ELT	DELTA = 0.75			ALPHA = (0.20		PSI	I = 0.10					
								OMEGA									
TA	0.5		1.0		1.5	2.0	0	2.5	3.0		3.5	4.0		4.5		5.0	
. 25	1.368E	00	1.909E	00	2.327E 00	2.681E	1E 00	2.993E 00	3.276E 0	00	3.536E 00	3.778E	00	4.006E	00	4.221E 0	00
. 50	1.842E	00	2.555E	00	3.109E 00	3.578E	8E 00	3.993E 00	4.368E 0	00	4.713E 00	5.035E	00	5.338E (00	5.624E 0	00
.75	• 0		3.114E	00	3.783E 00	4.351E	1E 00	4.852E 00	5.307E 0	00	5.725E 00	6.115E	00	6.481E C	00	6.828E 0	00
00.	• 0		3.616E	00	4.389E 00	5.044E	4E 00	5.624E 00	6.149E 0	00	6.633E 00	7.083E	00	7.507E C	00	7.908E 0	00
. 25	• 0		• 0		4.947E 00	5.683E	3E 00	6.334E 00	6.924E 0	00	7.467E 00	7.974E	00	8.450E	00	8.901E 0	00
.50	• 0		• 0		5.469E 00	6.280E	0E 00	6.997E 00	7.648E 0	00	8.247E 00	8.806E	00	9.331E (00	9.828E 0	00
.75	• 0		• 0		.0	6.845E	5E 00	7.625E 00	8.333E 0	00	8.985E 00	9.592E	00	1.016E C	01	1.070E 0	01
00 •	• 0		• 0		• 0	7.385E	SE 00	8.224E 00	8.986E 0	00	9.688E 00	1.034E	01	1.096E C	10	1.154E 0	01
.25	• 0		• 0		• 0	•0		8.799E 00	9.613E 0	00	1.036E 01	1.106E 01	01	1.172E (01	1.234E 0	01
. 50	• 0		• 0		•0	ċ		9.354E 00	1.022E 0	01	1.101E 01	1.176E	01	1.245E (01	1.311E 0	01
.75	• 0		• 0		• 0	0.		9.891E 00	1.08CE 01	1	1.164E 01	1.243E	01	1.316E G	01	1.386E 0	01
00 •	• 0		• 0		•0	0.		•0	1.137E 01	1	1.226E 01	1.308E	01	1.386E (01	1.459E 0	01
1.25	• 0		• 0		.0	ċ		•0	1.193E 01	1	1.285E 01	1.372E 01	10	1.453E (01	1.530E 0	10
1.50	• 0		• 0		• 0	0		•0	•0		1.344E 01	1.434E	01	1.519E (01	1.599E 0	01
3.75	•		• 0		•0			•0	•0		1.401E 01	1.495E	01	1.583E (01	1.667E 0	01
00 •	• 0		• 0		•0	0.		•0	•0		• 0	1.554E	10	1.646E	01	1.733E 0	01
1.25	• 0		• 0		•0	•0		•0	•0		• 0	1.613E	10	1.708E 0	01	1.798E 0	01
•• 50	• 0		•0		•0	٥.		•0	•0		.0	1.670E	10	1.769E (10	1.862E 0	01
• 75	• 0		•0		•0	c.		• 0	•0		• 0	•0		1.829E (01	1.925E 0	01
00 • 9	•0		• 0		• 0	•0		•0	• 0		• 0	•0		1.888E 01		1.987E 0	01

							Ξ	TIME VERSUS	SUS	ETA							
		DEI	DELTA =	= 1.00				ALPHA	0 =	0.20		PSI	= 0.10				
								OMEGA	A								
ETA	0.5	1.0		1.5		2.0		2.5		3.0		3.5	4.0		4.5	5.0	
0.25	1.350E 00	1.896E 00		2.316E 00		2.672E 0	00	2.985E	00	3.268E	00	3.529E 00	3.772E	00	4.000E 00	4.215E 00	
0.50	1.821E 00	2.541E 00		3.097E 00		3.568E 0	00	3.983E	00	4.359E	00	4.705E 00	5.028E	00	5.330E 00	5.617E 00	
0.75	• 0	3.098E 00		3.770E 00		4.339E 0	00	4.842E	00	5.297E	00	5.716E 00	6.107E	00	6.474E 00	6.821E 00	
1.00	• 0	3.600E 00		4.375E 00		5.032E 0	00	5.613E	00	6.139E	00	6.624E 00	7.075E	00	7.499E 00	7.900E 00	
1.25	•0	• 0	4	4.933E 00		5.670E 0	00	6.323E	00	6.914E	00	7.458E 00	7.965E	00	8.442E 00	8.893E 00	
1.50	•0	• 0	5.	5.455E 00		6.268E 0	00	6.986E	00	7.638E	00	8.238E 00	8.797E	00	9.323E 00	9.820E 00	
1.75	.0	• 0	0		9	6.833E 0	00	7.614E	00	8.322E	00	8.975E 00	9.583E	00	1.016E 01	1.070E 01	
2.00	•0	• 0	0		7.	7.372E 0	00	8.213E	00	8.975E	00	9.678E 00	1.033E	01	1.095E 01	1.153E 01	
2.25	•0	.0	0		0		w	8.788E	00	9.602E	00	1.035E 01	1.105E	01	1.171E 01	1.233E 01	
2.50	• 0	.0	0		0		Ů.	9.342E	00	1.021E 01	01	1.100E 01	1.175E	01	1.245E 01	1.311E 01	
2.75	•0	• 0	0		0		0	9.880E	00	1.079E	01	1.163E 01	1.242E	01	1.316E 01	1.385E 01	
3.00	•0	• 0	0		c		0	.0		1.136E	01	1.225E 01	1.307E	01	1.385E 01	1.458E 01	
3.25	•0	• 0	0		0		Ü	•0		1.192E	01	1.284E 01	1.371E	01	1.452E 01	1.529E 01	
3.50	•0	• 0	0		0		0	.0		• 0		1.343E 01	1.433E	01	1.518E 01	1.598E 01	
3.75	•0	• 0	0		ċ		Ü	.0		• 0		1.400E 01	1.494E	01	1.582E 01	1.666E 01	
4.00	• 0	.0	0		0		Ü	• 0		.0		0.	1.553E	01	1.645E 01	1.732E 01	
4.25	•0	• 0	0		0			•0		• 0		• 0	1.612E	01	1.707E 01	1.797E 01	
4.50	•0	•0	0		c		0	•0		• 0		.0	1.669E	01	1.768E 01	1.861E 01	
4.75	•0	• 0	0		0		Ü	• 0		• 0		.0	• 0		1.828E 01	1.924E 01	
5.00	.0	• 0	0		0			.0		• 0		• 0	• 0		1.887E 01	1.986E 01	

					_	TIME VERSUS	SUS	ETA							
		DELTA	A = 0.			ALPHA = 0.40	• 0 =	40		PSI	= 1	0.10			
						OMEGA	A								
TA	0.5	1.0	1.5	2.0		2.5		3.0		3.5		0.4	4.5	5.0	
.25	1.071E 00	1.430E 00	1.715E 00	1.959E	00	2.176E	00	2.373E (00	2.555E 00		2.725E 00	2.885E 00	3.037E 00	
. 50	•0	1.926E 00	2.308E 00	2.635E	00	2.926E	00	3.190E (00	3.434E 00		3.662E 00	3.876E 00	4.079E 00	
.75	•0	•0	2.825E 00	3.224E	00	3.578E	00	3.901E	00	4.198E 00		4.476E 00	4.738E 00	4.986E 00	
00.	•0	•0	.0	3.758E	00	4.171E	00	4.546E	00	4.892E 00		5.215E 00	5.520E 00	5.808E 00	
.25	•0	•0	0.	•0		4.721E	00	5.145E	00	5.536E 00		5.902E 00	6.246E 00	6.572E 00	
.50	0.	•0	• 0	• 0		•0		5.711E	00	6.145E 00		6.550E 00	6.931E 00	7.293E 00	
.75	•	•0	•0	.0		• 0		• 0		6.724E 00		7.167E 00	7.584E 00	7.980E 00	
00	•0	0.	0.	9.		• 0		• 0		7.281E 00		7.761E 00	8.212E 00	8.639E 00	
25	•	0.	•0	•0		•0		0.		•0	80	8.334E 00	8.818E 00	9.277E 00	
.50		0.	•0	.0		•0		• 0		•0	0	•0	9.406E 00	9.896E 00	
.75	.0	٥.	•0	c.		•0		• 0		• 0	0	•0	• 0	1.050E 01	
						TIME VERSUS ETA	SUS	ETA							
		DELT	DELTA = 0.25			ALPHA = 0.40	0 =	04		ď	= 1Sd	= 0.10			
						OMEGA	SA.								
TA	0.5	1.0	1.5	2.0		2.5		3.0		3.5		0.4	4.5	5.0	
0.25	1.048E 00	1.412E 00	1.701E 00	1.946	00	2.165E	00	2.363E	00	2.546E 00		2.716E 00	2.876E 00	3.028E 00	
0.50	•0	1.907E 00	2.292E 00	7.621E	00	2.913E	00	3.178E	00	3.423E 00		3.651E 00	3.866E 00	4.070E 00	
0.75	•0	•0	2.807E 00	3.208E	00	3.564E	00	3.888E	00	4.187E 00		4.465E 00	4.728E 00	4.976E 00	
00.1	•0	•0	.0	3.742E	00	4.156E	00	4.532E	00	4.880E 00		5.204E 00	5.509E 00	5.798E 00	
1.25	•0	0	•0	ċ		4.706E	00	5.131E	00	5.524E 00		5.890E 00	6.235E 00	6.562E 00	
1.50	•	•0	0.	•		.0		5.697E	00	6.132E 00		6.538E 00	6.920E 00	7.282E 00	
1.75	0.	0.	•0			•		.0		6.711E 00		7.155E 00	7.573E 00	7.969E 00	
2.00	•0	ċ	•0	c*		• 0		• 0		7.268E 00		7.748E 00	8.200E 00	8.628E 00	
2.25	0.	•0	•0	0.		•0		•0		• 0	~	8.321E 00	8.806E 00	9.266E 00	
2.50	0	•0	.0	ċ		• 0		• 0		.0	_	•0	9.395E 00	9.884E 00	
2.75	•0	•	•0	·		•0		•		• 0	_	• 0	• 0	1.049E 01	

						TIME VERSUS	SUS	ETA				
		DEL	DELTA = 0.50			ALPHA =	0 =	0.40	ISd	= 0.10		
						OMEGA	V					
ETA	0.5	1.0	1.5	2.0	0	2.5		3.0	3.5	4.0	4.5	5.0
0.25	1.023E 00	1.394E 00	1.686E 00	1.934	4E 00	2.153E	00	2.352E 00	2.536E 00	2.707E 00	2.868E 00	3.020E 00
0.50	• 0	1.886E 00	3.275E 00	2.606E	6E 00	2.900E	00	3.166E 00	3.412E 00	3.641E 00	3.856E 00	4.061E 00
0.75	•0	• 0	2.790E 00	3.193E	3E 00	3.550E	00	3.875E 00	4.175E 00	4.454E 00	4.717E 00	4.966E 00
1.00	•0	• 0	• 0	3.726E	9E 00	4.142E	00	4.519E 00	4.867E 00	5.192E 00	5.498E 00	5.788E 00
1.25	• 0	• 0	• 0	0		4.692E	00	5.118E 00	5.511E 00	5.878E 00	6.224E 00	6.551E 00
1.50	• 0	• 0	• 0	•0		• 0		5.683E 00	6.119E 00	6.526E 00	6.908E 00	7.271E 00
1.75	• 0	.0	• 0	0.		•0		• 0	6.698E 00	7.143E 00	7.561E 00	7.958E 00
2.00	• 0	• 0	.0	c		• 0		• 0	7.255E 00	7.736E 00	8.188E 00	8.617E 00
2.25	•0	• 0	•0	•0		• 0		• 0	• 0	8.309E 00	8.794E 00	9.255E 00
2.50	• 0	• 0	•0	ċ		•0		.0	• 0	• 0	9.383E 00	9.873E 00
2.75	• 0	• 0	•0	°c		• 0		• 0	•0	• 0	•0	1.048E 01
						TIME VERSUS ETA	SUS	ETA				
		DEI	DELTA = 0.75			ALPHA		0.40	ISd	= 0.10		
						OMEGA	A					
ETA	9.0	1.0	1.5	2.0	0	2.5		3.0	3.5	4.0	4.5	5.0
0.25	9.985E-01	1.376E 00	00 1.671E 00	1.921E	1E 00	2.141E	00	2.342E 00	2.526E 00	2.698E 00	2.859E 00	3.012E 00
0.50	• 0	1.866E 00	0 2.258E 00	2.591E	1E 00	2.886E	00	3.154E 00	3.401E 00	3.630E 00	3.847E 00	4.051E 00
0.75	•0	• 0	2.772E 00	3.177E	7E 00	3.536E	00	3.862E 00	4.163E 00	4.443E 00	4.707E 00	4.956E 00
1.00	• 0	• 0	•0	3.710E	0E 00	4.127E	00	4.506E 00	4.855E 00	5.181E 00	5.487E 00	5.777E 00
1.25	• 0	• 0	• 0	0		4.677E	00	5.104E 00	5.499E 00	5.866E 00	6.213E 00	6.540E 00
1.50	• 0	• 0	•0	0		• 0		5.669E 00	6.106E 00	6.513E 00	6.897E 00	7.260E 00
1.75	• 0	• 0	• 0	0		• 0		•0	6.685E 00	7.130E 00	7.550E 00	7.947E 00
2.00	• 0	• 0	• 0	c		• 0		• 0	7.242E 00	7.723E 00	8.177E 00	8.606E 00
2.25	• 0	.0	• 0	c*		• 0		.0	• 0	8.296E 00	8.783E 00	9.243E 00
2.50	• 0		• 0	c°		•0		• 0	• 0	• 0	9.371E 00	9.862E 00
2.75	• 0	°	• 0	• 0		•0		• 0	• 0	• 0	• 0	1.046E 01
(

					TIME VERSUS	ETA				
		DELT	DELTA = 1.00		ALPHA = 0.40	40	PSI	= 0.10		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.6	3.5	4.0	4.5	5.0
0.25	9.730E-01	1.358E 00	1.656E 00	1.907E 00	2.130E 00	2.331E 00	2.516E 00	2.688E 00	2.850E 00	3.003E 00
0.50	•0	1.846E 00	2.241E 00	2.577E 00	2.873E 00	3.142E 00	3.389E 00	3.620E 00	3.837E 00	4.042E 00
0.75		•0	2.754E 00	3.162E 00	3.522E 00	3.849E 00	4.151E 00	4.432E 00	4.696E 00	4.946E 00
1.00		٠,	•0	3.694E 00	4.112E 00	4.492E 00	4.843E 00	5.169E 00	5.476E 00	5.767E 00
1.25		• 0	•0	٠.	4.662E 00	5.090E 00	5.486E 00	5.855E 00	6.201E 00	6.530E 00
1.50	•0	•0	•0	· c	•0	5.655E 00	6.093E 00	6.501E 00	6.886E 00	7.249E 00
1.75		• 0	• 0	•0	•0	• 0	6.672E 00	7.118E 00	7.538E 00	7.936E 00
2.00		• 0	• 0	0.	•0	• 0	7.228E 00	7.711E 00	8.165E 00	8.595E 00
2.25		•0	•0	ċ	•0	• 0	• 0	8.284E 00	8.771E 00	9.232E 00
2.50		• 0	• 0	• 0	•0	•0	.0	•0	9.359E 00	9.851E 00
2.75	•0	• 0	•0	ċ	•0	•0	• 0	• 0	• 0	1.045E 01
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.		ALPHA = 0.	09.0	PSI	= 0.10		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25		1.209E 00	1.437E 00	1.634E 00	1.810E 00	1.970E 00	2.118E 00	2.257E 00	2.387E 00	2.511E 00
0.50		• 0	1.949E 00	2.215E 00	2.452E 00	2.669E 00	2.869E 00	3.056E 00	3.232E 00	3.399E 00
0.75		.0	•0	2.726E 00	3.018E 00	3.283E 00	3.529E 00	3.759E 00	3.975E 00	4.180E 00
1.00	• 0	•0	•0		•0	3.845E 00	4.133E 00	4.401E 00	4.655E 00	4.895E 00
1.25		•0	•0		•0	• 0	4.698E 00	5.003E 00	5.291E 00	5.563E 00
1.50		•0	•0	•0	•0	•0	.0	5.574E 00	5.895E 00	6.198E 00
1.75		•0	•0	•0	•0	•0	.0	•0	6.473E 00	6.807E 00
2.00	• 0	.0	•0	ċ	•0	•0	• 0	•0	•0	7.394E 00

0. 1.929E 00 2.198E 00 2.637E 00 2.655E 00 2.856E 00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
1.929E 00 0. 0. 0. 1.929E 00 0. 1.929E 00 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0
1.929E 00 0. 0. 0. 1.929E 00 0. 1.929E 00 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0

				00	00	00	00	00	00	00	00					00	00	00	00	00	00	00	00
			2.0	31E	399	15E	38E	25E	365	37E	34E				2.0	71E	24E	33E	45E	13E	46E	24E	7.341E
			5	2.481E	3.366E	4.145E	4.858E	5.525E	6.159E	6.767E	7.354E				S	2.471E	3.354E	4.133E	4.845E	5.513E	6.146E 00	6.754E	7.3
				00	00	00	00	00	00	00						00	00	00	00	00	00	00	
			2												4.5					17E			
			4.5	2.355E	3.197E	3.937E	4.616E	5.251E	5.854E	6.432E	.0				4	2.345E	3.185E	3.925E	4.603E	5.237E	5.840E	6.418E	.0
				00	00	00	00	00	00							00	00	00	00	00	00		
	10		0										0.10		4.0				394	17E			
	= 0.10		4.0	2.223E	3.018E	3.719E	4.360E	4.961E	5.531E	.0	.0		0 =		4	2.212E	3.006E	3.705E	4.346E	4.947E	5.517E	.0	0
	PSI			00	00	00	00	00					PSI			00	00	00	00	00			
	_		2												2	1 E	9 E	2E	4E	8 E			
			3.5	2.083E	2.829E	3.486E	4.089E	4.653E	.0	.0	.0				3.5	2.071E	2.816E	3.472E	4.074E	4.638E		.0	.0
				00	00	00	00	4	U	O	0					00	00	00	00	•		•	
			0												0								
ETA	90		3.0	1.932E	2.626E	3.237E	3.798E	.0	.0	.0	.0	ETA	99		3.0	1.919E	2.611E	3.22E	3.782E	.0	.0	.0	.0
SUS	09.0	_		00	00							TIME VERSUS ETA	09*0 =	4			00	00					
VER	ALPHA =	OMEGA	2	8E () 39	8E (VER	ALPHA =	OMEGA	2	4E (1E					
TIME VERSUS	ALP	0	2.5	1.768E	2.406E	2.968E 00		.0	0	.0	.0	IME	ALP	0	2.5	1.754E 00	2.390E	2.951E	.0	•	0	.0	0
-				00	00	00						-				00	00	00					
			0			1E (0			2E (
			2.0	1.588E	2.163E	2.671E	0.		.0	c°	.0				2.0	1.572E	2.145E	2.652E	0.		0.	0.	0.
				00	00	10	0		C		C					00	00	• •					
	.75		10										00.		2	9 E							
	0 =		1.5	1.384E	1.890E	.0	.0	.0	.0	.0	.0		= 1.00		1.5	1.366E	1.869E	• 0	.0	.0	.0	.0	.0
	DELTA = 0.75												DELTA					0	0	U	0	. 0	0
	DE		•	0 3									DE		0	23E 00							
			1.0	.145											1.	.123		• 0					
				1	0	0	0	0	0	0	• 0					1	0	0	0	0	C	0	0
			0.5												0.5			•					
				0	0	0	• 0	0	0	0	0												
			TA	1.25	.50	1.75	.00	.25	.50	.75	2.00				TA	0.25	05.0	0.75	00.	25	. 50	75	.00
			ш	0	0	0		-	-	-	C				-	0	0	0	-	-	-	Serve .	N

					118	TIME VERSUS	SUS	ETA							
		DELT	DELTA = 0.25		A	ALPHA = 1.00	= 1	• 00		PSI	PSI = 0.10				
						OMEGA	A								
0.5 1.0	1.0		1.5	2.0		2.5		3.0	3.5		4.0	4.5		5.0	
9.706	9.706	E-01	1.146E 00	1.298E	00 1.	1.435E 00	00	1.559E 00	1.674E	00	1.781E 00	1.883E	00 1.	1.979E 00	•
• 0	• 0		• 0	• 0	1.	1.973E 00	00	2.143E 00	2.301E 00	00	2.448E 00	2.587E	00 2.	2.719E 00	0
• 0	• 0		• 0	0.	0			• 0	2.860E 00	00	3.043E 00	3.216E	00 3.	3.380E 00	0
	• 0		• 0		0			•0	• 0		• 0	3.799E 00		3.992E 00	•
					TIM	TIME VERSUS ETA	SUS	ETA							
		DELT	DELTA = 0.50		A	ALPHA = 1.00	-1	00		PSI	PSI = 0.10				
						OMEGA	4								
0.5 1.0	1.0		1.5	2.0		2.5		3.0	3.5		4.0	4.5		2.0	
0. 9.445	6.445	E-01	1.124E 00	1.279E	00 1.	1.417E 00	00	1.543E 00	1.659E	00	1.767E 00	1.870E (00 1.	1.967E 00	
•0 •0	• 0		•0	•0	1.	1.954E 00	00	2.125E 00	2.284E	00	2.433E 00	2.572E 00		2.705E 00	
0 0 0	• 0		• 0	0.	0			• 0	2.843E	00	3.027E 00	3.200E	00 3.	3.365E 00	
.0	• 0		• 0	c	0			•0	.0		• 0	3.782E 00		3.976E 00	
					T I M	TIME VERSUS ETA	SUS	ETA							
J	J	DELTA	A = 0.75		A	ALPHA = 1.00	. I.	00		PSI	PSI = 0.10				
						OMEGA	-								
0.5 1.0	1.0		1.5	2.0		2.5		3.0	3.5		4.0	4.5		2.0	
• 0	•0		1.102E 00	1.259E 00		1.399E 00	00	1.526E 00	1.644E 00	00	1.753E 00	1.856E 00		1.954E 00	_
• 0	• 0		• 0	•0	1.	1.934E 00	00	2.107E 00	2.267E 00	00	2.417E 00	2.558E (00 2.	2.691E 00	_
.0	• 0		•0	٥.	0			•0	2.825E 00	00	3.010E 00	3.185E (00 3.	3.350E 00	
.0	.0		• 0	•0	0			•0	• 0		.0	3.766E 00		3.961E 00	_

			0	1E 00	7E 00	5E 00	6E 00																
			5.0	1.941E	2.677E	3.335E	3.946E	•	0	0	•	0	•	•0	•0	•0	•0	•0	•	•0	•	•0	•0
				00	00	00	00																
			4.5	1.843E	2.543E	3.169E	3.750E																
							3.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•
	0		_	E 00	E 00	E 00																	
	= 0.10		4.0	1.739E	2.401E	2.994E	•0	0	•	.0	0.	•0	•	•0	•	•0	• 0	• 0	0.	•0	• 0	.0	.0
	PSI			00	00	00																	
			3.5	1.629E	2.250E	2.807E	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	• 0	• 0	.0	.0	.0	• 0	• 0	• 0	• 0
				00	00										0	0	O	O	0	0	0	0	0
ETA	00		3.0	1.510E	2.089E	• 0	• 0	٥.	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	• 0	0.	• 0
SUS	= 1.	A		00	00											0	Ü	0	O	0	0	C	0
TIME VERSUS	ALPHA = 1.00	OMEGA	2.5	1.381E	1.914E	.0	• 0	• 0	•0	• 0	.0	•0	•0	• 0	•0	• 0	•0	•0	•0	•0	• 0	•0	· 0.
				00																			0.
			2.0	1.239E	.0	•0	0.	c.	.0	0.	ċ	0.	0.	· c	.0	0.	· c	0.	٦.	•	.0	٥.	· c
	0			00																			
	DELTA = 1.00		1.5	1.079E	•0	• 0	•0	• 0	•0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
	DELT																						
			1.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0	°c	• 0	• 0	• 0	٠.	• 0	.0	• 0
			0.5	• 0	.0	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0
			ETA													3.25							

				00	00	00	00	00	00	10	01	01	01	01	01	01	01	10	01	10	10	01	01
			5.0	4.242E	5.655E	6.86'9E	7.960E	8.963E	9.902E	1.079E	1.164E	1.245E	1.324E	1.400E	1.474E	1.546E	1.617E	1.686E	1.754E 01	1.820E	1.886E	1.951E	2.014E 01
				00	00	00	00	00	00	01	10	01	10	10	01	10	10	10	01	10	10	10	01
			4.5	4.028E	5.369E	6.523E	7.558E	8.512E	9.404E	1.025E	1.105E	1.183E	1.257E	1.330E	1.400E	1.469E	1.536E	1.602E	1.666E	1.729E	1.792E	1.853E	1.914E 01
				00	00	00	00	00	00	00	01	01	01	01	01	01	01	10	10	01	10		
	= 0.20		4.0	3.801E	5.067E	6.157E	7.135E	8.035E	8.878E	9.675E	1.044E	1.1176	1.187E	1.256E	1.322E	1.387E	1.450E	1.513E	1.573E	1.633E	1.692E	.0	.0
	PSI			00	00	00	00	00	00	00	00	01	01	01	01	10	01	10	10				
			3.5	3.560E	4.747E	5.767E	6.684E	7.528E	8.318E	9.066E	9.779E	1.046E	1.113E	1.177E	1.239E	1.300E	1.360E	1.418E	1.475E	• 0	• 0	• 0	.0
				00	00	00	00	00	00	00	00	00	01	01	01	01							
ETA	0.20		3.0	3.302E	4.402E	5.350E	6.201E	6.984E	7.718E	8.412E	9.075E	9.712E	1.033E	1.092E	1.150E	1.207E 01	• 0	.0	• 0	• 0	.0	• 0	•0
SUS	0	A		00	00	00	00	00	00	00	00	00	00	01									
TIME VERSUS	ALPHA	OMEGA	2.5	3.021E	4.029E	4.897E	5.676E	6.394E	7.067E 00	7.704E	8.312E	8.896E	9.460E 00	1.001E	•0	•0	• 0	•0	• 0	• 0	•0	•0	•0
				00	00	00	00	00	00	00	00	00											
			2.0	2.711E	3.617E	4.397E	5.098E	5.744E	6.350E	6.923E	7.470E	7.997E	.0	.0	0.	ć	.0		ċ.	•0	ű.	0.	.0
				00	00	00	00	00	00	00													
	A = 0.		1.5	2.361E	3.152E	3.833E	4.446E	5.011E	5.540E	6.042E	• 0	.0	.0	• 0	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0
	DELTA			00	00	00	00																
	D		1.0	1.950E	2.605E	3.170E	3.679E	.0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	• 0	• 0	• 0	.0
				00	00																		
			0.5	1.424E	1.907E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	00.4	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	01	01	10	01	01	10	10	10	01	01	10	01	01	10
			5.0	4.237E	5.648E	6.862E	7.952E	8.956E	9.894E	1.078E	1.163E	1.244E	1.323E	1.399E	1.473	1.546E	1.616E	1.685E	1.753E	1.820E	1.885E 01	1.950E	2.013E
				00	00	00	00	00	00	01	10	10	10	10	10	10	01	01	01	01	01	01	01
			4.5	4.022E	5.362E	6.515E	7.550E	8.504E	9.396E	1.024E	1.105E	1.182E	1.257E	1.329E	1.3995	1.468E	1.535E	1.601E	1.665E	1.729E	1.791	1.852E	1.913E
				00	00	00	00	00	00	00	01	01	10	01	10	01	01	01	01	10	01		
	= 0.20		4.0	3.795E	5.060E	6.148E	7.126E	8.026E	8.869E	9.666E	1.043E	1.116E	1.186E	1.255E	1.3216	1.386E	1.449E	1.512E	1.573E	1.632E	1.691	•0	•0
	PSI			00	00	00	00	00	00	00	00	01	10	01	01	01	01	01	01				
			3.5	3.553E	4.739E	5.759E	6.675E	7.5198	8.308E	9.056E	9.770	1.046E	1.1126	1.176E	1.238E	1.2995	1.359E	1.417E	1.474E	•	• 0	• 0	• 0
				00	00	00	00	00	00	00	00	00	01	01	01	01							
ETA	0.20		3.€	3.294E	4.394E	5.340E	6.191E	6.974E	7.708E	8.402E	9.065E	9.702E	1.032E	1.091E	1.149E	1.206E	•0	•0	•0	•0	.0	•0	•0
RSUS		CA		00	00	00	00	00	00	00	00	00	00	00									
TIME VERSUS	ALPHA	OMEGA	2.5	3.012E	4.019E	4.886E	5.666E	6.384E	7.056E	7.692E	8.300E	8.884E	9.448E	9.995E	•0	•0	•0	•0	•0	•0	•0	•0	•0
				00	00	00	00	00	00	00	00	00											
			2.0	2.702E	3.606E	4.386E	5.086E	5.732E	6.337E	6.910E	7.458E	7.984E	•0	0.	•	.0	•	٥.	•0	•0	0.	•0	٥.
	10			00	00	00	8	00	00	00													
	A = 0.25		1.5	2.351E	3.140E	3.820E	4.432E	4.997E	5.526E	6.028E	•0	•0	•0	•	• 0	• 0	• 0	•0	•0	•0	• 0	• 0	•0
	DELTA			00	00	00	00																
	0		1.0	1.937E	2.590E	3.154E	3.663E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0
				0.0	00																		
			9.0	1.406E	1.887E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	10	01	01	01	01	10	01	01	01	01	01	01	01	01
			5.0	4.231E	5.641E	6.855E	7.945E	8.948E	9.887E	1.077E	1.162E 01	1.244E 01	1.322E	1.398E	1.472E	1.545E	1.615E	1.684E	1.752E	1.819E	1.884E	1.949E	2.012E 01
				00	00	00	00	00	00	01	10	10	01	01	10	10	01	01	01	01	10	01	10
			4.5	4.015E	5.355E	6.507E	7.543E	8.495E	9.387E	1.023E	1.104E	1.181E	1.256E	1.328E	1.398E	1.467E	1.534E	1.600E	1.664E	1.728E	1.790E	1.851E	1.912E 01
				00	00	00	00	00	00	00	01	10	01	10	01	01	01	10	01	01	01		
	= 0.20		4.0	3.788E	5.052E	6.140E	7.118E	8.018E	8.860E	9.657E	1.042E	1.115E	1.185E	1.254E	1.320E	1.385E	1.449E	1.511E	1.572E	1.631E	1.690E	.0	0.
	PSI			00	00	00	00	00	00	00	00	01	01	01	01	10	01	01	10				
			3.5	3.546E	4.731E	5.750E	6.666E	7.509E	8.299E	9.046E	9.760E	1.045E	1.111E	1.175E	1.237E	1.298E	1.358E	1.416E 01	1.473E	• 0	.0	• 0	.0
				00	00	00	00	00	00	00	00	00	01	01	01	10							
ETA	0.20		3.0	3.286E	4.385E	5.331E	6.181E	6.964E	7.697E	8.392E	9.054E	9.691E	1.031	1.090E	1.148E	1.205E	• 0	.0	• 0	.0	• 0	• 0	0.
SUS	0	V		00	00	00	00	00	00	00	00	00	00	00									
TIME VERSUS	ALPHA =	OMEGA	5.5	3.004E	4.010E	4.876E 00	5.655E	6.373E	7.045E	7.681E	8.289E 00	8.873E	9.437E 00	9.984E	•0	•0	•0	•0	•0	• 0	•0	• 0	•0
				00	00	00	00	00	00	00	00	00											
			2.0	2.693E	3.596E	4.374E	5.075E	5.720E	6.325E	6.898E	7.445E	7.971E	0.	٥.	• 0	• 0	٥.	• 0	٥.	.0	٥.	• 0	°C
	0			00	00	00	00	00	00	00													
	DELTA = 0.50		1.5	2.340E	3.128E	3.807E	4.419E	4.983E	5.512E	6.013E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0
	ELT			00	00	00	00																
	J		1.0	1.924E	2.575E	3.139E	3.646E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	• 0	• 0	• 0	• 0	• 0	.0
				00	00																		
			0.5	1.388E	1.866E	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	00	10	10	10	10	10	10	01	10	01	10	01	01	01	01
			5.0	4.225E	5.635E	6.848E	7.937E	8.940E	9.879E	1.077E	1.161E	1.243E	1.321E	1.398E	1.472E	1.544E	1.614E	1.684E	1.751E	1.818E	1.883E	1.948E	2.012E
				00	00	00	00	00	00	01	10	01	01	01	01	01	01	01	10	01	01	01	01
			4.5	4.009E	5.348E	6.500E	7.535E	8.487E	9.379E	1.022E	1.103E	1.180E	1.255E	1.327E	1.398E	1.466E	1.533E	1.599E	1.663E	1.727E	1.789E	1.850E	1.911E
				00	00	00	00	00	00	00	10	01	01	01	01	01	01	01	01	01	01		
	= 0.20		4.0	3.781E	5.045E	6.132E	7.109E	8.009E	8.851E	9.648E	1.041E	1.114E	1.184E	1.253E	1.319E	1.384E	1.448E	1.510E	1.571E	1.630E	1.689E	• 0	0.
	PSI			00	00	00	00	00	00	00	00	01	01	01	0.1	01	01	10	10				
			3.5	3.539E	4.722E	5.741E	6.657E	7.500E	8.290E	9.037E	9.750E	1.0446	1.110E	1.174E	1.236E	1.297E	1.357E	1.415E	1.472E	• 0	• 0	• 0	• 0
				00	00	00	00	00	00	00	00	00	01	01	10	01							
ETA	0.20		3.0	3.279E	4.376E	5.322E	6.171E	6.954E	7.687E	8.381E	9.044E	9.680E	1.030E	1.089	1.147E	1.204E	• 0	• 0	• 0	•0	• 0	• 0	•0
SUS	0	Y S		00	00	00	00	00	00	00	00	00	00	00									
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	2.996E	4.000E	4.866E	5.644E	6.362E	7.033E	7.670E	8.277E	8.861F	9.425E	9.972E	• 0	• 0	• 0	•0	• 0	• 0	• 0	•0	•0
				00	00	00	00	00	00	00	00	00											
			2.0	2.683E	3.585E	4.363E	5.063E	5.708E	6.312E	6.885E	7.432E	7.958E	•0	•0	٥.		•0	0.	٠,	•0	۰.	٥.	0.
				00	00	00	00	00	00	00													
	1 = 0.75		1.5	2.329E	3.115E	3.794E	4.405E	4.969E	5.497E	5.999E	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0	.0	•0	• 0
	DELTA			00	00	00	00																
	0		1.0	1.911E	2.560E	3.123E	3.630E	• 0	• 0	.0	•0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	.0
				00	00																		
			0.5	1.370E (1.846E (• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	0.	• 0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

									TIME VERSUS	RSUS	ETA									
			DE	DELTA	1 = 1.00				ALPHA =		0.20		4	PSI	= 0.20					
									OMEGA	GA										
ETA	0.5		1.0		1.5		2.0		2.5		3.0		3.5		4.0		4.5		5.0	
0.25	1.351E	00	1.897E C	00	2.318E	00	2.674E	00	2.987E	00	3.271E 00		3.532E 0	00	3.775E	00	4.003E	00	4.219E	00
0.50	1.825E	00	2.546E C	00	3.103E	00	3.575E	00	3.991E	00	4.368E 0	00	4.714E 0	00	5.037E	00	5.341E	00	5.628E	00
0.75	• 0		107E	00	3.781E	00	4.352E	00	4.856E	00	5.312E 00		5.733E 0	00	6.124E	00	6.492E	00	6.840E	00
1.00	• 0		613E	00	4.391E	00	5.051E	00	5.634E	00	6.162E 0	00	6.648E 0	00	7.101E	00	7.527E	00	7.930E	00
1.25	• 0		• 0		4.955E	00	5.696E	00	6.351E	00	6.944E 00		7.491E 0	00	8.000E	00	8.479E	00	8.932E	00
1.50	• 0		• 0		5.483E	00	6.300E	00	7.022E	00	7.677E 0	00	8.280E 0	00	8.842E	00	9.370E	00	9.871E	00
1.75	• 0		• 0		5.984E	00	6.872E	00	7.658E	00	8.371E 00		9.027E 0	00	9.639E	00	1.021E	10	1.076E	01
2.00	• 0		• 0		• 0		7.419E	00	8.266E	00	9.033E 00		9.740E 00		1.040E	01	1.102E	01	1.161E	01
2.25	• 0		• 0		• 0		7.945E	00	8.850E	00	9.670E 00		1.043E 0	01	1.113E	01	1.1795	01	1.242E	01
2.50	• 0		• 0		• 0		•0		9.413E	00	1.028E 01		1.109E 0	01	1.184E	01	1.254E	10	1.321E	01
2.75	• 0		• 0		• 0		0.		9.960E	00	1.088E 01		1.173E 0	01	1.252E	10	1.326E	01	1.397E	01
3.00	.0		• 0		• 0		ď.		• 0		1.146E 01		1.235E 0	01	1.318E	01	1.397E	01	1.471E	01
3.25	• 0		• 0		• 0		· c		•0		1.203E 01		1.296E 0	01	1.383E	01	1.465E	10	1.543E	01
3.50	• 0		• 0		.0		0.		•0		• 0		1.356E 0	01	1.447E	01	1.532E	01	1.614E	01
3.75	• 0		• 0		• 0		ċ		•0		• 0	-	1.414E 0	01	1.509E	10	1.598E	10	1.683E	01
4.00	• 0		.0		• 0		c°		•0	•	•0		1.471E 0	01 1	1.570E	01	1.663E	01	1.750E	01
4.25	• 0		• 0		• 0		.0		•0		• 0	J	.0		1.630E	01	1.726E	10	1.817E	01
4.50	• 0		•0		• 0		٥.		•0		• 0	J	.0		1.688E	01	1.788E	10	1.883E	01
4.75	• 0		.0		• 0		•		• 0		• 0	J	.0		0.		1.849E	01	1.947E	01
2.00	• 0		• 0		• 0		.0		•0		• 0	0	• 0	J	.0		1.910E 01	01	2.011E	01

				00	00	00	00	00	00	00	00	00	10	10	01					00	00	00	00	00	00	00	00	00	01	01	01
			5.0	3.041E	4.094E	5.012E	5.847E	6.624E	7.358E	8.059E	8.734E	9.386E	1.002E	1.064E	1.124E				5.0	3.033E	4.085E	5.002E	5.836E	6.613E	7.347E	8.048E	8.722E	9.375E	1.001E	1.063E	1.123E
				00	00	00	00	00	00	00	00	00	00							00	00	00	00	00	00	00	00	00	00		
			4.5	2.890E	3.890E	4.763E	5.556E	6.295E	6.993E	7.660E	8.301E	8.922E	9.525E	.0	•0				4.5	2.881E	3.880E	4.752E	5.545E	6.284E	6.982E	7.648E	8.290E	8.910E	9.513E	•	• 0
				00	00	00	00	00	00	00	00	00								00	00	00	00	00	00	00	00	00			
	= 0.20		4.0	2.729E	3.675E	4.500E	5.250E	5.948E	6.608E	7.239E	7.845E	8.432E	•0	.0	.0		= 0.20		4.0	2.720E	3.664E	4.489E	5.238E	5.936E	9965°9	7.226E	7.833E	8.419	• 0	.0	• 0
	PSI			00	00	00	00	00	00	00	00						PSI			00	00	00	00	00	00	00	00				
			3.5	2.559E	3.446E	4.220E	4.924E	5.580E	9661.9	6.791E	7.361E	• 0	•0	• 0	• 0				3.5	2.550E	3.435E	4.208E	4.912E	5.567E	6.187E	6.778E	7.348E	.0	•	•0	.0
				00	00	00	00	00	00	00										00	00	00	00	00	00	00					
ETA.	0.40		3.0	2.377E	3.2016	3.921E	4.576E	5.185E	5.762E	6.312E	• 0	• 0	•0	•0	•0	ETA	040		3.0	2.366E	3.189E	3.908E	4.562E	5.172E	5.748E	6.298E	•0	•0	•0	• 0	• 0
RSUS		GA		00	00	00	00	00								RSUS	0	GA		00	00	00	00	00							
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	2.180E	2.936E	3.597E	4.198E	4.758E	• 0	•0	•0	•0	•0	•0	•0	TIME VERSUS	ALPHA = 0.40	OMEGA	2.5	2.168E	2.923E	3.583E	4.184E	4.743E	• 0	•0	•0	•0	•0	•0	•0
				00	00	00	00													00	00	00	00								
			2.0	1.962E	2.644E	3.241E	3.783E	0.		ė	0.	•	.0	٥.	·c				2.0	1.949E	2.630E	3.225E	3.767E	• 0	.0	•0	0.	0.	ċ	.0	ċ
				00	00	00											10			00	00	00									
	A = 0.		1.5	1.7185	2.316E	2.840E	•0	• 0	• 0	•0	• 0	• 0	• 0	• 0	• 0		DELTA = 0.25		1.5	1.703E	2.300E	2.82E	• 0	• 0	• 0	•	.0	.0	• 0	• 0	• 0
	DELTA			00	00												DELT			00	00										
			1.0	1.432E	1,933E	• 0	• 0	• 0	• 0	• 0	• 0	•0	•0	•0	• 0				1.0	1.414E	1.913E	•0	• 0	• 0	• 0	•0	• 0	• 0	• 0	•	• 0
				00																00											
			0.5	1.073E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0				0.5	1.049E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00

					TIME VERSUS ET	ETA				
		O	DELTA = 0.50		ALPHA = 0.40	.40	PSI	= 0.20		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.025E	00 1.397E	00 1.688E 00	1.937E 00	2.156E 00	2.356E 00	2.540E 00	2.711E 00	2.872E 00	3.025E 00
0.50	• 0	1.893E	00 2.283E 00	2.615E 00	2.910E 00	3.177E 00	3.424E 00	3.654E 00	3.870E 00	4.075E 00
0.75	• 0	• 0	2.804E 00	3.210E 00	3.569E 00	3.895E 00	4.197E 00	4.477E 00	4.742E 00	4.992E 00
1.00	• 0	ċ	• 0	3.751E 00	4.169E 00	4.549E 00	4.900E 00	5.227E 00	5.534E 00	5.826E 00
1.25	• 0	• 0	•0	• 0	4.728E 00	5.1586 00	5.554E 00	5.924E 00	6.273E 00	6.602E 00
1.50	• 0	• 0	• 0	٥.	•0	5.734E 00	6.174E 00	6.584E 00	6.970E 00	7.336E 00
1.75	• 0	• 0	•0	·c	•0	6.284E 00	6.765E 00	7.214E 00	7.637E 00	8.037E 00
2.00	• 0	• 0	•0	.0	•0	.0	7.334E 00	7.820E 00	8.278E 00	8.711E 00
2.25	• 0	• 0	•0	•0	•0	•0	• 0	8.407E 00	8.898E 00	9.364E 00
2.50	• 0	• 0	• 0	c [*]	•0	•0	• 0	•0	9.501E 00	9.998E 00
2.15	• 0	• 0	• 0	.0	•0	•0	• 0	•0	•0	1.062E 01
3.00	• 0	• 0	• 0	ċ	0.	• 0	• 0	•0	•0	1.122E 01
					TIME VERSUS	ETA				
		i O	DELTA = 0.75		ALPHA = 0.	0.40	PSI	= 0.20		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	1.000E 0	00 1.378E (00 1.673E 00	1.924E 00	2.145E 00	2.345E 00	2.530E 00	2.702E 00	2.863E 00	3.016E 00
0.50	• 0	1.873E (00 2.266E 00	2.601E 00	2.897E 00	3.165E 00	3.413E 00	3.644E 00	3.860E 00	4.066E 00
0.75	• 0	• 0	2.786E 00	3.194E 00	3.555E 00	3.883E 00	4.185E 00	4.466E 00	4.731E 00	4.982E 00
1.00	• 0	• 0	•0	3.735E 00	4.155E 00	4.536E 00	4.887E 00	5.215E 00	5.524E 00	5.816E 00
1.25	• 0	• 0	•0	•0	4.713E 00	5.144E 00	5.542E 00	5.913E 00	6.261E 00	6.592E 00
1.50	• 0	• 0	• 0	.0	•0	5.720E 00	6.161E 00	6.572E 00	6.959E 00	7.325E 00
1.75	.0	°c	• 0	.0	•0	6.270E 00	6.752E 00	7.202E 00	7.625E 00	8.026E 00
2.00	• 0	• 0	•0	0.	•0	•0	7.321E 00	7.808E 00	8.266E 00	8.700E 00
2.25	• 0	• 0	•0	•	•0	•0	• 0	8.394E 00	8.886E 00	9.352E 00
2.50	• 0	• 0	• 0	0.	• 0	•0	• 0	•0	9.489E 00	9.986E 00
2.75	• 0	• 0	•0	•0	•0	•0	• 0	•0	•0	1.060E 01
3.00	• 0	• 0	•0	•	• 0	•0	• 0	•0	•0	1.121E 01

TIME VERSUS ETA

			00	00	00	00	00	00	00	00	00	00	01	01					00	00	00	00	00	00	00	00
		5.0	3.008E	4.056E	4.972E	5.805E	6.581E	7.314E	8.015E	8.689E	9.341E	9.975E	1,059E	1.120E				5.0	2.516E	3.417E	4.211E	4.939E	5.622E	6.272E	6.896E	7.500E
			00	00	00	00	00	00	00	00	00	00							00	00	00	00	00	00	00	
		4.5	2.855E	3.851E	4.721E	5.513E	6.250E	6.947E	7.613E	8.254E	8.874E	9.477E	.0	.0				4.5	2.393E	3.249E	4.004E	4.697E	5.347E	5.965E	6.559E	•
			00	00	00	00	00	00	00	00	00								00	00	00	00	00	00		
= 0.20		4.0	2.692E	3.633E	4.455E	5.203E	5.901E	6.560E	7.189E	7.795E	8.382E	.0	• 0	• 0		= 0.20		4.0	2.262E	3.072E	3.786E 00	4.441E	5.056E	5.641E	•0	• 0
PSI			00	00	00	00	00	00	00	00						ISd			00	00	00	00	00			
		3.5	2.520E	3.402E	4.173E	4.875E	5.529E	6.148E	6.739E	7.308E	• 0	• 0	• 0	• 0				3.5	2.123E	2.884E	3.554E	4.170F	4.748E	.0	• 0	.0
			00	00	00	00	00	00	00										00	00	00	00				
04.		3.0	2.334E	3.153E	3.870E	4.522E	5.131E	5.706E	6.256E	• 0	• 0	• 0	• 0	• 0	ETA	09.0		3°C	1.975E	2.682E	3.307E	3.88CE	•0	•0	• 0	• 0
0	3A		00	00	00	00	00								SUS		A		00	00	00	00				
ALPHA = 0.40	OMEGA	2.5	2.133E 00	2.884E	3.541E	4.140E	4.698E	.0	.0	• 0	•0	•0	• 0	• 0	TIME VERSUS	ALPHA =	OMEGA	2.5	1.814E	2.465E 00	3.039E	3.567E	•0	•0	• 0	•0
			00	00	00	00													00	00	00					
		2.0	1.9106	2.586E	3.178E	3.718E	ċ	.0	0.	c.	.0	•0	c.	.0				2.0	1.638E	2.226E	2.746E	.0	ċ	.0	٥.	·
0			00	00	00														00	00						
DELTA = 1.00		1.5	1.658E	2.249E	2.768E	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0		•0 = 1		1.5	1.4415	1.959E	• 0	• 0	.0	• 0	• 0	• 0
DELT			00	00												DELTA			00							
		1.0	1.360E	1.852E	• 0	• 0	•0	•0	• 0	•0	• 0	•0	• 0	• 0				1.0	1.2116	• 0	• 0	.0	.0	• 0	.0	• 0
		0.5	9.746E-01	• 0	.0	• 0	•0	• 0	• 0	• 0	• 0	• 0	• 0	•0				0.5	9.268E-01	•0	.0	•0	.0	0.	0.	.0
		ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00

						TIM	TIME VERSUS ETA	SUS	ETA										
		DEL	DELTA = 0.25			A	ALPHA	11	09*0		PSI	= 1	0.20						
							OMEGA	A											
ETA	0.5	1.0	1.5	2.0	0		2.5		3.0		3.5		4.0		4.5		5.0		
0.25		1.190E 00	1.423E 00	1.623E	3E 00		1.800E	00	1.962E 0	00	2.111E 00		2.251E 0	00	2.382E	00	2.506E	00	
0.50		• 0	1.939E 00	2.209E	9E 00		2.449E	00	2.668E 0	00	2.870E 00		3.059E 0	00	3.237E	00	3.405E		
0.75		• 0	• 0	2.728E	8E 00		3.023E	00	3.292E 0	00	3.540E 00		3.773E 0	00	3.991E	00	4.199E		
1.00	• 0	• 0	•0	0.		0			3.864E 0	00	4.155E 00		4.427E 0	00		00	4.927E		
1.25		• 0	•0	ċ		0			• 0		4.733E 00		5.042E 0	00	5.333E	00	5.610E	00	
1.50		• 0	• 0	c°		0			• 0		.0	5	5.627E 0	00	5.951E	00	6.259E	00	
1.75		• 0	• 0	•0		0			• 0	_	•0	0			6.545E	00	6.883E	00	
2.00		• 0	• 0	0		0			• 0	9	• 0	0		0	0.		7.487E	00	
						TIME	TIME VERSUS	SUS E	ETA										
		DELTA	A = 0.50			AL	ALPHA =	09.0 =	09		ISd	11	0.20						
							OMEGA	-											
ETA	0.5	1.0	1.5	2.0		2	2.5		3.C		3.5		0.4		4.5		5.0		
0.25	• 0	1.169E 00	1.405E 00	1.607E	E 00		1.786E 00		1.949E 00		2.099E 00	2.	2.240E 00		2.371E (00	2.496E	00	
0.50		• 0	1.919E 00	2.192E	E 00		2.434E 0	00	2.654E 00		2.857E 00	3.	3.047E 00		3.225E (00	3.394E	00	
0.75		• 0	• 0	2.709E	E 00		3.006E 00		3.276E 00		3.526E 00	3.	3.759E 00		3.979E (00	4.187E	00	
1.00		• 0	• 0	3.		0		(*)	3.849E 00		4.141E 00	4	4.414E 00		4.671E (00	4.914E	00	
1.25		• 0	• 0	c°		0		O	• 0	4	4.718E 00	5.	5.028E 00		5.320E (00	5.597E	00	
1.50	• 0	• 0	• 0	•0		0		C	• 0	0	.0	5.	5.612E 00		5.938E (00	6.246E	00	
1.75		• 0	• 0	·c		.0		O	• 0	0	• 0	0		9	6.531E (00	6.870E	00	
2.00	• 0	• 0	• 0	•		0		C	.0	0	0.	0		0	• 0		7.473E	00	

					00	00	00	0	3	00	00	00	00					00	00	00	00	00	00	00	00
				2.0	86E	83E	75E	32F	1 2	1	3E						5.0	39,	ZE		36	1E		45	7E
				2	2.486E	3.383E	4.175E	4.902F	2 2 2 2 2	0.0	6.233E	6.857E	7.460E				5	2.476E	3.372E	4.163E	4.889E	5.571E 00	6.220E	6.844E	7.447E
					00	00	00	00			00	00						00	00	00	00	00	00	00	
								7E	Y H								2				4E (3E (
			•	• 6	2.361E	3.213E	3.966E	4.657E	5.30KF		3. 324E	6.517E	.0				4.5	2.350E	3.201E	3.953E	4.644E	5.293E	5.910E	6.503E	•
				9		00	00	00				•	0					00	00	00	00	00	00	•	0
	20		•								30				20		0				9E (3E (
	= 0.20			2000	77.7	3.034E	3.746E	4.400E	5.014E	2004		•	.0		= 0.20		4.0	2.217E	3.021E	3.732E	4.386E	4.999E	5.583E	.0	•
	PSI			0		00	00	00				0	O		PSI			00	00	00	00	00	41	0	0
			ır						2E (_		2	5E (1E (7E (
			4	2.087F		2.843E	3.512E	4.126E	4.702E 00	0		•	.0				3.5	2.075E	2.830E	3.497E	4.111E	4.687E	.0	.0	.0
				00			00	00	,		,	5	0					00	00	00	00	3	0	0	0
			S	6E													O	3E 0	5E 0	6E 0	7E 0				
TIME VERSUS ETA	09.0		3.0	1.936E	, ,	2.0335	3.261E	3.833€	0	0		•	.0	ETA	09		3.0	1.923E	2.625E	3.246E	3.817E	.0	•0	.0	•
Sus	0	V		00	6	3	00							SUS	ALPHA = 0.60	_		00	00	00					
VER	ALPHA	OMEGA	2	2E	u d		36							VER	H H	OMEGA	2	8E (2E (2E (
IME	ALP	0	2.5	1.772E	2.4185		2.989E	.0	0	.0	c	•	•	TIME VERSUS ETA	ALP	0	2.5	1.758E 00	2.402E 00	2.972E	.0	•0	• 0	• 0	.0
_				00	00		00			J		,	0	-				00	00	00	O	0	0	0	0
			0				0E (0	5E 0							
			2.0	1.5916	2.174F		Z. 690E	0.	.0		0		•				2.0	1.576E	2.156E	2.672E	.0	٥.	.0	.0	
				00	53								C								0	0	0	0	0
	.75		10												00			E 00	E 00						
	DELTA = 0.75		1.5	1.387E	1.899E										= 1.00		1.5	1.369E	1.879E						
	LTA				1	C	0	0	0	0	0	(0		DELTA			7	1	0	0	0	0	0	0
	DE			E 00											DEL			00							
			1.0	147													1.0	1256							
				1.147E 0	0	c	•	ò	0	0	0	c	•					1.	0	0	0	0	0	0	0
																		1.125E 00							
			0.5														0.5								
				0	0	0		0	0	0	0	c	•					0	0	0	0	0	0	0	0
			L'A	0.25	20	75	0	00	25	20	15	00	3				V	0.25	20	22	00	25	20	75	00
			E	0	0	0	•	-	1:	1.	1.	2					ET	0	0	0	1.	i	1.	1.	2.

					TIME VERSUS	ETA				
		DELTA	A = 0.		ALPHA = 0	0.80	ISd	= 0.20		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	•0	1.084E 00	1.279E 00	1.449E 00	1.600E 00	1.739E 00	1.867E 00	1.987E 00	2.100E 00	2.207E 00
0.50	•0	• 0	•0	1.984E 00	2.191E 00	2.38CE 00	2.555E 00	2.719E 00	2.873E 00	3.020E 00
0.75	•0	•0	•0	•0	2.716E 00	2.950E 00	3.167E 00	3.370E 00	3.562E 00	3.743E 00
1.00	•0	• 0	• 0	٥.	•0	•0	3.733E 00	3.972E 00	4.197E 00	4.411E 00
1.25	• 0	• 0	• 0	ċ	•0	• 0	• 0	•0	4.797E 00	5.041E 00
1.50	•0	• 0	• 0	.0	•0	• 0	• 0	•0	• 0	5.643E 00
					TIME VERSUS ETA	. ETA				
		DELTA	IA = 0.25		ALPHA = C	0.80	PSI	= 0.20		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	• 0	1.060E 00	1.260E 00	1.431E 00	1.585E 00	1.724E 00	1.854E 00	1.974E 00	2.088E 00	2.196E 00
0.50	.0	• 0	•0	1.964E 00	2.1736 00	2.364E 00	2.540E 00	2.705E 00	2.860E 00	3.007E 00
0.75	.0	•0	•0	•0	2.697E 00	2.933E 00	3.151E 00	3.355E 00	3.547E 00	3.730E 00
1.00	•0	•0	•0	•0	•0	•0	3.716E 00	3.956E 00	4.182E 00	4.397E 00
1.25	0°	•0	•0	• • •	•0	•0	• 0	•0	4.782E 00	5.027E 00
1.50	•0	•0	• 0	• 0	• 0	•0	• 0	•0	• 0	5.629E 00
					TIME VERSUS ETA	ETA				
		DELTA	A = 0.50		ALPHA = 0.80	. 80	ISd	= 0.20		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	.0	1.036E 00	1.240E 00	1.414E 00	1.569E 00	1.71CE 00	1.840E 00	1.962E 00	2.076E 00	2.185E 00
0.50	.0	•0	•0	1.944E 00	2.155E 00	2.347E 00	2.525E 00	2.691E 00	2.847E 00	2.995E 00
0.75	.0	• 0	•0	•0	2.678E 00	2.916E 00	3.135E 00	3.340E 00	3.533E 00	3.716E 00
1.00	.0	•0	•0	•0	•0	•0	3.699E 00	3.941E 00	4.168E 00	4.383E 00
1.25.	•0	•0	•0	0.	•0	•0	• 0	•0	4.767E 00	5.013E 00
1.50	•0	•0	•0	.0	•0	• 0	• 0	• 0	•0	5.614E 00

TIME VERSUS ETA

		DELT	DELTA = 0.75		ALPHA = 0.80	0.80	ISd	02.0 = 1			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	
0.25	•	1.012E 00	1.219E 00	1.396E 00	1.553E 00	1.695E 00	1.826E 00	1.9496 00	2.064E 00	2.173E 00	
0.50	•0	• 0	•0	1.925E 00	2.137E 00	2.331E 00	2.510E 00	2.676E 00	2.833E 00	2.982E 00	
0.75	•0	•0	•0	•0	2.659E 00	2.898E 00	3.119E 00	3.325E 00	3.519E 00	3.703E 00	
1.00	•0	•0	•0	•	•0	•0	3.683E 00	3.925E 00	4.153E 00	4.369E 00	
1.25	•0	•0	•0	•0	•0	•0	•0	•0	4.751E 00	4.998E 00	
1.50	•0	•0	•0	0.	•0	•0	• 0	•0	•0	5.600E 00	
					TIME VERSUS ETA	ETA .					
		DELT	DELTA = 1.00		ALPHA = 0.80	0.80	PSI	= 0.20			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0	
0.25	•0	9.8675-01	1.198E 00	1.378E 00	1.536E 00	1.680E 00	1.812E 00	1.936E 00	2.052E 00	2.161E 00	
0.50	.0	•0	•0	1.904E 00	2.119E 00	2.314E 00	2.494E 00	2.662E 00	2.820E 00	2.969E 00	
0.75	•0	•0	•0	٥.	•0	2.881E 00	3.103E 00	3.310E 00	3.504E 00	3.689E 00	
00.1	•0	•0	•0	•	•0	•0	3.666E 00	3.909E 00	4.138E 00	4.355E 00	
1.25	.0	•0	•0	.0	•0	•0	• 0	• 0	4.736E 00	4.984E 00	
1.50	• 0	• 0	•0	·c	•0	•0	• 0	•0	•0	5.585E 00	
					TIME VERSUS ETA	S ETA					
		DELTA	A = 0.		ALPHA = 1.00	00.1	PSI	= 0.20			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	5.5	3.C	3.5	4.0	4.5	5.0	
0.25	•0	9.995E-01	1.172E 00	1.322E 00	1.457E 00	1.58CE 00	1.695E 00	1.802E 00	1.903E 00	1.999E 00	
0.50	•0	• 0	• 0	1.822E 00	2.007E 00	2.177E 00	2.335E 00	2.482E 00	2.622E 00	2.754E 00	
0.75	•0	•0	•0	.0	•0	•0	2.908E 00	3.092E 00	3.266E 00	3.430E 00	
1.00	•0	•0	•0	٥.	•0	• 0	• 0	•0	3.864E 00	4.059E 00	

			0	6E 00	0E 00	9E 00	3E 00				-			00 0	3E 00						00 1	00	00 3	E 00
			5.0	1.986E	2.740E	3.416E	4.043E					0.0	, ,	27.5	4.028E				u	0.0		2. /12E 00	3.386E	4.012E 00
				00	00	00	00					0	9 6	8	8 8					0			00	00
			4.5	1.890E	2.607E	3.250E	3.848E				4.5	1.876F 00	2. 592E OD	3.2345	3.831E				4.5	1.8635	2000	20116-5	3.219E	3.815E 00
				00	00	00						00	00		3					00	6	8 6	00	
	= 0.20		4.0	1.788E	2.467E	3.076E 00	• 0		PSI = 0.20		4.0	1.774E	2.451F	3.0595	0.		PSI = 0.20		4.0	1.760E 00	2.435E	3000	3. U4ZE	.0
	PSI			00	00	00			PSI			00	00	00	ļ.		PSI			00	00		9	
			3.5	1.680E	2.318E	2.891E	.0				3.5	1.665E	2.302E	2.873E	• 0				3.5	1.650E 00	2.285F	2.855	3000	.0
				00	00							00	00							00	00			
ETA	• 00		3.0	1.564E	2.159E 00	• 0	• 0	ETA	00.		3.0	1.548E 00	2.142E 00	•0	.0	ETA	00.		3.€	1.532E 00	2.124E 00	0.		•0
SUS	- 1	AS		00	00			SUS	-	V		00	00			SUS	-	A		00	00			
TIME VERSUS	ALPHA = 1.00	OMEGA	2.5	1.440E 00	1.988E 00	•0	•0	TIME VERSUS ETA	ALPHA = 1.00	OMEGA	2.5	1.422E 00	1.969E 00	•0	•0	TIME VERSUS ETA	ALPHA = 1.00	OMEGA	2.5	1.404E 00	1.949E 00	•0		•
				00	00							00								00				
			2.0	1.303E 00	1.800E 00	•0	.0				2.0	1.284E 00	•0	0.	• 0				2.0	1.264E 00	• 0	0.		• 0
	10			00					0			00					10			00				
	DELTA = 0.25		1.5	1.150E 00	• 0	• 0	• 0		DELTA = 0.50		1.5	1.128E 00	• 0	• 0	• 0		DELTA = 0.75		1.5	1.106E 00	.0	• 0	0	
	DELT		1.0	9.741E-01	• 0	.0	• 0		DELT		1.0	9.479E-01	• 0	• 0	• 0		DELT		1.0	9.210E-01	• 0	• 0	0.	
			0.5	•0	• 0	• 0	• 0				0.5	• 0	• 0	.0	• 0				0.5	• 0	• 0	• 0	.0	
			ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00				ETA	0.25	0.50	0.75	1.00	

			5.0	1.948E 00	2.698E 00	3.371E 00	3.997E 00	•0	•0	•	•0	•0	•0	•0	•0	. 0	•0	•0	•0	•0	•0	•0	.0
			4.5	1.849E 00	2.562E 00	3.203E 00	3.799E 00	•0	•0	•0	• 0	•0	• 0	•0	• 0	.0	.0	.0	•0	.0	•0	•0	•0
	= 0.20		4.0	1.745E 00	2.420E 00	3.026E 00	•0	•0	• 0	•0	•0	• 0	•0	•0	•0	• 0	.0	.0	•0	•0	.0	•0	•0
	ISd		3.5	1.634E 00	2.268E 00	2.837E 00	.0	• 0	• 0	• 0	• 0	• 0	• 0	.0	0.	•0	• 0	• 0	•0	.0	.0	•0	.0
ETA	00		3°C	1.515E 00	2.105E 00	•0	• 0	•0	•0	•0	•0	•0	•0	• 0	• 0	•0	•0	•0	•0	•0	.0	.0	•0
TIME VERSUS ETA	ALPHA = 1.00	OMEGA	2.5	1.386E 00	1.929E 00	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	0.	••	•0	•0
			2.0	1.244E 00	.0	•	٥.	•0	٥.	0.	•	•	•0		•6	0.	•	0.	0.	0.	0.	0.	٥.
	= 1.00		1.5	1.083E 00	•0	•0	0.	.0	• 0	0.	• 0	•0	•0	.0	• 0	• 0	.0	0.	0.	0.	.0	.0	• 0
	DELTA		1.0	8.933E-01	• 0	• 0	• 0	•0											• 0				
			0.5																•0				
			ETA																4.00		4.50		

				00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	10	01	01	01	01
			5.0	4.252E	5.687E	6.927E	8.045E	9.079E	1.005E	1.097E	1.185E	1.270E	1.353E	1.433E	1.511E	1.587E	1.661E	1.735E	1.806E	1.877E	1.947E	2.016E	2.084E
											01 1	01 1	01	01 1	01	01	01	01	10	10	10	10	10
				,E 00)E 00	7E 00)E 00	SE 00	+E 00	2E 01						7E 0							0E (
			4.5	4.037E	5.400E	6.577E	7.640E	8.622E	9.544E	1.042E	1.126E	1.207E	1.285E	1.361E	1.435E	1.507E	1.578E	1.648E	1.716E	1.783E	1.850E	1.915E	1.980E
				00	00	00	00	00	00	00	01	01	10	01	01	10	01	01	01	01	01	01	
	0.40		0.4	3.810E	5.096E	6.208E	7.211E	8.139E	9.010E	9.837E	1.063E	1.139E	1.213E	1.285E	1.355E	1.423E	1.490E	1.556E	1.621E	1.684E	1.747E	1.809E	
	H		4	3.8	5. (9	7.	80	9.6	9.		1.	1.		1.					1.	1.	1.	0
	PSI			00	00	00	00	00	00	00	00	01	01	01	10	01	01	10	10				
			3.5	3.569E	4.174E	5.816E	6.756E	7.625E	8.442E	9.218E	9.961E	1.068E	1.137E	1.204E	1.270E	1.334E	1.397E	1.459	1,519E 01	.0	.0	• 0	•
				00	00	00	00	00	00	00	00	00	01	01	01	10	01						
			3.0	3.309E C		5.395E (6.267E (7.075E (7.833E (8.554E	9.244E	3606°6	1.055E	1.118E	1.179E	1.238E	1.297E 01						
ETA	0.20		3	3.3	4.427E	5.3	6.2	7.0	7.8	8.5	9.5	6.6	1.0	1.1		1.2	1.2	0	0	0	0	0	0
SUS	H	AS		00	00	00	00	00	00	00	00	00	00	01	01								
TIME VERSUS	ALPHA	OMEGA	2.5	3.028E	4.052E	4.938E	5.737E	6.477E	7.172E	7.833E	8.466E	9.076E	9.667E	1.024E	1.080E	.0	.0	.0	.0	.0	.0	.0	.0
=				00	00	00	00	00	00	00	00	00	00										
			2.0	2.718E	3.638E	4.434E	5.153E	5.819E	6.445E	7.039E	7.609E	8.159E	8.691E	0.	.0	o.	٦.	•0	0.	0.	•0	٥.	•0
											_	80	00	0	C		-						
				€ 00	00 B	00 B	€ 00	SE 00	3E 00	4E 00													
	A = 0.		1.5	2.367E	3.170E	3.865E	4.494E	5.076E	5.623E	6.144E	0	• 0	• 0	•0	0	•0	0	0	0	0	0	0	• 0
	DELTA			00	00	00	00	00															
	۵		1.0	954E	620E	197E	719E	203E															
				1.	2.		3.	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
				0.0																			
			0.5	1.427E	1.918E	2.345E	•0	•0	.0	0	•0	•0	• 0	0.	0.	0	•0	•	•	.0	0	•	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

				00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	0	01	01	
			0									OE	2E	2E	OE.	39E	30°	34E	39C	16E	46E	1 SE	83E	
			5.0	4.247E	5.680E	6.920E	8.038E	9.071E	1.004E	1.096E	1.185E	1.270E	1.352E	1.432E	1.510E	1.586E	1.660E	1.734E	1.806E	1.876E	1.946E 01	2.015E	2.083E	
				00	00	00	00	00	00	10	10	10	01	10	10	10	10	E 01	E 01	E 01	E 01	E 01	E 01	
			4.5	4.031E	5.393E	6.570E	7.632E	8.614E	9.536E	1.041E	1.125E	1.206E	1.284E	1.360E	1.434E	1.506E	1.577E	1.647E	1.715E	1.782E	1.849	1.914E	1.979E	
4			4	4.0	5.3	6.5	1.6	8.6	9.5	-	=	1.	1:	-	1:	-	1.	-	-	-	-	-	-	
				00	00	00	00	00	00	00	10	10	10	01	10	10	10	01	01	01	01	10		
	0		0	4						8E					34E		36E	35E	20E	1.683E	1.746E	1.808E		
	0.40		4.0	3.804E	5.089E	6.200E	7.203E	8.130E	9.001E	9.828E	1.062E	1,138E	1.212E	1.284E	1.354E	1.422E	1.489E	1.555E	1.620E	1.6	1.7	1.8		
	"																	01	10					
	PSI			00	00	00 =	E 00	E 01																
			3.5	3.561E	4.766E	5.807E	6.747E	7.616E	8.432E	9.208E	9.951E	1.067E	1.136E	1.203E	1.269E	1.333E	1.396E	1.458E	1.518E					
				3.	4	5	•	7	8	6	6	1.	-	-	-:	-	ä	-	-	0	0	0	0	
				00	00	00	00	00	00	00	00	00	01	01	10	01	01							
			0	2E				4E	3E	13E	33E	38E	34E	1.1176	1.178E	1.237E	1.296E 01							
TA	0		3.0	3.302E	4.419E	5.385E	6.258E	7.064E	7.823E	8.543E	9.233E	9.898E	1.054E	1:1	1:1	1.2	1.2	0	0	0	0	0	0	
TIME VERSUS ETA	ALPHA = 0.20									00	00	00	00	01	01									
ERSI	# 4	DMEGA		3.020E 00	E 00	E 00	E 00	E 00	E 00) E									
E >	LPH	O	2.5	020	4.042E	4.927E	5.727E	6.466E	7.161E	7.822E	8.454E	9.064E	9.655E	1.023E	1.079E			•		.0	•	•	•	
I	•			6	4	4								-	1	0	0	0	0	0	0	0	0	
				00	00	8	00	00	00	00	00	00	00											
			2.0	2.708E	3.627E	4.423E	5.141E	5.807E	6.432E	7.027E	7.596E	8.146E	8.678E											
			2	2.7	3.6	4.4	5.1	5.8	6.4	7.0	-		8	0	ċ	0	ċ	c°	0	c	c.	0	c	
				00	00	00	00	00	00	00														
	.25		2																					
	0 =		1.5	2.356E	3.158E	3.852E	4.480E	5.062E	5.609E	6.129E	.0	•	.0		.0	.0	.0	.0	.0	•			.0	
	DELTA = 0.25								•															
	DEL			00																				
			1.0		605E	3.1815	3.703E	4.186E																
				1.94	2.60			4	0	0	0	0	c	0	0	0	0	0	0	0	0	0	0	
				00	8	3																		
			5.5	19 E	975	235	7																	
			C	1.409F	1.8975	2 3235																0		
) 10) Ir	, ,	о u	n c	o ur	, ,	, u	٠ ,		0	, r	0	
			CT A	2,0	2 0	2 20		1.25	1.50	75	200	2.25	2 6	2 36		3.25	3.50	3.75	00	4.25	4.50	4.75	5.00	
			-																					

								TIM	TIME VERSUS ETA	sns	ETA								
				DEL	DELTA = 0.50			A	ALPHA =		0.20		PSI	= 0.40					
									OMEGA	A									
ETA	0.5		1.0		1.5		2.0		2.5		3.0		3.5	4.0		4.5		5.0	
0.25	1.391E	00	1.928E	E 00	2.345E 00		2.699E 00		3.011E	00	3.294E	00	3.554E 00	3.797E	00	4.025E	00	4.241E	00
0.50	1.877E	00	2.590E	E 00	3.145E	00	3.616E 00		4.033E	00	4.410E	00	4.757E 00	5.081E	00	5.385E	00	5.673E	00
0.75	2.301E	0.0	3.165E	E 00	3.839E 00		4.411E 00		4.917E	00	5.376E	00	5.798E 00	6.192E	00	6.562E	00	6.912E	00
1.00	.0		3.686E	E 00	4.466E 00		5.129E 00		5.716E	00	6.248E 00	00	6.738E 00	7.194E	00	7.624E	00	8.030E	00
1.25	• 0		4.169E	E 00	5.048E 00		5.794E 00		6.455E	00	7.054E	00	7.607E 00	8.121E	00	8.605E	00	9.063E	00
1.50	• 0		• 0		5.594E 00		6.420E 00		7.150E	00	7.812E	00	8.423E 00	8.992E	00	9.527E	00	1.003E	01
1.75	• 0		• 0		6.115E 00		7.014E 00		7.810E	00	8.533E (00	9.198E 00	9.819E	00	1.040E	01	1.096E	01
2.00	• 0		• 0		• 0		7.584E 00		8.443E	00	9.222E 00	00	9.941E 00	1.061E	01	1.124E	01	1.184E	01
2.25	• 0		• 0		.0	~	8.133E 00		9.053E	00	9.887E	00	1.066E 01	1.137E	01	1.205E	01	1.269E (01
2.50	• 0		• 0		.0	~	8.665E 00		9.643E	00	1.053E	01	1.135E 01	1.2116	01	1.283	01	1.351E	01
2.75	• 0		• 0		• 0	C	• 0	1.0	1.022E	01	1.116E 01	10	1.202E 01	1.283E	01	1.359E	01	1.431E (01
3.00	• 0		• 0		• 0	U	٥.	1.0	1.078E	10	1.177E (01	1.268E 01	1.353E	01	1.433E	10	1.509E	01
3.25	• 0		.0		.0		0.	0			1.236E (01	1.332E 01	1.421E	01	1.505E	01	1.585E (10
3.50	• 0		• 0		.0		0.	0			1.295E (10	1.395E 01	1.488E	01	1.576E	01	1.660E	01
3.75	• 0		• 0		.0	0	0.	0			•0		1.457E 01	1.554E	01	1.646E	01	1.733E (10
4.00	• 0		• 0		• 0	C	٥.	0			• 0		1.517E 01	1.619E	01	1.714E	01	1.805E	01
4.25	• 0		• 0		•0	C	٥.	0			•0		.0	1.682E	01	1.782E	01	1.876E C	01
4.50	.0		• 0		•0	0	•0	0			• 0		.0	1.745E	01	1.848E	01	1.945E 0	10
4.75	• 0		• 0		• 0	C	• •	0			•0		.0	1.807E	01	1.913E (01	2.014E 0	10
2.00	.0		.0		•0		0.	0			•0		•0	•0		1.978E 01		2.082E 0	10

				00	00	00	00	00	01	01	01	01	10	10	01	10	01	10	10	10	10	10	01
			0																			13E	
			5.0	4.235E	5.667E	6.905E	8.023E	9.056E	1.003E	1.095E	1.183E	1.268E	1.350E	1.430E	1.508E	I.584E	1.659E	1.732E	1.804E	1.875E	1.944E	2.013E	2.081E
				00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	01	01
			4.5	4.019E	5.378E	6.554E	7.616E	8.597E	9.519E	1.039E	1.123E	1.204E	1.282E	1.358E	1.432E	1.505E	1.575E	1.645E	1.713E	1.781E	1.847E	1.912E	1.977E
				00	00	00	00	00	00	00	10	01	01	01	10	10	01	01	01	01	01	01	
	= 0.40		4.0	3.790E	5.074E	6.184E	7.186E	8.113E	8.983E	9.810E	1.060E	1.136E	1.210E	1.282E	1.352E	1.420E	1.487E	1.553E	1.618E	1.681E	1.744E	1.806E	.0
	PSI			00	00	00	00	00	00	00	00	01	01	01	01	01	10	01	01				
	_		3.5	3.547E	4.749E	5.790E	6.729E	7.597E	8.413E	9.189E	9.931E	1.065E	1.134E	1.201E	1.267E	1.331E	1.394E	1.456E	1.516E	.0	• 0	• 0	• 0
				00	00	00	00	00	00	00	00	00	01	01	10	10	10						
ETA	0		3.0	3.286E	4.401E	5.367E	6.238E	7.044E	7.802E	8.522E	9.212E	9.877E	1.052E	1.115E	1.176E	1.235E	1.294E 01	•0	• 0	•0	•0	•0	.0
US E	0.20			00	00	00	00	00	00	00	00	00	00	01									
VERS	ALPHA =	OMEGA	2					4E (36 C	36 C	11E (1.077E 01								
TIME VERSUS	ALP	0	2.5	3.003E	4.023E	4.907E	5.705E	6.444E	7.139E	7.799E	8.431E	9.041E	9.631E	1.021E	1.07	0	0	0	0	0	•0	•	ċ
				00	00	00	00	00	00	00	00	00	00										
			2.0	2.690E	3.606E	4.400E	5.118E	5.782E	6.407E	7.001E	7.571E	8.120E	8.652E		°	ċ	•0	•	.0		0.	c.	0
	1020			00	00	00	00	00	00	00													
	DELTA = 0.75		1.5	2.335E	3.133E	3.826E	4.453E	5.033E	5.580E	6.100E	• 0	•0	• 0	•	.0	•0	0.	•0	• 0	.0	•0	• 0	• 0
	ELTA			00	00	00	00	00															
	0		1.0	1.915E	2.575E	3.149E	3.669E	4.152E	• 0	• 0	•0	• 0	• 0	•0	•0	•0	•0	••	•0	0.	•0	.0	.0
				00	00	00																	
			2																				
			0.5	1.373E	1.856E	2.2795	•0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00

				00	00	00	00	00	01	01	10	01	01	01	01	01	10	10	01	01	01	01	10
			5.0	4.229E	5.660E	9368 · 9	15E	48E	02E	94E	32E												
			2	4.2	5.6	6.8	8.015E	9.048E	1.002E	1.094E	1.182E	1.267E	1.349E	1.429E	1.507E	1.583E	1.658E	1.731E	1.803E	1.874E	1.944E	2.012E	2.080E
				00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	01	01
			4.5	4.012E	5.371E	6.547E	7.608E	8.589E	9.510E	1.039E	1.122E	1.203E	1.281E	1.357E	1.431E	1.504E							
			4	4.0	5.3	6.5	7.6	8.5	9.5	1.0	1.1	1.2	1.2	1.3	1.4	1.5	1.575E	1.644E	1.712E	1.780E	1.846E	1.911E	1.976E
				00	00	00	00	00	00	00	01	01	01	01	01	01	01	01	01	01	01	01	
	0.40		4.0	3.784E	5.066E	6.176E	7.177E	8.104E	8.974E	9.801E	1.059E	1.136E	1.209E	81E	1.351E	20E							
			4	3.7	5.0	6.1	7.1	8.1	8.9	9.8	1.0	1.1	1.2	1.281E	1.3	1.420E	1.486E	1.552E	1.617E	1.680E	1.743E	1.805E	.0
	PSI			00	00	00	00	00	00	00	00	01	10	01	01	01	01	01	01				
			3.5	3.540E	4.741E	5.781E	6.720E	88E	8.404E	361	9.921E	94E											
			М	3.5	4.7	5.7	6.7	7.588E	8.4	9.179E	6.6	1.064E	1.133E	1.200E	1.266E	1.330E	1.393E	1.455E	1.515E	0.	0	.0	.0
				00	00	00	00	00	00	00	00	00	01	10	10	01	01						
			3.0	3.279E	4.393E	5.357E	6.228E	7.034E									3E						
ETA	0.20		8	3.2	4.3	5.3	6.2	7.0	7.792E	8.512E	9.201E	9.866E	1.051E	1.113E	1.174E	1.234E	1.293E	.0	.0	•	.0	.0	•
SUS		V		00	00	00	00	00	00	00	00	00	00	01	01								
VER	ALPHA =	OMEGA	2.5	2.994E	14E	4.897E	95E	33E															
TIME VERSUS	AL		2	2.9	4.014E	4.8	5.695E	6.433E	7.127E	7.787E	8.420E	9.029E	9.620E	1.019E	1.075E	.0	.0	.0	.0	.0	.0	•	•0
				00	00	00	00	00	00	00	00	00	00										
			2.0	2.680E	3.595E	4.388E	5.106E	5.770E	6.394E	6.988E	7.558E	8.107E	38E										
			2	2.6	3.5	4.3	5.1	5.7	6.3	6.9	7.5	8.1	8.638E	0.	0	c.	.0	0.		0.	0.		.0
	0			00	00	00	00	00	00	00													
	1.0		1.5	2.324E	3.121E	3.813E	4.439E	5.019E	5.566E	6.085E													
	H A		1	2.3	3.1	3.8	4.4	5.0	5.5	0.9	0	.0	•	•	.0	.0	.0	.0	.0	.0	.0	.0	.0
	DELTA = 1.00			00	00	00	00	00															
	0		1.0	902E	560E	133E	652E	135E															
			-	1.90	2.56	3.1	3.6	4.13	0	.0	.0	.0	• 0	.0	.0	• 0	.0	.0	.0	.0	.0	•	• 0
				00	00	00												J	Ü	Ü	Ü	C	0
			0.5																				
			0	1.354E	1.835E	2.257E	•	•	.0	•	• 0	•	•	•	•	• 0	•	•	•	•			
				15																	0	0	0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	1.75	00 •

				00	00	00	00	00	00	00	00	00	10	10					00	00	00	00	00	00	00	00	00	10	01
			5.0	3.055E	4.137E	5.088E	5.958E	6.773E	7.546E	8.288E	9.004E	9.699E	1.038E	1.104E				5.0	3.047E	4.128E	5.078E	5.948E	6.762E	7.535E	8.276E	8.992E	9.687E	1.036E	1.103E
				00	00	00	00	00	00	00	00	00	00						00	00	00	00	00	00	00	00	00	00	
			4.5	2.903E	3.931E	4.835E	5.662E	6.437E	7.172E	7.877	8.558E	9.219E	9.863E	•0				4.5	2.894E	3.921E	4.824E	5.651E	6.425E	7.160E	7.865E	8.546E	9.207E	9.851E	• 0
				00	00	00	00	00	00	00	00	00							00	00	00	00	00	00	00	00	00		
	00.40		4.0	2.742E	3.714E	4.568E	5.350E	6.082E	6.777E	7.444E	8.088E	8.713E	.0	•		0 - 0 - 40		4.0	2.733E	3.703E	4.557E	5.338E	6.070E	6.765E	7.431E	8.075E	8.700E	•0	•0
	PSI			00	00	00	00	00	00	00	00					PSI			00	00	00	00	00	00	00	00			
			3.5	2.571E	3.483E	4.284E	5.018E	5.705E	6.358E	6.984E	7.589E	• 0	.0	• 0				3.5	2.561E	3.471E	4.272E	5.006E	5.693E	6.345E	6.971E	7.575E	•	• 0	• 0
				00	00	00	00	00	00	00									00	00	00	00	00	00	00				
ETA	0.40		3.0	2.388E	3.235E	3.980E	4.663E	5.302E	5.909E	6.492E	• 0	•0	•0	• 0	ETA	04.		3.0	2.377E	3.223E	3.968E	4.65CE	5.288E	5.895E	6.477E	• 0	•0	0.	• 0
RSUS	0 =	SA		00	00	00	00	00	00						SUS	0	SA		00	00	00	00	00	00					
TIME VERSUS	ALPHA =	OMEGA	2.5	2.190E 00	2.967E	3.651E	4.278E	4.865E	5.423E	•0	•0	•0	•0	•0	TIME VERSUS ETA	ALPHA = 0.40	OMEGA	2.5	2.178E 00	2.954E	3.637E	4.264E	4.850E	5.408E	• 0	• 0	•0	•0	•0
				00	00	00	00	00											00	00	00	00	00						
			2.0	1.971E	2.672E	3.290E	3.855E	4.385E	•0	•0	.0	0.	0.					2.0	1.958E	2.658E	3.274E	3.839E	4.369E	.6	.0	0.	•	٥.	0.
				00	00	00	00									10			00	00	00	00							
	.0 = 1		1.5	1.726E	2.341E	2.883E	3.380E	•0	• 0	• 0	• 0	.0	.0	• 0		DELTA = 0.25		1.5	1.7116	2.324E	2.865E	3.362E	• 0	.0	.0	• 0	• 0	• 0	•0
	DELTA			00	00											ELTA			00	00									
			1.0	1.439E	1.954E	•0	•0	•0	• 0	• 0	•0	• 0	•0	• 0		۵		1.0	1.421E	1.934E	• 0	• 0	• 0	•	• 0	• 0	• 0	• 0	• 0
				00															00										
			0.5	1.078E	• 0	•0	•0	•0	• 0	•0	•0	• 0	•0	•				0.5	1.054E	• 0	•0	•0	•	• 0	.0	•	.0	•0	•0
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75

	0.40		4.5 5.0	E 00 2.885E 00 3.	00 3.911F 00 4.118E	00 4.8145 00 5.0495	00 5.640F 00 5.937E	00 6.414E 00 6.751E	00 7.149E 00 7.524E	00 7.854E 00 8.265E	00 8.981E	9.676E	00 1.035E	1.102E		0 • 0 =		4.0	2.714E 00 2.877E 00 3.030E 00	00 3.901E 00 4.109E	00 4.803E 00 5.058E		6.046E 00 6.403E 00 6.740E 00			00 8.970F	00 9.665E	00 1.034E	
	ISd		3.5	2.551E 00	3.460E 00			5.680E 00	6.332E 00	6.957E 00	7.562E 00	•0	•0	• 0		ISd		3.5	2.541E 00	3.449E 00	4.248E 00	4.981E 00	5.667E 00	6.319E 00	6.944E 00	7.548E 00	.0	.0	
S ETA	0.40		3.0	2.367E 00	3.211E 00	3.955E 00	4.636E 00	5.274E 00	5.881E 00	6.463E 00	•0	•0	•0	• 0	ETA	0.40		3.0	2.356E 00	3.199E 00	3.942E 00	4.623E 00	5.261E 00	5.867E 00	6.449E 00	•0	•0	•0	
TIME VERSUS	ALPHA = 0	OMEGA	2.5	2.166E 00	2.941E 00	3.623E 00	4.249E 00	4.835E 00	5.393E 00	•0	.0	•0	.0	•0	TIME VERSUS ETA	ALPHA = 0,	OMEGA	2.5	2.155E 00	2.928E 00	3.609E 00	4.234E 00	4.820E 00	5.377E 00	.0	•0	•0	•0	
			2.0	1.945E 00	2.643E 00	3.259E 00	3.823E 00	4.352E 00	• 0	ċ.	0.	.0	9.	•0				2.0	1.932E 00	2.628E 00	3.243E 00	3.806E 00	4.335E 00	٥.	0.	.0	.0	٥.	
	A = 0.50		1.5	1.696E 00	2.307E 00	2.847E 00	3.343E 00	.0	.0	•0	•0	•0	• 0	• 0		= 0.75		1.5	1.681E 00	2.291E 00	2.829E 00	3.324E 00	•0	.0	• 0	.0	.0	• 0	.0
	DELTA		1.0	1.403E 00	1.914E 00	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0	• 0		DELTA		1.0	1.385E 00	1.893E 00	• 0	•0	• 0	•0	•0	•0	.0	.0	0.
			0.5	1.030E 00	• 0	• 0	• 0	.0	• 0	• 0	.0	.0	•0	•0				6.0	1.005E 00	• 0	•0			• 0	• 0	• 0	• 0	• 0	0.
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75				ETA	0.25	0.50	0.75				1.75	2.00	2.25	2.50	2.75

					TIME VERSUS ETA	ETA					
		DELTA	'A = 1.00		ALPHA = 0	0.40	ISd	04°0 = J			
					OMEGA						
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	
0.25	9.791E-01	1.366E 00	1.666E 00	1.919E 00	2.143E 00	2.345E 00	2.531E 00	2.705E 00	2.868E 00	3.022E 00	0
0.50	• 0	1.872E 00	2.273E 00	2.614E 00	2.914E 00	3.187E 00	3.438E 00	3.672E 00	3.891E 00	4.099E 00	0
0.75	•0	•0	2.811E 00	3.227E 00	3.595E 00	3.929E 00	4.236E 00	4.523E 00	4.792E 00	5.048E 00	0
1.00	• 0	•0	3.305E 00	3.790E 00	4.219E 00	4.609E 00	4.968E 00	5.303E 00	5.618E 00	5.916E 00	0
1.25	• 0	•0	• 0	4.318E 00	4.805E 00	5.247E 00	5.654E 00	6.034E 00	6.391E 00	6.729E 00	0
1.50	• 0	•0	•0	0.	5.362E 00	5.853E 00	6.306E 00	6.728E 00	7.126E 00	7.502E 00	0
1.75	• 0	• 0	• 0	٥.	•0	6.434E 00	6.931E 00	7.394E 00	7.830E 00	8.243E 00	0
2.00	• 0	• 0	•0	0.	•0	•0	7.535E 00	8.037E 00	8.510E 00	8.958E 00	0
2.25	• 0	• 0	•0	•0	•0	.0	• 0	8.662E 00	9.171E 00	9.653E 00	0
2.50	•0	•0	•0	·c	•0	• 0	• 0	•0	9.815E 00	1.033E 01	_
2.75	•0	•0	• 0	· c	•0	•0	• 0	•0	.0	1.099E 01	_
					TIME VEDCHE CTA	41					
					FINE VERSUS	4 - 1					
		DELTA	A = 0.		ALPHA = 0.60	09.	PSI	04.0 =			
					OMEGA						
ETA	9.0	1.0	1.5	2.0	2.5	3.6	3.5	4.0	4.5	5.0	
0.25	9.330E-01	1.219E 00	1.450E 00	1.649E 00	1.826E 00	1.988E 00	2.137E 00	2.277E 00	2.409E 00	2.533E 00	_
0.50	.0	1.673E 00	1.988E 00	2.259E 00	2.501E 00	2.722E 00	2.926E 00	3.117E 00	3.297E 00	3.467E 00	_
0.75	•0	•0	•0	2.803E 00	3.103E 00	3.376E 00	3.628E 00	3.865E 00	4.087E 00	4.298E 00	
1.00	• 0	.0	•0	٥.	3.659E 00	3.980E 00	4.278E 00	4.556E 00	4.818E 00	5.066E 00	_
1.25	•0	• 0	•0	٥.	•0	•0	4.890E 00	5.208E 00	5.507E 00	5.791E 00	_
1.50	•0	• 0	•0	0.	•0	•0	•0	5.831E 00	6.166E 00	6.484E 00	_
1.75	•0	•0	•0	0.0	•0	•0	• 0	• 0	6.802E 00	7.152E 00	_

TIME VERSUS ETA	DELTA = 0.25 ALPHA = 0.60 PSI = 0.40	OMEGA	0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0	8E 00 1.433E 00 1.634E 00 1.812E 00 1.975E 00 2.125E 00 2.266E 00 2.398E 00 2.523E 00	9E 00 1.968E 00 2.242E 00 2.486E 00 2.708E 00 2.913E 00 3.104E 00 3.285E 00 3.456E 00	0. 2.785E 00 3.086E 00 3.360E 00 3.614E 00 3.851E 00 4.074E 00 4.286E 00	0. 0. 3.641E 00 3.964E 00 4.263E 00 4.542E 00 4.805E 00 5.054E 00	0. 0. 0. 4.875E 00 5.194E 00 5.494E 00 5.778E 00	0. 0. 0. 0. 0. 5.817E 00 6.152E 00 6.471E 00	0. 0. 0. 0. 0. 6.788E 00 7.139E 00	TIME VERSUS ETA	DELTA = 0.50 ALPHA = 0.60 PSI = 0.40	OMEGA	0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0	7E 00 1.415E 00 1.618E 00 1.798E 00 1.962E 00 2.113E 00 2.255E 00 2.387E 00 2.513E 00	1.948E 00 2.224E 00 2.470E 00 2.693E 00 2.899E 00 3.092E 00 3.273E 00 3.444E 00	0. 2.766E 00 3.069E 00 3.345E 00 3.600E 00 3.838E 00 4.062E 00 4.274E 00	0. 0. 3.624E 00 3.948E 00 4.248E 00 4.528E 00 4.791E 00 5.041E 00	0. 0. 0. 4.860E 00 5.179E 00 5.480E 00 5.765E 00	0. 0. 0. 0. 0. 5.802E 00 6.139E 00 6.457E 00	
	DELTA = 0.25			1.433E 00 1.634E	00 2.242E	0. 2.785E	•0		• 0			DELTA = 0.50			00 1.618E			•0		•0	
			ETA 0.5	0.25 9.053E-01	0.50 0.	0.75 0.	.00 00.		1.50 0.	1.75 0.				ETA 0.5	0.25 8.767E-01	0.50 0.	0.75 0.	.00 00.	•0	.0 00	

TIME VERSUS ETA

	DELTA	TA = 0.75		ALPHA = 0.60	09.0	ISd	04.0 = 1		
				OMEGA					
	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
8.471E-01	1.155E 00	1.397E 00	1.602E 00	1.784E 00	1.949E 00	2.101E 00	2.243E 00	2.377E 00	2.503E 00
	•0	1.928E 00	2.207E 00	2.454E 00	2.679E 00	2.886E 00	3.079E 00	3.261E 00	3.433E 00
	•0	•0	2.747E 00	3.052E 00	3.329E 00	3.585E 00	3.824E 00	4.049E 00	4.262E 00
	• 0	••		3.606E 00	3.932E 00	4.233E 00	4.514E 00	4.778E 00	5.028E 00
	• 0	.0	•	•0	•0	4.844E 00	5.165E 00	5.466E 00	5.752E 00
	•0	•0	•0	•0	•0	• 0	5.787E 00	6.125E 00	6.444E 00
	• 0	•0	ċ.	•0	•0	•0	•0	6.760E 00	7.112E 00
				TIME VERSUS	ETA				
	DELT	DELTA = 1.00		ALPHA = 0.60	09.	PSI	0 • 0 =		
				OMEGA					
	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
8.164E-01	1.133E 00	1.378E 00	1.586E 00	1.770E 00	1.936E 00	2.089E 00	2.232E 00	2.366E 00	2.493E 00
	• 0	1.907E 00	2.189E 00	2.438E 00	2.664E 00	2.872E 00	3.066E 00	3.249E 00	3.422E 00
	.0	•0	2.728E 00	3.035E 00	3.314E 00	3.571E 00	3.811E 00	4.036E 00	4.250E 00
	• 0	•0	• 0	3.588E 00	3.916E 00	4.218E 00	4.500E 00	4.765E 00	5.016E 00
	0.	•0	•0	•0	• 0	4.829E 00	5.150E 00	5.453E 00	5.739E 00
	0.	•0	• 0	•0	•0	• 0	5.773E 00	6.111E 00	6.431E 00
	• 0	•0	c°	•0	•0	.0	.0	6.746E 00	7.098E 00

				-	TIME VERSUS ETA	ETA				
		DELTA	A = 0.		ALPHA = 0.	0.80	PSI	= 0.40		
				1	OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	8.514E-01	1.093E 00	1.291E 00	1.461E 00	1.614E 00	1.754E 00	1.883E 00	2.004E 00	2.118E 00	2.227E 00
0.50	• 0	• 0	1.785E 00	2.020E 00	2.231E 00	2.424E 00	2.602E 00	2.769E 00	2.927E 00	3.076E 00
0.75	•0	•0	•0	•0	2.786E 00	3.026E 00	3.248E 00	3.457E 00	3.653E 00	3.839E 00
1.00	•0	• 0	•0	•0	•0	• 0	3.850E 00	4.096E 00	4.329E 00	4.550E 00
1.25	• 0	•0	•0	.0	•0	•0	• 0	•0	4.970E 00	5.224E 00
1.50	0.0	• 0	• 0	•0	•0	•0	• 0	•0	•0	5.871E 00
				-	TIME VERSUS ETA	ETA				
		DELTA	TA = 0.25		ALPHA = 0.80	.80	PSI	= 0.40		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	.0	1.070E 00	1.271E 00	1.444E 00	1.598E 00	1.739E 00	1.870E 00	1.991E 00	2.106E 00	2.215E 00
0.50	•0	• 0	1.762E 00	2.001E 00	2.213E 00	2.408E 00	2.587E 00	2.755E 00	2.913E 00	3.063E 00
0.75	• 0	•0	.0	.0	2.767E 00	3.008E 00	3.232E 00	3.441E 00	3.639E 00	3.826E 00
1.00	.0	• 0	.0	0.	•0	• 0	3.833E 00	4.081E 00	4.314E 00	4.535E 00
1.25	•0	• 0	•0	0.	0.	.0	.0	•0	4.955E 00	5.209E 00
1.50	•0	•0	• 0	• 0	•0	•0	• 0	•0	• 0	5.856E 00
					TIME VERSUS ETA	ETA				
		DELTA	TA = 0.50		ALPHA = 0.80	.80	ISd	0 - 0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	0.5
0.25	• 0	1.046E 00	1.250E 00	1.426E 00	1.582E 00	1.725E 00	1.856E 00	1.979E 00	2.094E 00	2.204E 00
0.50	• 0	• 0	1.740E 00	1.981E 00	2.196E 00	2.391E 00	2.572E 00	2.741E 00	2.900E 00	3.050E 00
0.75	• 0	• 0	• 0		2.748E 00	2.991E 00	3.216E 00	3.426E 00	3.624E 00	3.812E 00
1.00	• 0	• 0	• 0	•0	•0	• 0	3.816E 00	4.065E 00	4.299E 00	4.521E 00
1.25	•	•0	• 0	0.	•0	• 0	•0	•0	4.940E 00	5.194E 00
1.50	• 0	• 0	• 0	c.	• 0	• 0	.0	• 0	•0	5.841E 00

					TIME VERSUS ETA	S ETA				
		DELTA	A = 0.75		ALPHA = 0	0.80	ISd	0 • 40		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	0.5
0.25	•0	1.021E 00	1.230E 00	1.408E 00	1.566E 00	1.710E 00	1.842E 00	1.966E 00	2.082E 00	2.192E 00
0.50	•0	•0	1.717E 00	1.961E 00	2.177E 00	2.374E 00	2.556E 00	2.726E 00	2.886E 00	3.037E 00
0.75	• 0	•0	•0	0.	2.728E 00	2.973E 00	3.199E 00	3.411E 00	3.610E 00	3.798E 00
1.00	•0	• 0	•0	٥.	•0	•0	3.799E 00	4.049E 00	4.284E 00	4.507E 00
1.25	•0	• 0	•0	٥.	• 0	•0	•0	•0	4.924E 00	5.180E 00
1.50	• 0	•0	• 0	•0	•0	•0	•0	• 0	•0	5.826E 00
					TIME VERSUS ETA	S ETA				
		DELTA	A = 1.00		ALPHA = 0.80	0.80	PSI	04.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	.0	9.954E-01	1.209E 00	1.390E 00	1.550E 00	1.695E 00	1.828E 00	1.953E 00	2.070E 00	2.180E 00
0.50	•0	•0	1.693E 00	1.940E 00	2.159E 00	2.358E 00	2.541E 00	2.712E 00	2.872E 00	3.024E 00
0.75	•0	•	• 0	•0	2.709E 00	2.956E 00	3.183E 00	3.395E 00	3.595E 00	3.784E 00
1.00	•0	• 0	• 0	٠.	•0	0.	3.782E 00	4.033E 00	4.269E 00	4.492E 00
1.25	.0	• 0	• 0	•0	•0	•0	• 0	•0	4.909E 00	5.165E 00
1.50	•0	•0	•0	•0	• 0	•0	• 0	• 0	•0	5.811E 00
					TIME VERSUS ETA	S ETA				
		DELTA	A = 0.		ALPHA = 1.00	1.00	PSI	0 * 0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.6	3.5	4.0	4.5	5.0
0.25	•0	1.010E 00	1.184E 00	1.336E 00	1.472E 00	1.597E 00	1.713E 00	1.821E 00	1.923E 00	2.020E 00
0.50	•0	• 0	•0	1.861E 00	2.051E 00	2,225E 00	2.386E 00	2.537E 00	2.679E 00	2.814E 00
0.75	•0	• 0	•0	.0	•0	2.793E 00	2.995E 00	3.184E 00	3.363E 00	3.533E 00
1.00	•0	•0	• 0	٥.	•	•0	.0	•0	4.003E 00	4.205E 00

			9		TIME VERSUS ETA	ETA	ISd	04°0 = 1Sd		
		DELT	DELTA = 0.25		ALPHA - I			:		
					OMEGA					
ETA	6.0	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	2.0
0.25	0.	9.844E-01	1.163E 00	1.317E 00	1.455E 00	1.581E 00	1.698E 00	1.807E 00	1.910E 00	2.007E 00
0.50	0.	•0	•0	1.840E 00	2.032E 00	2.207E 00	2.369E 00	2.521E 00	2.664E 00	2.800E 00
0.75	0.	•0	•0	•0	•0	2.774E 00	2.977E 00	3.168E 00	3.347E 00	3.518E 00
1.00	• 0	•0	•0	٥.	•0	•0	• 0	• 0	3.987E 00	4.190E 00
					TIME VERSUS ETA	ETA				
		DELT	DELTA = 0.50		ALPHA = 1.00	• 00	PSI	PSI = 0.40		
					OMEGA					
5		0	1.5	2.0	2.5	3.€	3.5	0.4	4.5	5.0
A		S S S S S S S S S S S S S S S S S S S	_	1.297E 00	1.437E 00	1.565E QO	1.683E 00	1.793E 00	1.896E 00	1.995E 00
67.0				1.818E 00		2.189E 00	2.352E 00	2.505E 00	2.649E 00	2.786E 00
06.0		• •		0.		2.755E 00	2.959E 00	3.151E 00	3.331E 00	3.503E 00
1.00	• •			ċ	•0	•0	•0	•0	3.971E 00	4.174E 00
					TIME VERSUS ETA	ETA .				
		0661	DELTA = 0.75		ALPHA = 1.00	00.1	PSI	= 0.40		
					OMEGA					
	c	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
A 10		9.3095-01	-	1.277E 00	1.419E 00	1.548E 00	1.667E 00	1.778E 00	1.883E 00	1.982E 00
0.63	• •				1.992E 00	2.170E 00	2.335E 00	2.489E 00	2.634E 00	2.771E 00
0.50	• 0	· ·		.0			2.941E 00	3.134E 00	3.315E 00	3.487E 00
0.75	• •	• •		. 0	•0	• 0	• 0	• 0	3.954E 00	4.158E 00
200	•	, ,								

				0	0	0	0																
			2.0	1.969E 00	2.757E 00	3.472E 00	4.142E 00	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•	•0	•0
			4.5	1.869E 00	2.619E 00	3.299E 00	3.937E 00	•0	•0	•0	••	•0	•0	•0	•0	•0	.0	.0	.0	•0	.0	•0	• 0
	0 • 40		4.0	1.764E 00	2.473E 00	3.117E 00	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	••	•0	•0	•0	•0	••	•0
	ISd		3.5	1.652E 00	2.318E 00	2.923E 00	.0	• 0	•0	• 0	.0	• 0	•0	.0		• 0	• 0	• 0	• 0	.0	• 0	• 0	• 0
ETA	00		3.0	1.532E 00	2.152E 00	2.716E 00	•0	•0	•0	•0	•0	•0	•0	•0	•0	• 0	•0	•0	• 0	•0	•0	•0	•0
TIME VERSUS ETA	ALPHA = 1.00	OMEGA	2.5	1.401E 00	1.972E 00	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	• 0	•0	•0	•0	• 0	•0	0.
-			2.0	1.257E 00	1.774E 00	•0	•0	٥.	•0	0.	0.	•0	٥.	٥.	٥.	•	:	•	٥.	0.	•0		·
	DELTA = 1.00		1.5	1.095E 00	•0	•0	•0	•0	•0	•0	.0	•0	•0	•0	• 0	•0	•0	•0	•0	.0	• 0	•0	•0
	DELTA		1.0	9.0295-01	•0	•0	•	.0	.0	.0	.0	•0	0.	•0			•0					.0	•0
			0.5				•0																
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00

			5.0	4.272E 00	5.750E 00	7.038E 00	8.210E 00	9.300E 00	1.033E 01	1.131E 01	1.226E 01	1.318E 01	1.407E 01	1.494E 01	1.578E 01	1.662E 01	1.743E 01	1.824E 01	1.903E 01	1.982E 01	2.059E 01	2.135E 01	2.211E 01
			4.5	4.056E 00 4	5.459E 00 5	6.683E 00 7	7.796E 00 8	8.832E 00 9	9.811E 00 1	1.075E 01 1	1.164E 01 1	1.252E 01 1	1.336E 01 1	1.419E 01 1	1.499E 01 1	1.578E 01 1	1.656E 01 1	1.733E 01 1	1.808E 01 1	1.882E 01 1	1.956E 01 2	2.029E 01 2	2.100E 01 2
	09.0 =		4.0	3.828E 00	5.152E 00	6.308E 00	7.359E 00	8.337E 00	9.261E 00	1.014E 01	1.099E 01	1.182E 01	1.262E 01	1.340E 01	1.416E 01	1.491E 01	1.564E 01	1.636E 01	1.708E 01	1.778E 01	1.847E 01	•0	•0
	PSI		3.5	3.585E 00	4.826E 00	5.909E 00	6.894E 00	7.811E 00	8.678E 00	9.506E 00	1.030E 01	1.107E 01	1.182E 01	1.255E 01	1.327E 01	1.397E 01	1.466E 01	1.534E 01	1.601E 01	•0	• 0	• 0	• 0
ETA	0.20		3.0	3.325E 00	4.476E 00	5.481E 00	6.395E 00	7.247E 00	8.052E 00	8.821E 00	9.561E 00	1.028E 01	1.097E 01	1.165E 01	1.232E 01	1.297E 01	1.361E 01	•0	• 0	•0	•0	•0	٥.
TIME VERSUS	ALPHA = 0.	OMEGA	2.5	3.042E 00	4.096E 00	5.017E 00	5.855E 00	6.635E 00	7.373E 00	8.078E 00	8.757E 00	9.414E 00	1.005E 01	1.068E 01	1.129E 01	•0	•0	• 0	• 0	•0	•0	• 0	•0
			2.0	2.730E 00	3.678E 00	4.505E 00	5.259E 00	5.961E 00	6.625E 00	7.260E 00	7.871E 00	8.463E 00	9.039E 00	.0	٥.	ċ	.0	•0	•	0.	.0	0.	ċ
	• 0 =		1.5	2.378E 00	3.205E 00	3.927E 00	4.586E 00	5.200E 00	5.781E 00	6.336E 00	6.872E 00	.0	• 0	.0	• 0	.0	.0	.0	.0	.0	• 0	•0	• 0
	DELTA		1.0	1.963E 00	2.649E 00	3.248E 00	3.795E 00	4.306E 00	4.790E 00	.0	• 0	.0	• 0	• 0	.0	.0	• 0	• 0	• 0	.0	.0	.0	• 0
			0.5	1.434E 00	1.939E 00	2.383E 00	• 0	.0			.0	• 0	.0	• 0	*0	• 0	• 0	• 0	.0	• 0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75		1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

							-	TIME VERSUS ETA	SUS	ETA									
		DEI	LTA	DELTA = 0.25				ALPHA =	0 =	0.20		۵	FSI =	0.60					
								OMEGA	A										
		1.0		1.5	2	2.0		2.5		3.0		3.5		4.0		4.5		2.0	
1.416€ 00	0	1.950E 00		2.367E 00		2.721E 0	00	3.034E	00	3.317E 00		3.578E 00		3.821E	00	4.050E	00	4.266E	00
1.919E 00	0	2.634E 00		3.193E 00		3.667E	00	4.087E	00	4.467E 00		4.818E 00		5.145E	00	5.452E	00	5.743E (00
2.361E 00	0	3.232E 00		3.914E 00		4.494E	00	5.007E	00	5.472E 00		5.900E 00		6.300E	00	6.675E	00	7.031E	00
		3.779E 00		4.572E 00		5.247E (00	5.844E	00	6.386E 00		6.885E 0	00 7.	7.350E	00	7.788E	00	8.202E	00
		4.289E 00		5.185E 00		5.948E (00	6.624E	00	7.237E 00		7.801E 00		8.328E	00	8.823E	00	9.292E (00
		4.772E 00		5.766E 00		6.612E (00	7.362E	00	8.041E 00		8.668E 0	6 00	9.252E	00	9.802E	00	1.032E	01
		•0	700	6.322E 00		7.247E (00	8.066E	00	8.810E 00		9.496E 0	00 1.	1.014E	01	1.074E	01	1.131E (01
		•0		6.857E 00		7.858E	00	8.745E	00	9.550E 00		1.029E 01		1.098E	01	1.164E	01	1.225E (01
		•0		•0	8.4	8.450E	00	9.402E 00	00	1.027E 01		1.106E 0	01 1.	1.181E	01	1.251E	01	1.317E	01
		• 0		•0	0.6	9.025E 00		1.004E 01	01	1.096E 01		1.181E 01		1.261E	01	1.335E	01	1.406E	01
		•0		•0	0			1.066E 01	01	1.164E 01		1.254E 0	01 1.	1.339E	01	1.418E	01	1.493E (01
		•0		•0	0			1.127E 01	01	1.231E 01		1.326E 01		1.415E	01	1.498E	01	1.578E	01
		•0		•0				• 0		1.296E 01		1.396E 01		1.490E	01	1.578E	01	1.661E	01
		•0		•0	0			• 0		1.360E 01		1.465E 01		1.563E	10	1.655E	01	1.743E	10
		•0		•0	0			•0		• 0	1	1.533E 01		1.635E	01	1.732E	01	1.823E	01
		.0		•0	ċ			•0		• 0	1	1.600E 01		1.707	01	1.807E 01		1.902E	01
		•0		•0	0			• 0		• 0	0	• 0	-	1.777 01	01	j.882E	10	1.981E	10
		.0		•0	0			•0		.0	0	• 0	-	1.846E	01	1.955E 01		2.058E 01	01
		.0		•0				• 0		•0	0	• 0	0			2.028E	10	2.134E	01
		•0		•0	0			•0		• 0	0	.0	0			2.099E	01	2.210E	01

				00	00	00	00			01	01	01	01	01	01	01	01	01	01	01	01	2.133E 01	01	
			0	OE OE	39E	4E	34E	34E	31E	30E	24E	391	05E	92E	1.577E	1.660E	1.742E	1.822E	1.902E	1.980E	2.057E	33E	2.209E	
			5.0	4.260E	5.736E	7.024E	8.194E	9.284E	1.031E	1.130E	1.224E	1.316E	1.405E	1.492E	1.5	1.6	1.7	1.8	1.9	1.9	2.0	2.1	2.2	
				00	00	00	00	00	00	01	01	01	01	01	10	10	10	10	10	01	01	10	10	
			2				OE		3E									31E	39C	31E	24E	2.027E	2.099E	
			4.5	4.044E	5.445E	6.668E	7.780E	8.815E	9.793E	1.073	1.163E	1.250E	1.334E	1.417E	1.498E	1.577E	1.654E	1.7316	1.806E	1.881E	1.954	2.0	2.0	
				00	00	00	00	00	00	01	01	01	01	01	01	01	10	10	10	01	01			
	09.0		0.4	15E	5.137E	6.292E	7.342E	8.319E	9.243E	1.013E	1.098E	1.180E	1.260E	1.338E	1.414E	1.489E	1.562E	1.634E	1.706E	1.776E	1.845E			
	н		4	3.815E	5.1	6.2	7.3	8.3	9.5	1.0	1.0	1.1	1.2	1.3	1.4	1.4	1.5	1.6		1.	1.8	0	0	
	PSI			00	00	00	00	00	00	00	01	01	01	01	01	01	01	01	01					
			3.5	3.571E	4.810E	5.892E	6.876E	7.792E	8.658E	9.486E	1.028E	1.105E	1.180E	1.253E	1.325E	1.395E	1.464E	1.532E	1.599E	• 0	• 0	• 0	•	
				00	00	00	00	00	00	00	00	01	01			01	10							
			0											3E (0E (5E (9E (
ETA	20		3.0	3.309E	4.459E	5.462E	6.376E	7.227E	8.031E	8.800E	9.539E	1.026E	1.095E	1.163E 01	1.230E 01	1.295E	1.359E	.0	•	•	.0	•	•0	
SUS	. 0.20	-		00	00	00	00	00	00	00	00	00	01	10	10									
VERS	ALPHA =	OMEGA	2									30E		35E	392									
TIME VERSUS	ALP	0	2.5	3.025E	4.077E	4.997E	5.833E	6.613E	7.350E	8.055E	8.733E	9.390E	1.003E	1.065E	1.126E	•	0	0	0	0	0	0	0	
-				00	00	00	00	00	00	00	00	00	00											
			2.0				35E	5.936E	366	7.234E	7.845E	8.437E	9.012E											
			2	2.712E	3.656E	4.482E	5.235E	5.9	6.599E	7.2	7.8	4.8	9.0		.0	0	Ė	6	0	0	0	0	0.	
	0			00	00	00	00	00	00	00	00													
	0.5		1.5	2.356E	3.180E	3.901E	4.558E	5.171E 00	5.752E	6.307E	6.842E													
	DELTA = 0.50		1	2.3	3.1	3.9	4.5	5.1	5.7	6.3	6.8	0	0	0	0	0	0	0	0	0	0	0	0	
	ELT			00	00	00	00	00	00															
			1.0	.937E	•619E	.216E	.762E	.272E	.755E															
			_	1.9	2.6	3.2	3.7	4.3	4.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
				00	00	00																		
			0.5	1.398E	1.898E	2.339E																		
			0	1.3	1.8	2.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			A	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	
			ETA	0	0	0	1.	1.	-1	1.	2	2	2	2	3	e,	m	6	4	4	4	4	5	

											1							
							-	TIME VERSUS ETA	SUS	ETA								
			0	ELT	DELTA = 0.75			ALPHA = 0.20	0 =	.20	_	PSI	09.0 =					
								OMEGA	A5									
TA	0.5		1.0		1.5	2.0		2.5		3.0	3.5		4.0		4.5		5.0	
.25	1.379E	00	1.924E	00	2.346E 00	2.702E	00	3.017E	00	3.302E 00	3.564E	00	3.808E	00	4.037E	00	4.254E	00
.50	1.8775	00	2.604E 00	00	3.168E 00	3.646E	00	4.068E	00	4.450E 00	4.802E	00	5.130E	00	5.438E	00	5.729E	00
.75	2.317E	00	3.200E	00	3.888E 00	4.471E	00	4.986E	00	5.453E 00	5.883E	00	6.283E	00	6.660E	00	7.016E	00
00.	• 0		3.745E 00	00	4.544E 00	5.223E	00	5.822E	00	6.366E 00	6.866E	00	7.333E	00	7.772E	00	8.187E	00
.25	•		4.254E	00	5.157E 00	5.924E	00	6.602E 00	00	7.216E 00	7.783E	00	8.310E	00	8.807E	00	9.276E	00
.50	•		737E	00	5.737E 00	6.587E	00	7.339E	00	8.021E 00	8.649E 00		9.234E	00	9.785E	00	1.031E	01
.75	•0		.0		6.292E 00	7.221E	00	8.043E	00	8.789E 00	9.476E 00		1.012E	10	1.072E	01	1.129E	01
00.	• 0		• 0		6.827E 00	7.832E	00	8.722E	00	9.529E 00	1.027E 01		1.097E	01	1.162E 01	01	1.224E	01
.25	•		•		• 0	8.423E	00	9.378E	00	1.024E 01	1.104E 01		1.179E 01	01	1.249E	01	1.315E	01
.50	•		0		•0	8.999E	00	1.002E	01	1.094E 01	1.179E 01		1.259E	01	1,333E	01	1.404E	10
.75	• 0		• 0		• 0	0.		1.064E	01	1.162E 01	1.252E (10	1.337E	01	1.416E	10	1.491E	10
00	• 0		• 0		•0	• 0		1.125E 01	01	1.229E 01	1.324E (10	1.413E	01	1.497E	01	1.576E	01
.25	• 0		• 0		•0	•		•0		1.294E 01	1.394E (01	1.488E	01	1.576E	10	1.659E	01
. 50	• 0		• 0		•0	.0		• 0		1.358E 01	1.463E	01	1.561E	10	1.653E	01	1.741E	01
.75	• 0		• 0		•0	ċ		•0		•0	1.531E (01	1.633E	10	1.730E	01	1.821E	01
• 00	• 0		• 0		•0	٥.		•0		• 0	1.598E	01	1.705E	10	1.805E	10	1.901E	01
.25	•0		• 0		•0	.0		•0		•0	• 0		1.775E	01	1.880E	10	1.979E	01
. 50	•		.0		•0	° c		•0		•0	•0		1.844E	10	1.953E	01	2.056E	01
75	•		• 0		•0	ċ		•0		• 0	• 0		.0		2.026E	10	2.133E	01
00	•		.0		•0	ċ.		•0		•0	• 0		.0		2.098E	01	2.208E 01	01

									=	TIME VERSUS	SUS	ETA								
				DELTA		= 1.00				ALPHA =		0.20	I S d	09.0 = I						
										OMEGA	A									
ETA	0.5		1.0		1.	1.5	N	2.0		2.5		3.0	3.5	4.0		4.5		5.0		
0.25	1.361E	00	1.911E	00	2.335E	35E 00		2.693E (00	3.008E	00	3.294E 00	3.557E 00	3.801E	00	4.031E	00	4.248E	00	
0.50	1.856E	00	2.589E	00	3.156E	98E 00		3.635E (00	4.058E	00	4.441E 00	4.794E 00	5.122E	00	5.430E	00	5.722E	00	
0.75	2.294E	00	3.184E	00	3.875E	75E 00		4.459E (00	4.976E 00	00	5.444E 00	5.874E 00	6.275E	00	6.652E	00	7.009E	00	
1.00	• 0		3.728E	00	4.530E	30E 00		5.211E (00	5.812E	00	6.356E 00	6.857E 00	7.324E	00	7.763E	00	8.179E	00	
1.25	• 0		4.237E	00	5.143E	43E 00		5.911E (00	9065.9	00	7.206E 00	7.773E 00	8.302E	00	8.798E	00	9.268E	00	
1.50	• 0		4.719E	00	5.722E	22E 00		6.574E (00	7.327E	00	8.010E 00	8.639E 00	9.225E	00	9.776E	00	1.030E	01	
1.75	•0		.0		6.277E	77E 00		7.208E (00	8.032E	00	8.778E 00	9.466E 00	1.011E	01	1.071E	10	1.128E	01	
2.00	• 0		.0		6.812E	12E 00		7.819E	00	8.710E 00	00	9.518E 00	1.026E 01	1.096E	01	1.161E	01	1.223E	10	
2.25	• 0		.0		0		8.4	8.410E (00	9.366E 00	00	1.023E 01	1.103E 01	1.178E	01	1.248E	01	1.314E	10	
2.50	•0		• 0		0		. 8	8.985E	00	1.001E	01	1.093E 01	1.178E 01	1.258E	01	1.333E	01	1.403E	01	
2.75	• 0		0.		0		9.			1.063E	01	1.161E 01	1.251E 01	1.336E	01	1.415E	01	1.490E	01	
3.00	• 0		.0		0		0			1.124E	01	1.227E 01	1.323E 01	1.412E	01	1.496E	01	1.575E	10	
3.25	• 0		.0		0		0		_	0.		1.293E 01	1.393E 01	1.487E	01	1.575E	01	1.658E	10	
3.50	• 0		.0		0		·			.0		1.357E 01	1.462E 01	1.560E	01	1.653E	10	1.740E	01	
3.75	• 0		.0		0		0.		0	.0		•0	1.530E 01	1.632E	10	1.729E	10	1.820E	01	
4.00	• 0		.0		0		0		Ü	• 0		• 0	1.597E 01	1.704E	01	1.804E	01	1.900E	01	
4.25	• 0		.0		•0		0.			•0		•0	• 0	1.774E (01	1.879E	10	1.978E	01	
4.50	• 0		.0		0		0		0	.0		• 0	• 0	1.843E (10	1.952E	10	2.055E	01	
4.75	• 0		.0		0		c			.0		• 0	• 0	•0		2.025E	10	2.132E	10	
5.00	• 0		.0		0		0			0.		0	.0	.0		2.097E	01	2.207E	10	

					TIME VERSUS	ETA				
		DELTA	TA = 0.		ALPHA = 0.40	.40	PSI	09.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.088E 00	1.452E 00	1.741E 00	1.989E 00	2.209E 00	2.409E 00	2.594E 00	2.767E 00	2.929E 00	3.083E 00
0.50	1.498E 00	1.993E 00	2.388E 00	2.726E 00	3.026E 00	3.300E 00	3.552E 00	3.788E 00	4.009E 00	4.219E 00
0.75	•0	2.477E 00	2.965E 00	3.383E 00	3.755E 00	4.093E 00	4.405E 00	4.697E 00	4.971E 00	5.231E 00
1.00	• 0	•0	3.499E 00	3.991E 00	4.428E 00	4.826E 00	5.194E 00	5.537E 00	5.861E 00	6.167E 00
1.25	•0	•0	•0	4.565E 00	5.065E 00	5.519E 00	5.939E 00	6.331E 00	6.700E 00	7.050E 00
1.50	•0	•0	•0	0.	5.674E 00	6.182E 00	6.651E 00	7.090E 00	7.503E 00	7.894E 00
1.75	• 0	•0	•0		•0	6.821E 00	7.339E 00	7.822E 00	8.277E 00	8.708E 00
2.00	• 0	•0	• 0	0.	•0	•0	8.006E 00	8.533E 00	9.029E 00	9.499E 00
2.25	• 0	•0	•0	0.	•0	•0	• 0	9.226E 00	9.762E 00	1.027E 01
2.50	• 0	•0	• 0	.0	•0	.0	• 0	•0	1.048E 01	1.102E 01
2.75	• 0	•0	• 0	°c	•0	•0	• 0	•0	•0	1.176E 01
					TIME VERSUS ETA	ETA				
		DELTA	.TA = 0.25		ALPHA = 0.40	04.	ISd	09.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.6	3.5	4.0	4.5	5.0
0.25	1.064E 00	1.	1.726E 00	1.976E 00	2.198E 00	2.399E 00	2.584E 00	2.757E 00	2.920E 00	3.074E 00
0.50	1.471E 00	1.973E 00	2.371E 00	2.711E 00	3.013E 00	3.288E 00	3.541E 00	3.777E 00	3.999E 00	4.210E 00
0.75	0.	2.455E 00	0 2.947E 00	3.367E 00	3.740E 00	4.080E 00	4.393E 00	4.685E 00	4.961E 00	5.221E 00
1.00	•0	• 0	3.480E 00	3.974E 00	4.414E 00	4.813E 00	5.181E 00	5.525E 00	5.849E 00	6.156E 00
1.25	•0	•0	•0	4.548E 00	5.049E 00	5.505E 00	5.926E 00	6.319E 00	6.688E 00	7.039E 00
1.50	•0	•0	•0	••	5.658E 00	6.168E 00	6.638E 00	7.077E 00	7.491E 00	7.883E 00
1.75	0	•0	•0	•0	•0	6.807E 00	7.325E 00	7.809E 00	8.265E 00	8.697E 00
2.00	•0	•0	•0	.0	•0	•0	7.992E 00	8.520E 00	9.016E 00	9.487E 00
2.25	•0	•0	•0	•0	•0	•0	• 0	9.213E 00	9.749E 00	1.026E 01
2.50	• 0	•0	•0	•0	•0	•0	•0	• 0	1.047E 01	1.101E 01
2.75	•0	• 0	•0	.0	• 0	•0	••	• 0	• 0	1.175E 01

					FIME VERSUS	ETA				
		DELTA	DELTA = 0.50		ALPHA = 0	0.40	F ISd	09.0 =		
					OMEGA					
BTA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	1.039E 00	1.416E 00	1.711E 00	1.963E 00	2.186E 00	2.388E 00	2.574E 00	2.748E 00	2.911E 00	3.066E 00
0.50	1.443E 00	1.952E 00	2.354E 00	2.696E 00	3.000E 00	3.275E 00	3.529E 00	3.766E 00	3.989E 00	4.200E 00
0.75	• 0	2.433E 00	2.928E 00	3.351E 00	3.726E 00	4.067E 00	4.381E 00	4.674E 00	4.950E 00	5.211E 00
1.00	• 0	•0	3.461E 00	3.958E 00	4.399E 00	4.799E 00	5.169E 00	5.514E 00	5.838E 00	6.146E 00
1.25	.0	.0	• 0	4.531E 00	5.034E 00	5.491E 00	5.913E 00	6.306E 00	6.677E 00	7.028E 00
1.50	.0	.0	•0	٥.	5.642E 00	6.153E 00	6.625E 00	7.065E 00	7.479E 00	7.871E 00
1.75	.0	• 0	•0	ċ	•0	6.792E 00	7.312E 00	7.796E 00	8.253E 00	8.685E 00
2.00	•0	.0	.0	.0	•0	•0	7.979E 00	8.507E 00	9.004E 00	9.476E 00
2.25	• 0	•0	•	0.	•0	•0	• 0	9.200E 00	9.737E 00	1.025E 01
2.50	.0	• 0	•0	· c	•0	•0	•0	.0	1.045E 01	1.100E 01
2.75	• 0	•0	• 0	• 0	• 0	•0	•0	•0	• 0	1.174E 01
					TIME VERSUS ETA	ETA				
		DELT	DELTA = 0.75		ALPHA = 0.40	04.0	PSI	09.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	1.014E 00	1.397E 00	1.696E 00	1.950E 00	2.174E 00	2.377E 00	2.564E 00	2.738E 00	2.902E 00	3.057E 00
0.50	1.414E 00	1.932E 00	2.337E 00	2.681E 00	2.986E 00	3.263E 00	3.518E 00	3.756E 00	3.979E 00	4.191E 00
0.75		2.411E 00	2.910E 00	3.335E 00	3.712E 00	4.054E 00	4.369E 00	4.663E 00	4.939E 00	5.201E 00
1.00	•0	•0	3.442E 00	3.941E 00	4.384E 00	4.785E 00	5.156E 00	5.502E 00	5.827E 00	6.135E 00
1.25	•0	•0	.0	4.514E 00	5.019E 00	5.477E 00	5.900E 00	6.294E 00	6.665E 00	7.017E 00
1.50	•0	0.	•0	.0	5.627E 00	6.139E 00	6.611E 00	7.052E 00	7.467E 00	7.860E 00
1.75	0	0	•0	•	•0	6.778E 00	7.298E 00	7.784E 00	8.241E 00	8.674E 00
2.00	•0	•	•0	•0	•0	•0	7.965E 00	8.494E 00	8.992E 00	9.464E 00
2.25	•0	•0	•0	•0	•0	•0	.0	9.187E 00	9.725E 00	1.023E 01
2.50		•0	•	0.	•	•0	.0	.0	1.044E 01	1.099E 01
2.75	.0	•0	•	٥.	•0	•0	• 0	• 0	•0	1.173E 01

					TIME VERSUS ETA	ETA				
		DELT	DELTA = 1.00		ALPHA = 0	0.40	PSI	09.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
0.25	9.880E-01	1.379E 00	1.681E 00	1.936E 00	2.162E 00	2.366E 00	2.554E 00	2.729E 00	2.893E 00	3.049E 00
0.50	•0	1.911E 00	2.319E 00	2.666E 00	2.973E 00	3.251E 00	3.507E a0	3.745E 00	3.969E 00	4.181E 00
0.75	•0	2.389E 00	2.891E 00	3.319E 00	3.697E 00	4.040E 00	4.356E 00	4.651E 00	4.928E 00	5.191E 00
1.00	• 0	•0	3.423E 00	3.924E 00	4.368E QO	4.772E 00	5.143E 00	5.490E 00	5.816E 00	6.124E 00
1.25	•	•0	•	4.497E 00	5.003E 00	5.463E 00	5.886E 00	6.282E 00	6.654E 00	7.006E 00
1.50	• 0	•0	•0	•	5.611E 00	6.124E 00	6.598E 00	7.040E 00	7.455E 00	7.849E 00
1.75	• 0	•0	• 0	•	•0	6.763E 00	7.284E 00	7.771E 00	8.229E 00	8.662E 00
2.00	•0	• 0	•0	•0	•0	•0	7.951E 00	8.481E 00	8.980E 00	9.452E 00
2.25	• 0	• 0	•0	٥.	•0	•0	.0	9.174E 00	9.712E 00	1.022E 01
2.50	• 0	• 0	•0	ċ	•0	•0	•0	•0	1.043E 01	1.098E 01
2.75	•0	•0	•0	٥.	•	•	•0	•0	•	1.172E 01
					TIME VERSUS ETA	ETA				
		DELTA	'A = 0.		ALPHA = 0.60	09.	ISd	09.0 =		
					OMEGA					
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	0.4	4.5	5.0
0.25	9.451E-01	1.235E 00	1.469E 00	1.670E 00	1.850E 00	2.014E 00	2.165E 00	2.306E 00	2.440E 00	2.566E 00
0.50	•0	1.719E 00	2.043E 00	2.321E 00	2.570E 00	2.797E 00	3.007E 00	3.203E 00	3.387E 00	3.562E 00
0.75	• 0	•0	2.561E 00	2.910E 00	3.221E 00	3.504E 00	3.766E 00	4.011E 00	4.242E 00	4.461E 00
1.00	.0	•0	•0	•0	3.828E 00	4.165E 00	4.476E 00	4.767E 00	5.041E 00	5.301E 00
1.25	•0	•0	• 0	•	•0	4.794E 00	5.151E 00	5.486E 00	5.801E 00	6.10dE 00
1.50	• 0	•0	•0	٥.	•0	.0	•0	6.178E 00	6.533E 00	6.869E 00
1.75	.0	• 0	•0	•0	•0	•0	•0	• 0	•	7.615E 00

					TIME VERSUS	S ETA							
		DELT	DELTA = 0.25		ALPHA =	09.0	Δ.	PSI = 0	09.0				
					OMEGA								
ETA	9.0	1.0	1.5	2.0	2.5	3.0	3.5	4	4.0	4.5		5.0	
0.25	9.171E-01	1.214E 00	1.451E 00	1.655E 00	1.836E 00	2.001E 00	2.153E	00 2.295E	95E 00	2.429E	00	2.556E 00	0
0.50	•0	1.695E 00	2.023E 00	2.304E 00	2.554E 00	2.782E 00	2.993E	00 3.190E	90E 00	3.375E	00	3.551E 00	0
0.75	•0	• 0	2.540E 00	2.891E 00	3.204E 00	3.488E 00	3.752E	00 3.998E	98E 00	4.229E	00	4.449E 00	0
1.00	•0	• 0	• 0	•0	3.811E 00	4.148E 00	4.461E	00 4.753E	53E 00	5.027E	00	5.288E 00	0
1.25	.0	• 0	• 0	•0	•0	4.777E 00	0 5.136E 00	00 5.471E	71E 00	5.787E	00	6.087E 00	0
1.50	• 0	• 0	•0	• 0	•0	• 0	• 0	6.163E	53E 00	6.518E	00	6.855E 00	0
1.75	.0	• 0	• 0	0.	•0	•0	• 0	0		• 0	14	7.601E 00	0
					TIME VERSUS ETA	S ETA							
		DELT	DELTA = 0.50		ALPHA = 0.60	09.0		DSI = 0	09.0				
					OMEGA								
ETA	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4	4.0	4.5		5.0	
0.25	8.882E-01	1.192E 00	1.433E 00	1.639E 00	0 1.822E 00	1.988E	00 2.141E	00 2.2	2.284E 00	2.418E	00	2.546E 0	00
0.50	•0	1.671E 00	2.002E 00	2.286E 00	0 2.538E 00	2.767E	00 2.979E	00 3.1	3.177E 00	3.363E	00	3.539E 0	00
0.75	• 0	0.	• 0	2.872E 00	0 3.186E 00	3.473E 00	3.737E	00 3.9	3.984E 00	4.216E 00		4.437E 0	00
1.00	• 0	• 0	• 0	ċ.	3.793E 00	4.132E	00 4.445E	7.4 00	4.738E 00	5.014E	00	5.275E 0	00
1.25	• 0	• 0	•0	٥.	• 0	4.760E 0	00 5.120E	00 5.4	5.456E 00	5.773E	00	6.073E 0	00
1.50	.0	• 0	•0	ċ	• 0	• 0	• 0	6.1	6.148E 00	6.504E	00	6.842E 0	00
1.75	• 0	.0	• 0	ċ	• 0	.0	• 0	0		• 0		7.588E 0	00

				00	00	00	00	0	00	00					00	00	00	00	00	00	0
			0					0E 00						0							7.560E 00
			5.0	2.535E	3.528E	4.424E	5.262E	9090°9	6.828E	7.574E				5.0	2.525E	3.516E	4.412E	5.249E	6.047E	6.815E	7.56
				00	00	00	00	00	00						00	00	00	00	00	00	
			4.5	2.407E	3.351E	4.203E	5.000E	5.759E 00	9064°9					4.5	2.397E	3.338E	4.190E	4.987E 00	5.745E	6.476E 00	
			4	2.4	3.3	4.2	5.0	5.7	4.9	0				4	2.3	3.3			5.		•
				00	00	00	00	00	00						00	00	00	00	00	00	
	09.0		4.0	2.272E	3.164E	3.970E	4.724E	5.442E 00	6.133E			0.60		4.0	2.261E	3.151E	3.956E	4.709E	5.427E	6.118E	
	**		•	2.	3.	3.	4		•	0		PSI = 0.60								•	0
	PSI			00	00	00	00	00				PS			2.116E 00	E 00	E 00	E 00	E 00		
			3.5	2.129E	2.965E	3.722E 00	4.430E	5.104E						3.5	116	2.952E	3.707E	4.415E	5.088E		
								5	0	0									5	0	0
				E 00	E 00	E 00	E 00								E 00	E 00	E 00)E 00			
A	_		3.0	1.975E	2.753E	3.457E	4.115E				LA	0		3.0	1.961E 00	2.738E 00	3.441E	4.099E 00	.0	•	•0
IS E1	09.0							0	0	0	JS E	ALPHA = 0.60							0	0	0
ERSU	-	OMECA		E 00	E 00	E 00	E 00				ERSI	# ¥	OMEGA	10	3E 0	5E 0	2E 00	5E 0			
TIME VERSUS ETA	ALPHA	O	2.5	1.807E	2.522E	3.169E	3.775E	.0	.0	• 0	TIME VERSUS ETA	ALPH	ō	2.5	1.793E 00	2.506E 00	3.152E	3.756E 00	.0	•0	•0
11							9	0	0	0	1.1				00	00	00	,	Ü	J	
			0	3E 00	3E 00	2E 0								0	7E 0	0 E 0	3E 0				
			2.0	1.623E	2.268E	2.852E 00	0.	0	0.					2.0	1.607E	2.250E	2.833E	0.	0.		0.
				00	00											00					
	.75		2									00.1		1.5	1.396E 00	1.961E 00					
	DELTA = 0.75		1.5	1.415E	1.981E	0	0	•	.0	0		DELTA = 1.00		1	1.3	1.9	0	0	0	0	0
	ELTA			00	00							JEL T			00	00					
	0		1.0	1.170E	9E									0	48E	1.621E					
			1	1.1	1.64	0	0	0	0	0				-	1.14	1.6	0	0	0	0	0
				-01											-01						
			0.5	8.583E-01										0.5	8.272E-01						
			0	8	0	0	0	0	0	0					80	0	0	0	0	0	0
			A	0.25	0.50	0.75	1.00	1.25	1.50	1.75				ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75
			ETA	0	0	0	1.	1.	1.	-1				ũ	Ó	0	0	-	-	1	-

				00	00	00	00	00					00	00	00	00	00					00	00	00	00	00
			5.0	2.264E	3.181E	4.016E	4.802E	5.554E				5.0	2.252E	3.167E	4.002E 00	4.787E	5.539E				5.0	2.240E	3.154E	3.988E	4.773E	5.524E
				00	00	00	00	00					00	00	00	00	00					00	00	00	00	00
			4.5	2.154E	3.026E	3.821E	4.569E	5.285E				4.5	2.141E	3.012E	3.806E 00	4.554E	5.269E				4.5	2.129E	2.998E	3.792E	4.538E	5.253E
				00	00	00	00						00	00	00	00						00	00	00	00	
	09.0		4.0	2.038E	2.863E	3.616E	4.324E 00	•0		09.0 = 1		4.0	2.025E	2.849E	3.600E	4.307E	• 0		09.0 =		4.0	2.012E	2.834E	3.584E	4.291E	•0
	PSI =			00	00	00	00			PSI			00	00	00	00			PSI			00	00	00	00	
			3.5	1.915E	2.691E	3.398E	4.063E	•				3.5	1.9016	2.675E	3.381E	4.046E	• 0				3.5	1.887E	2.659E	3.365E	4.029E	•
				00	00	00							00	00	00							00	00	00		
ETA	. 80		3.0	1.783E	2.506E	3.165E 00	.0	•0	ETA	08.0		3.0	1.768E	2.490E	3.147E	• 0	•0	ETA	0.80		3.0	1.753E	2.473E	3.129E 00	• 0	•
SUS	0 =	4		00	00	00			sns	0	AS		00	00	00			sus	0	A		00	00	00		
TIME VERSUS	ALPHA = 0.80	OMEGA	2.5	1.641E 00	2.307E 00	2.914E 00	•0	•	TIME VERSUS ETA	ALPHA = 0.80	OMEGA	2.5	1.625E	2.289E	2.895E	•0	•0	TIME VERSUS ETA	ALPHA =	OMEGA	2.5	1.609E 00	2.271E 00	2.875E 00	•	•0
_				00	00								00	00								00	00			
			2.0	1.486E	2.089E	•	•0	•0				2.0	1.468E	2.069E	0.	0.	.0				2.0	1.450E 00	2.049E 00	••	0.	.0
	• 0 =		1.5	1.312E 00	1.845E 00	•0	• 0	•0		A = 0.25		1.5	1.292E 00	1.823E 00	•0	•0	• 0		1 = 0.50		1.5	1.271E 00	1.799E 00	.0	.0	• 0
	DELTA =			00						DELTA			00						DELTA			00				
	90		1.0	1.1116	• 0	• 0	• 0	• 0		0		1.0	1.088E	• 0	• 0	• 0	• 0		۵		1.0	1.063E	•	• 0	• 0	•
			0.5	8.656E-01	• 0	• 0	• 0	• 0				0.5	8.347E-01	•0	•0	•0	•				0.5	8.025E-01	• 0	• 0	• 0	• 0
			ETA	0.25	0.50	0.75	1.00	1.25				ETA	0.25	0.50	0.75	1.00	1.25				ETA	0.25	0.50	0.75	1.00	1.25

					TIME VERSUS ETA	SUS	TA							
		DELTA	TA = 0.75		ALPHA = 0.80	.0 .8	0	PS	PSI = 0.60					
					OMEGA	4								
ETA	0.5	1.0	1.5	2.0	2.5		3.0	3.5	0.4		4.5		0.5	
0.25	7.689E-01	1.038E 00	1.250E 00	1.432E 00	0 1.592E 00		1.738E 00	1.873E 00	1.999E 00		2.117E 00		2.229E 00	
0.50	•0	•	1.776E 00	2.028E 00	0 2.252E 00		2.456E 00	2.644E 00	2.819E	00	2.984E 0	900	3.141E 00	
0.75	•0	•	•	•	2.855E 00		3.111E 00	3.348E 00	3.569E	00	3.777E 0	900	3.974E 00	
1.00	• 0	•0	•0	ċ	•0	0	• 0	4.011E 00	4.275E	00	4.523E 0	4 00	4.758E 00	
1.25	•0	•	•	ċ	•	0	• 0	•	•	-	5.237E 00		5.509E 00	
					TIME VERSUS ETA	sus E	ΓA							
		DELT	DELTA = 1.00		ALPHA = 0.80	= 0.80	٥	PSI	09*0 =					
					OMEGA	4								
ETA	0.5	1.0	1.5	2.0	2.5		3.0	3.5	0.4		4.5		5.0	
0.25	7.336E-01	1.012E 00	1.229E 00	1.413E 00	1.576E 00		1.723E 00	1.859E 00	1.985E 00		2.104E 00		2.217E 00	
0.50	•0	• 0	1.752E 00	2.007E 00	2.233E 00		2.439E 00	2.628E 00	2.804E 0	00	2.970E 00		3.128E 00	
0.75	•0	•0	• 0	ċ	2.835E 00		3.093E 00	3.331E 00	3.553E 00		3.762E 00		3.960E 00	
1.00	• 0	•0	•0	ŀ	•	0		3.994E 00	4.258E 0	00	4.507E 00		4.743E 00	
1.25	• 0	•	•	•0	•0	0		•0	•0	ıc	5.221E 00		5.493E 00	
					TIME VERSUS ETA	SUS E	TA							
		DELT	DELTA = 0.		ALPHA = 1.00	= 1.0	0	PSI	09°0 = I					
					DMEGA	V.								
ETA	0.5	1.0	1.5	2.0	2.5		3.0	3.5	4.0		4.5		2.0	
0.25	8.146E-01	1.030E 00	1.208E 00	1.363E 00	0 1.502E 00		1.629E 00	1.747E 00	1.858E	00	1.962E 0	00 2	2.061E 00	
0.50	•0	.0	• 0	1.935E 00	0 .2.133E 00		2.313E 00	2.481E 00	2.637E 00		2.785E 0	00 2	2.926E 00	
0.75	•0	.0	•	.0	•	2	2.941E 00	3.154E 00	3.353E 00		3.541E 0	00	3.720E 00	
1.00	•0	•0	•	c°	•0	0	.0	• 0	•		4.256E 00		4.471E 00	

				00	00	00	00					00	00	00	00					00	00	00	00	
			0								0								2.0				4.422E 00	
			5.0	2.048E	2.911E	3.704E	4.455E				5.0	2.035E	2.897E	3.689E	4.438E				3	2.022E	2.882E	3.673E	4.4	
				00	00	00	00					00	00	00	00					00	00	00	00	
			4.5	18E							4.5	1.935E		3.509E	4.222E				4.5	1.921E	2.739E	3.492E	4.205E	
			4	1.948E	2.770E	3.525E	4.239E				4	1.9	2.755E	3.5	4.2				4	1.9	2.7	3.4	4.2	
				00	00	00						00	00	00						00	00	00		
	09.0 =		4.0	1.843E	2.621E	3.336E			09.0		4.0	1.829E 00	2.605E	3.319E			0.60		4.0	1.814E	2.589E	3.301E		
	"		•				0		#						0		H						0	
	PSI			00	00	00			PSI			E 00	E 00	E 00			PSI			E 00	E 00	00 31		
			3.5	1.732E	2.463E	3.135E	v				3.5	1.716E 00	2.446E 00	3.117E 00					3.5	1.701E	2.429E	3.098E	• 0	
							0								0					00 1		00 3	0	
				E 00	E 00	E 00					-	5E 0(5E 0(1E 0					0		7E 0	2E 0		
ETA	0		3.0	1.613E	2.295E	2.921E	.0	TA	00		3.0	1.596E 00	2.276E 00	2.901E 00	• 0	ETA	00		3.0	1.580E	2.257E 00	2.882E	0	
US E	1.00					12	0	TIME VERSUS ETA	ALPHA = 1.00	-						TIME VERSUS ETA	= 1.00	A			00			
VERS	ALPHA =	OMEGA	2	34E	2.113E QO			VER	HA	OMEGA	2.5	1.466E 00	2.092E 00			VER	ALPHA =	OMEGA	2.5	1.448E 00	2.072E 00			
TIME VERSUS	ALP	0	2.5	1.4846 00	2.11	0	•	IME	ALF	_	2	1.40	2.0	0	0	TIME	AL		2	1.4	2.0	0	0	
-				00	00			_				00	00							00	00			
			2.0	1.343E	1.913E						2.0	1.324E 00	1.891E						2.0	1.303E	1.868E			
			2	1.3	1.9	0	0				14	1.	1.8	0	0						1.	0	ċ	
	2			00					0			00					51			E 00				
	0.2		1.5	1.186E					0.5		1.5	1.163E					0 =		1.5	1.140E 00	•	0	.0	
	DELTA = 0.25				0	0	0		DELTA = 0.50				0	0	0		DELTA = 0.75							
	DEL			E 00					DEL			75E-01					DEI		0	0-36				
			1.0	.004			• 0				1.0	9.775							1.	64.6				
				1	0	0	0					6	0	0	0					0.				
			10								2								2					
			0.5	•	•	•0	•				0.5	•	•	•	•0				0.5	0				;
				0																				
			ETA	0.2	0.50	0.7	1.00				ETA	0.2	0.5	1.0	1.00				FTA	0				

			5.0	2.009E 00	2.867E 00	3.658E 00	4.406E 00																120
			2	00	00	00	00	0	0	0	•	0	0	•	0	•	0	•	0	•0	0	0	0
			4.5	00 1.907E	00 2.724E	00 3.476E	4.188E	•0	0	0	•0	•0	0	•0	0	0	0	0	•0	0	•0	•0	•0
	09.0 =		0.4	1.800E	2.572E (3.284E	•0	.0	.0	• 0	•0	.0	.0	• 0	.0	.0	• 0	.0	.0	.0	.0	•0	•
	PSI		3.5	1.685E 00	2.411E 00	3.080E 00																	
				00	00	00	0	0	0	0	•	0	0	• 0	0	0	0	0	0	0	0	•	0
S ETA	1.00		3.€	1.563E	2.238E	2.861E	•0	•0	•0	• 0	• 0	• 0	• 0	•0	• 0	0.0	•0	•0	•0	•0	•0	•0	• 0
TIME VERSUS ETA	ALPHA =	OMEGA	2.5	1.430E 00	2.051E 00	•0	•0	•0	• 0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0	•0
			2.0	1.283E 00	1.845E 00	0.	•0	• 0	٥.	.0	0.	0.	0.	.0			•0	٥.	0.	•0	0.	0.	0.
	1 = 1.00		1.5	1.117E 00	• 0	• 0	• 0	• 0	• 0	• 0	•0	• 0	•0	•0	•0.	•0	• 0	• 0	•0	•0	•0	.0	• 0
	DELTA		1.0	9.214E-01	• 0																		• 0
			0.5	• 0	•0	• 0	• 0	.0	•0	•0	• 0	• 0	•0	•0	• 0	•0	•0	•0	• 0	• 0	•0	• 0	0.
			ETA	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	2.00

Security Classification						
DOCUMENT CO (Security classification of title, body of abstract and indexi	NTROL DATA - R&	D tered when t	he overall report is classified)			
1. ORIGINATING ACTIVITY (Corporate author)			T SECURITY CLASSIFICATION			
Theoretical Mechanics Branch Structure Division						
Air Force Flight Dynamics Laboratory		2 b. GROUP				
3. REPORT TITLE Effects of Pressure Vessel Geometry on the	he Interior Balli	stics of	Gas Guns			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final Report; September 1965 - Janua	mz 1966					
5. AUTHOR(S) (Last name, first name, initial)	.Ty 1900					
Knackstedt, Wilhelm F. Politzer, Jay L.						
6. REPORT DATE	74. TOTAL NO. OF P	AGES	7b. NO. OF REFS			
December 1966	252		one			
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)					
b. PROJECT NO. 5710	AFFDL-TR-66-159					
Task No. 5710/WEB	9b. OTHER REPORT NO(S) (Any other numbers that may be essigned this report)					
d.						
10. A VAIL ABILITY/LIMITATION NOTICES						
Distribution of this report is unlimited.						
11. SUPPLEMENTARY NOTES 12. SPONSORIN	12. SPONSORING MILI	TARY ACTIV	/ITY			
	Research and Technology Division Air Force Systems Command, Wright- Patterson AFB, Ohio					
13. ABSTRACT						
An analytical treatment of the performs by means of a modified "Lagrange app sectional area of the high-pressure vess of the base of the gun's barrel, has been apperformance determined.	roximation." The el of the gas gun	ne actua , larger	l local cross- than the area			

UNCLASSIFIED

Security Classification 14. KEY WORDS	LINK A		LINK B		LINKC		
	ROLE	wT	ROLE	wT	ROLE	WT	
Interior Balli Gas Guns Performance- Tables							

INSTRUCTIONS

- ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.
- 8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).
- 10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

- 11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.